

FROM : HUDSON OIL COMPANY
District I
1625 N. ... Hobbs, NM 88240
District II
1301 W. ... Artesia, NM 88210
District III
1000 R. ... Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

FAX NO. : 817 334 0442
State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Dec. 13 2006 15:41 PM
Form 6-144
June 1994
For drilling and production facilities, submit to appropriate NMOC District Office.
For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Hudson Oil Company of Texas Telephone: (817) 336-7109 e-mail address: Suzanne@HudsonOil.com
Address: 616 Texas Street, Fort Worth, Texas 76102
Facility or well name: Knockabout Federal #1 API #: 30-015-33678 U/I. or Qtr/Qtr K Sec 12 T 17S R 31E
County: Eddy Latitude 32°50' 50.09 Longitude 103°49' 29.14 NAD: 1927 ☐ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit

Type: Drilling ☒ Production ☐ Disposal ☐
Workover ☐ Emergency ☐
Lined ☒ Unlined ☐
Liner type: Synthetic ☒ Thickness 12 mil Clay ☐
Pit Volume bbl

Below-grade tank

Volume: bbl Type of fluid:
Construction material:
Double-walled, with leak detection? Yes ☐ If not, explain why not:

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points)
100 feet or more	(0 points)

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
[No]	(0 points)

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points)
1000 feet or more	(0 points)

Ranking Score (Total Points)	0 points
------------------------------	----------

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 12/13/2006

Printed Name/Title J.B. Smith, Superintendent

Signature J.B. Smith

Your certification and NMOC approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title District II Supervisor

Signature

Date:


Hudson Oil Company of Texas
Attachment to OGD Form C-144

Pit or Below-Grade Tank Registration or Closure

Pit Closure

Knockabout Federal #1

1980' FSL & 1980' FWL
Unit K. Sec 12 T17S R31E
Eddy County, New Mexico



(2) Disposal Location:

Fluids will be disposed at an approved disposal location

(3) General description of Remedial Action:

Transfer cuttings to ends, dig deep bury pit in center of pit, line with 12 mil plastic. Use material to stiffen cuttings. Transfer stiffened cuttings into lined pits, leading mounded for drainage. Cap with 20 mil liner. Cover with three feet of cover material.

(4) Groundwater encountered:

NO

(5) Soil sample:

N/A