Form C-144

District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

NMOCD prior to back-filling.

NOTIFY NM0CD 24 HOURS PRIOR TO OBTAINING SAMPLES.

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Gr	ade Tank Registration or Clos	sure .IIII 3 1 2007
Is pit or below-grade ta	nk covered by a "general plan"? Yes	No X
Type of action: Registration of a pit	or below-grade tank Closure of a pit or below	-grade lank XOD-ARIESIA
Operator: Membourne Oil Co. Telephone:	506-393-5915c-mail address:	_ · · · -
Address: 7015. Celeil Hobbs n.m.		
Facility or well name: heronimo 24# 2 API #: 30-015	-350)le U/Lor Qu/Qtr M	Sec 24 1/8 5 R3\1E
County: 6004 Latitude	0320 430 415 Longitude i	J 1030 LIGG 41 30 NAD: 1927 [1983
Surface Owner: Federal State Private Indian		_
Pit	Below-grade tank	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined X Unlined	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic X Thickness12_mil Clay [
Pit Volume 5200 bb1		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 250
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No.	(0 points)
water source, or less than 1000 less from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	t's relationship to other equipment and tanks. (2) Is	ndicate disposal location: (check the onside box it
your are burying in place) onsite X offsite I If offsite, name of facility_		
start date and end date. (4) Groundwater encountered: No X Yes I If ye		ft. and attach sample results.
•		
(5) Attach soil sample results and a diagram of sample locations and excav		
Additional Comments: Closure work plan for drilling pit. Category 2 lo		· · · · · · · · · · · · · · · · · · ·
If there is evidence of contamination, the soil will be tested by lab and if	contamination is confirmed, further remediation wi	ill be conducted according to guidelines. A trend
will be installed. The trench will be lined with a 20-mil impervious liner	and the excavated material will be placed on top a	nd encapsulated.
The excavated pit will be backfilled with clean soil and the pit area as we	ill as the trench will be covered and contoured with	three feet of soil or like material capable of
supporting native plant growth to prevent erosion and ponding of rainwat	ci.	
A one call and a 48 hour notice will be provided to the Oil Conservation	Division.	
I hereby certify that the information above is true and complete to the bes	at of my knowledge and belief. I further certify the	nat the above denotibed pit or helow-grade tan
has been/will be constructed or closed according to NMOCD guideling	nes [], a general permit X or an (attached) alter	native OCI approved wat .
- PARAM AllPRINE	7/11/10 1 100 3 AUT	// S/Minus
	3/AGENT MEUSOURNE ignature	A JUNE LINE
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the cont the operator of its responsibility for compliance w	epts of the pit or tank contaminate ground water of the any other federal, state, or local laws and/or
1-2		v
	Signed By My/4 &	Service_
tify OCD 24 hours prior to beginning	· 	1111 - 2007
closure.		Dail: UL 3 1 2007
Dit area and analysis submitted to	al trench is constructed in	
NMOCD prior to back-filling pit are	a – Sample analyses are to	

be submitted to NMOCD PRIOR

to lining the trench.