

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Ave, Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S. St. Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr
Santa Fe, NM 87505

WELL API NO.
30-015-35411

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
VA-2835 & VA-2855

7. Lease Name or Unit Agreement Name
1724 STATE COM.

8. Well Number
21

9. OGRID Number
218885

10. Pool name or Wildcat
UNDES. EAGLE CREEK-WOLFCAMP

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
LCX ENERGY, LLC (KELVIN FISHER 432-262-4046)

3. Address of Operator 110 NORTH MARIENFELD SUITE 200
MIDLAND, TEXAS 79701

4. Well Location 660' FSL & 760' FEL SECTION 2 T17S-R24E

Unit Letter P : 660' feet from the SOUTH line and 760' feet from the EAST line

Section 2 Township 17S Range 24E NMPM County EDDY CO.

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3681' GL

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL P Sect 2 Twp 17S Rng 24E Pit type Drilling Depth to Groundwater 00' Distance from nearest fresh water well 1000'

Distance from nearest surface water None Below-grade Tank Location UL P Sect 2 Twp 17S Rng 24E ;
660' feet from the SOUTH line and 760' feet from the EAST line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: MOVE LOCATION ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Move location ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. LCX ENERGY, LLC. requests the approval to move their 1724 STATE CO. well # 21
From: 660' FSL & 760' FWL Section 21 T17S-R24E EDDY CO.
To: 660' FSL & 760' FEL Section 21 T17S-R24E EDDY CO.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Joe T. Janica TITLE Agent DATE 08/18/07

Type or print name Joe T. Janica E-mail address: joejanica@valornet.com Telephone No. 505-391-8503

(This space for State use)

APPROVED BY BRYAN G. ARRAÑT TITLE DISTRICT II GEOLOGIST DATE AUG 20 2007
Conditions of approval, if any:

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505
AUG 20 2007
OCD-ARTESIA

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name
30-015-35411		UNDES. EAGLE CREEK-WOLFCAMP
Property Code	Property Name	Well Number
	1724 STATE COM	21
OGRID No.	Operator Name	Elevation
218885	LCX ENERGY	3681'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	2	17 S	24 E		660	SOUTH	760	EAST	EDDY

Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	2	17 S	24 E		660	NORTH	760	EAST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
320			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

VA-2855 NE 1/4 BOTTOM HOLE LOCATION Lat - N32°52'12.88" Long - W104°33'11.77" N.: 680382.88 E.: 473802.39 (NAD-83) PRODUCING AREA → PROJECT AREA → ESTIMATED POINT OF ENTRY INTO PAY 1020' FSL & 760' FEL → SURFACE LOCATION Lat - N32°51'33.62" Long - W104°33'11.73" N.: 676417.079 E.: 473793.977 (NAD-83) VA-2835 SE 1/4	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the Division. <i>Joe T. Janica</i> Signature Date Joe T. Janica 08/18/07 Printed Name Agent SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. <i>GARY L. JONES</i> Date Surveyed Signature & Seal of Professional Surveyor Certificate No. Gary L. Jones 7977 BASIN SURVEYS
---	--

SECTION 2, TOWNSHIP 17 SOUTH, RANGE 24 EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO.



OWNER: STATE OF NEW MEXICO
LESSEE: EOG RESOURCES

LEGAL DESCRIPTION

A STRIP OF LAND 20.0 FEET WIDE, LOCATED IN SECTION 2, TOWNSHIP 17 SOUTH, RANGE 24 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING 10.0 FEET LEFT AND RIGHT OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY.

BEGINNING AT A POINT WHICH LIES N.50°24'32"W., 792.2 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION 2; THENCE N.89°31'13"E., 560.1 FEET; THENCE N.00°03'31"W., 4678.0 FEET; THENCE N.44°52'30"E., 70.7 FEET TO A POINT ON THE EAST SECTION LINE WHICH LIES S.00°03'31"E., 48.8 FEET FROM THE NORTHEAST CORNER OF SAID SECTION 2. SAID STRIP OF LAND BEING 5308.8 FEET OR 321.75 RODS IN LENGTH AND CONTAINING 2.44 ACRES, MORE OR LESS, AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SE/4 SE/4 = 83.14 RODS = 0.63 ACRES

NE/4 SE/4 = 80.10 RODS = 0.61 ACRES


SE/4 NE/4 = 80.10 RODS = 0.61 ACRES

NE/4 NE/4 = 78.41 RODS = 0.59 ACRES

I HEREBY CERTIFY THAT THIS MAP WAS PREPARED FROM FIELD NOTES OF AN ACTUAL SURVEY AND MEETS OR EXCEEDS ALL REQUIREMENTS FOR LAND SURVEYS AS SPECIFIED BY THIS STATE.

1000 0 1000 2000 FEET

GARY L. JONES N.M. P.S.
TEXAS P.L.S.



Basin Surveys P.O. BOX 1786 - HOBBS, NEW MEXICO

W.O. Number: 18087

Drawn By: J. M. SMALL

Date: 07-24-2007

Disk: JMS 18087R


Survey Date: 07-20-2007

Sheet 1 of 3 Sheets

LCX ENERGY

REF: PROPOSED ROAD TO THE LCX - 1724 STATE COM #21

A ROAD CROSSING STATE LAND IN
SECTION 2, TOWNSHIP 17 SOUTH, RANGE 24 EAST,
N.M.P.M., EDDY COUNTY, NEW MEXICO.



1724 STATE COM #21

Located at 660' FSL and 760 FEL

Section 2, Township 17 South, Range 24 East,
N.M.P.M., Eddy County, New Mexico.

basin
surveys
focused on excellence
in the oilfield

P.O. Box 1786
1120 N. West County Rd.
Hobbs, New Mexico 88241
(505) 393-7316 - Office
(505) 392-3074 - Fax
basinsurveys.com

W.O. Number: JMS 18087TR

Survey Date: 07-20-2007


Scale: 1" = 2 MILES

Date: 07-24-2007

LCX
ENERGY



LCX
ENERGY



Date: 07-24-2007

AUG 20 2007
OCD-ARTESIA



INTREPID
Directional Drilling Specialists


Proposal

Report Date: August 17, 2007 Client: LCX Energy Field: Eddy County, NM Nad 83 Structure / Slot: 1724 State Com #21 / 1724 State Com #21 Well: 1724 State Com #21 Borehole: 1724 State Com #21 UWI/API#: Survey Name / Date: 1724 State Com #21_r2 / August 17, 2007 Tort / AHD / DDI / ERD ratio: 90 000° / 3965.99 ft / 5.798 / 0.800 Grid Coordinate System: NAD83 New Mexico State Planes, Eastern Zone, US Feet Location Lat/Long: N 32 51 33.480, W 104 33 11.880 Location Grid N/E Y/X: N 676417.079 ftUS, E 473793.977 ftUS Grid Convergence Angle: -0.11934947° Grid Scale Factor: 0.99991432	Survey / DLS Computation Method: Minimum Curvature / Lubinski Vertical Section Azimuth: 0.120° Vertical Section Origin: N 0.000 ft, E 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 0.0 ft relative to Sea Bed / Ground Level Elevation: 0.000 ft relative to Magnetic Declination: 8.533° Total Field Strength: 49314.261 nT Magnetic Dip: 60.700° Declination Date: August 17, 2007 Magnetic Declination Model: IGRF 2005 North Reference: Grid North Total Corr Mag North -> Grid North: +8.652° Local Coordinates Referenced To: Well Head
--	---

Comments	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)	Mag / Grav Tool Face (deg)
Tie-In	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	---
KOP	4482.54	0.00	0.12	4482.54	0.00	0.00	0.00	0.00	0.00	0.00	0.12M
	4500.00	2.10	0.12	4500.00	0.32	0.32	0.00	0.32	0.12	12.00	0.12M
	4600.00	14.10	0.12	4598.82	14.38	14.38	0.03	14.38	0.12	12.00	HS
	4700.00	26.10	0.12	4692.56	48.67	48.67	0.10	48.67	0.12	12.00	HS
	4800.00	38.10	0.12	4777.12	101.71	101.71	0.21	101.71	0.12	12.00	HS
	4900.00	50.10	0.12	4848.81	171.17	171.17	0.36	171.17	0.12	12.00	HS
	5000.00	62.10	0.12	4904.49	254.01	254.01	0.53	254.01	0.12	12.00	HS
	5100.00	74.10	0.12	4941.72	346.63	346.62	0.72	346.63	0.12	12.00	HS
	5200.00	86.10	0.12	4958.89	444.95	444.95	0.93	444.95	0.12	12.00	HS
EOC	5232.54	90.00	0.12	4960.00	477.46	477.46	0.99	477.46	0.12	12.00	---
PBHL	8721.06	90.00	0.12	4960.00	3965.99	3965.98	8.26	3965.99	0.12	0.00	---

LCX Energy

WELL	1724 State Com #21	FIELD	Eddy County, NM Nad 83	STRUCTURE	1724 State Com #21
Magnetic Parameters Model	IGRF 2005	Dip	60.700°	Date	August 17, 2007
		Mag Dec	+8.533°	FS	49314.3 nT
Surface Location Lat	N32 51 33.480	Northing	678417.06 nUS	Grid Conv	0.11934947°
Lon	W104 33 11.880	Eastng	473733.98 nUS	Scale Fact	0.9999143152
Miscellaneous Slot	1724 State Com #21	TVD Ref	RKB (0.00 ft above)	Srvy Date	August 17, 2007
Plan	1724 State Com #21.f2				



INTREPID
Directional Drilling Specialists




OC
Aug 20 2007



LCX Energy

WELL	1724 State Com #21	FIELD	Eddy County, NM Nad 83	STRUCTURE	1724 State Com #21
Magnetic Parameters	Dip 60.700° Mag Dec +8.533°	Date August 17, 2007 FS 43014.3 nT	Surface Location Lat N29 51 33.480 Lon W104 33 11.880	NADES New Mexico State Planes, Eastern Zone, US Feet Northing 676417.08 RLUS Easting 473793.98 RLUS Grid Convr -0.11934947° Scale Fact 0.9999143152	Miscellaneous Skt 1724 State Com #21 Plan 1724 State Com #21_r2 TVD Ref RKB (0.00 ft above) Entry Date August 17, 2007



AUG 20 2007
OCD-ARTES



INTREPID
Directional Drilling Specialists