

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004
For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

RECEIVED
OCD - ARTESIA
678910112137

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator **Marbob Energy Corporation**

Telephone **505-748-3303**

e-mail address: **land2@marbob.com**

Address: **PO Box 227, Artesia, NM 88211-0227**

2290' FNL & 1675' FEL

Facility or well name: **SS Snakebite Fee #3**

API #: **30-015-34512-34512**

U/L or Qtr/Qtr **SWNE** Sec **9** T **22S** R **27E**

County **Eddy** Latitude _____ Longitude _____ NAD 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

Pit

Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type Synthetic ☒ Thickness **12** mil Clay ☐ Volume _____ bbl

Below-grade tank

Volume _____ bbl Type of fluid _____

Construction material: _____

Double-walled, with leak detection? Yes ☐ If not, explain why not _____

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

(0 points)

20 points

Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources)

Yes

(20 points)

No

(0 points)

0 points

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

(0 points)

10 points

Ranking Score (Total Points)

30 points

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location:

onsite ☐ offsite ☒ If offsite, name of facility Sundance Disposal in Eunice (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD approved plan ☐.

Date: **September 20, 2006**

Printed Name/Title: **Gerald Herrera**

Signature A. Herrera

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval: Jim W. Gunn

Date: 9/20/06

Printed Name/Title: District II Supervisor Signature _____

Marbob Energy Corporation
Attachment to OCD Form C-144

Pit or Below-Grade Tank Registration or Closure

Pit Closure


SS Snakebite Fee #3

2290' FNL & 1675' FEL

Section 9 T-22S R-27E

Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

Truck and haul cuttings to an approved disposal facility.

(3) General description of remedial action:

a. Use stock piled dirt to backfill pit per request of landowner.

(4) Groundwater encountered:

No

(5) Soil sample:

N/A