Submit To Appropriate	et Office		State of New Mexico				Form C-105						
Sate Lease - 6 copies Fee Lease - 3 copies						tural I	Resources	1	Revised June 10, 200 WELL API NO.: 30 015 35342				
District I 1625 N French Dr., Hobbs, NM 88240								WELL AI	ON IS	: 30 0	45 353-	4 2	
Disput						ion	1						
District III District III District III District III District III District III								5. Indicat				2	
1000 Rio Brazos Rd.,	Aztec,	NM 87410		10000000				-		ATE		FER	
District IV 1220 S St Francis Dr. Santa Fe. NM 87505							-	State Oil	x Gas	Lease	NO.		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								2. Taki 1.0			一块艺术	20. 通信公司 · · · · · · · · · · · · · · · · · · ·	
la. Type of Well:						rn 2	4 2007		7. Lease Name or Unit Agreement Name				
OIL WEI	LL (GAS WELL 2	C DRY [] o	THER) <u>r</u> r 4	1 2001	. }	337: L	-4-m CC 6	z" Ctot	_	
b. Type of Compl	etion:				0	CD-A	RTESIA	\	Winchester "5" State				
NEW X	WORK												
	OVER			ACK	RESVR. Ogrid: 15	OTH	EK:		8. Well No.: 1				
2. Name of Operato 3. Address of Operator	_	OGX Resour	ces, LLC		Ogra. 13	1904			9. Pool name or Wildcat:				
3. Address of Open		P.O. Box 2064	. Midland,	TX 79	702)	Salt Draw (Morrow) West				
4. Well Location													
Linit Latter	K	· 1980'	Fact Fro	m The	SouthLine	and	1980'	Feet	From The	W	'est	Line	•
Section 5			nship 25		Range 28E	- and	NMPM	_ 1 001	Eddy	·`		County	
10. Date Spudded					mpl. (Ready to Prod.)		3. Elevations	DF8		R. etc.			Casinghead
1-27-07	11. 2	3-3-07		7-10-			3007' GR	(210		,,			g
15. Total Depth:		16. Plug Back	T.D.:	17. If	Multiple Compl. How	Many	18. Inter		Rotary Too	s: X		Cable T	ools
12.910		12.868			nes?		Drilled E	3y	<u>L</u>			<u> </u>	
19. Producing Inter 12,356-12,420			ion - Top, Bo	ttom, N	ame					20. W No	as Direc	tional Su	rvey Made
			TD/CCI						22. Was W		ı. No		
21. Type Electric ar	nd Oth	er Logs Run: (JK/CCL						22. Was W	en Core	O: INO		
23.		···		CA	CINIC DECO	DD /D	lanant all				`		
CASING SIZE	,	WEIGHT	ID ET		SING RECO			SUL					CALLET DE LE LEIN
13 3/8		WEIGHT 48		DEPTH SET		HOLE SIZE		CEMENTING RECORD 575 sx		JOKD	AMOUNT PULLED		
9 5/8"		36				· }						None	
9 3/ 6 7"		26			2600	12 1/4"			900 sx			None	
			T	9897		8 3/4"		1899 sx			None		
												 	
24.		L		IN	IER RECORD			25.	L	THE	NG RE	COPD	
SIZE	TOP		BOTTOM	Lu	SACKS CEMENT			SIZ					
+ 1/2"	9410).	12,910		300 sx	1010		2.3			.204	-	12,204
								+		+==	,,-		
26. Perforation re	cord (i	interval, size, ar	id number):			27. A	CID. SHOT	. FR	ACTURE, C	'EME	VT. SO	UEEZE.	ETC.
Morrow: 12,76	5-71	', 2 spf				27. ACID. SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED							
Morrow: 12,61	8-74	, 2 spf – CII	BP @ 12,5	1 5'		12,35	12,356-12,420' 90 bbls CBW w/30 gals N			ls Morf	llo		
Morrow: 12,48	0-12,	522', 2 spf -	CIBP @	12,450)				10,800 gal frac, flush w/71 bbls 3% K0				
Morrow: 12,35	6-12.	420'							40.000# 20/40 frac w/1200 bbls gel				
•													Ŭ
						<u></u>			L				
28							CTION						
Date First Production	n:	Pro		nod (Flo	owing, gas lift, pumph	ig - Size	and type pum	p)	Well State				
Date of Test	Hour	s Tested	Choke Size		Prod'n For	Oil - E	251	Con	- MCF		ter - Bb	1-in	Gas - Oil Ratio
2	120-011	, Tested	CHAC DIZE		Test Period)	<i>701</i>	J	- MCI	1 "	nei - Do	1.	Gas - On Ratio
								L					
Flow Tubing	Casin	g Pressure	Calculated 2	24-	Oil - Bbl.	Ga	s - MCF	7	Vater - Bbl.		Oil Gr	avity - Al	PI - (Corr.)
Press.		≈	Hour Rate										
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						Test	Witness	ed By					
Sales													
30. List Attachment	S										·······		
Logs & inclination	on ; C	-104 attached.		}									
		11	ARA	<i>}</i>									
Signature	,	Mulik	ukhi	3	Name : Ann E. R	Litchie	7	Title:	Regulator	y Age	at I	Date: ¶-	1-07
E-mail Address: ann.ritchie@wtor.net													

OGX Resources, LLC, Winchester State "5" #1. API # 30-015-35342 April 10 Pi

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southea	astern New Mexico	Northwe	Northwestern New Mexico			
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"			
T. Salt	T. Strawn 11,510'	T. Kirtland-Fruitland	T. Penn. "C"			
B. Salt	T. Atoka 11,732'	T. Pictured Cliffs	T. Penn. "D"			
T. Yates	T. Miss	T. Cliff House	T. Leadville			
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison			
T. Queen	T. Silurian	T. Point Lookout	T. Elbert			
T. Grayburg	T. Montoya	T. Mancos	T. McCracken			
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte			
T. Glorieta	T. McKee	Base Greenhorn	T. Granite			
T. Paddock	T. Ellenburger	T. Dakota	T			
T. Blinebry	T. Gr. Wash	T. Morrison	T.			
T.Tubb	T. Delaware Sand 2415 '	T.Todilto	T			
T. Drinkard	T. Bone Springs 6030'	T. Entrada	T.			
T. Abo	TMorrow_	T. Wingate	T			
	12,208'					
T. Wolfcamp_9225'	TMiddleMorrow:	T. Chinle	T			
T. Penn_	Т.	T. Permian	Т			
T. Cisco (Bough C)	T.	T. Penn "A"	Т			
			OIL OR GAS			

No. 1, from	to	No. 3. from	SANDS OR ZONE
No. 2, from	to	No. 4, from	to
		TANT WATER SANDS	
Include data on rate of	water inflow and elevation to wh	nich water rose in hole.	
		feet	
No. 2, from	to	feet	
No. 3, from	toto	feet	•• •• •• •• •• •• •• •• •• •• •• •• ••

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
2415 3170 6030 6950 7830 8850 9225 11510 11732 12208 12910			Delaware Cherry Canyon Bone Spring 1st Bone Spring Sd 2nd Bone Spring Sd 3rd Bone Spring Sd Wolfcamp Strawn Atoka Morrow TD				



McVAY DRILLING COMPANY

P.O. Box 2450 Hobbs, New Mexico 88241 (505) 397-3311 FAX: 39-DRILL

Well Name and Number: Winchester 5 St # 1

Location: Sec 5, T25S, R28E, Eddy County, NM

Öperator: Oxy 🐗

Drilling Contractor: McVay Drilling Company

The undersigned certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

Degrees @ Depth		Degrees @ Depth				
3 ½	602	1 1/4	6414			
3	713	1/2	6919			
2 1/4	860	1/4	7354			
2	1356	3/4	7849			
2 1/2	1639	1 1/4	8341			
2	1926	1 3/4	8836			
3/4	2243	1 1/2	9332			
1/2	2600	1	9897			
3/4	2990	1 3/4	10379			
1/4	3472	1	10878			
1	3953	1 3/4	11373			
1 1/4	4432	2	11872			
1	4944	1 1/2	12082			
1 1/2	5423	1	12557			
1 ¾	5923	1 ½	12860			

Drilling Contractor: McVay Drilling Company

Subscribed and sworn to before me this <u>Maday of</u>

2007

My Commission Expires: 916

Notary Public

Lea County, New Mexico