

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator COG Operating, LLC Telephone (432) 685-4340 e-mail address: PEwards@conchoresources.com
Address 550 West Texas Ave., Suite 1300, Midland, Texas 79701
Facility or well name: Polaris B Federal #12 API #: 30-015-35397 UL or Qtr/Qtr K Sec 9 T-17-S R-30-E
County: Eddy Latitude 32.842578N Longitude 103.975372W NAD: 1927 X 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type Synthetic <input checked="" type="checkbox"/> Thickness 12 mil Clay <input type="checkbox"/> Pit Volume 3,000 bbl	Below-grade tank Volume: _____ bbl Type of fluid _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 110'	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area. (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources)	Yes (20 points) No (0 points) 0
Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 0
Ranking Score (Total Points) 0	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered. No ☐ Yes ☐ If yes, show depth below ground surface _____ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments
Closed by trench burial, procedure attached, on 1-8-2008, on verbal approval by Mike Bratcher.
Lab and field sample results are attached.
Removed all material with chloride levels above 250 mg/Kg and placed in burial trench after field sampling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 1-15-08

Printed Name/Title Gary Miller, Agent

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval

Printed Name/Title

Signature

Accepted for record
NMOCD

Date

JAN 17 2008

Pit Closure Sampling Report

3287

Date:

1-7-08

106

Polaris B Fed #12

30-VIS-35347

8

4

110

Orientation of pit N S E W

All pit sample depths are *below pit bottom* (BPB)

[illegible]

DNR- Did not run at lab.

BGS- Below Ground Surface

BPB- Below Pit Bottom

Dig out all Material over 250 cu ft place in
 lined Burial Trench, Close & Backfill.
 Approved by M. Brutscher on 1-8-08

Highlander Environmental Corp.
Pit Sample Location Plat

Pit wall in feet _____

Pit wall in feet _____

x NW x

x Center x

x SW x

x SE x

x _____ Indicates Sample Location
(Name by quarter i.e. NW, NE etc)

Draw in North Arrow

Depth of pit in feet 2

• Wellhead

Well Pad

Client: BOC Opr.

Well Name: Polaris B. Prod #2

API# 30-015-35397

Summary Report

Gary Miller
Highlander Environmental Services
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: January 14, 2008

Work Order: 8011005



Project Location: Eddy County, NM
Project Name: COG-Polaris B Fed #12
Project Number: 3247

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
147375	NE-5'	soil	2008-01-07	00:00	2008-01-10
147376	NW-2'	soil	2008-01-07	00:00	2008-01-10
147377	SE-2'	soil	2008-01-07	00:00	2008-01-10
147378	SW-10'	soil	2008-01-07	00:00	2008-01-10
147379	C-2'	soil	2008-01-07	00:00	2008-01-10

Sample: 147375 - NE-5'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 147376 - NW-2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 147377 - SE-2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 147378 - SW-10'

Param	Flag	Result	Units	RL
Chloride		114	mg/Kg	2.00

Sample: 147379 - C-2'

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296
This is only a summary. Please, refer to the complete report package for quality control data.

Report Date: January 14, 2008
3247

Work Order: 8011005
COG-Polaris B Fed #12

Page Number: 2 of 2
Eddy County, NM

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00