<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

PIT OF	Below-Grade Lank Registration of Closure
Is pit or	below-grade tank covered by a "general plan"? Yes No 🗌 APR 2 1 2008
Type of action: I	egistration of a pit or below-grade tank Closure of a pit or below-grade tank
	OCD-ARTESIA Telephone: 5/25-/628-2447 e-mail address: OCT ARU POGENS (C. C. C
الصعما	Telephone: 5/15-/- 28-2447 e-mail address: OFT SELL POOPES (Q) (O)

Address: JO7 9 Meso Collsbook NM Facility or well name: Conco 20 Fed.com* API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Conco 20 Fed.com* API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 - 3 457 U/L or Qtr/Qtr f Sec JO T //o R AQE County: Communication Concorded API #: 30 -015 U/C NADE IN API #: 30 -		ne: <u>505-628-3447</u> e-mail address: 👌	TAPUPORES (O) AN I COM									
Pacifity or well name: Concor. 20 Editors API #: 30 - 0 5 - 2 4 57 U/L or Qurique Sec. 20 T Lo. R API E. Cousty: Cold												
Compty: Scale Compty: Scale Compty: Scale Compty: Scale Compty Compty: Scale Compty: Scale Compty: Scale Compty: Scale Compty Co												
Surface Owner: Foderil State Private Indian Pit Tage. Drilling Production Disposal Workover Emergency Lined Unined Pit Volume bh Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not. Least type: Synthetic Thickness Omil Clay Pit Volume bh Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private demestic water source, or less than 100 feet from all other water sources.) Wellhead protection area: (Less than 200 feet from a private demestic water source, or less than 100 feet from all other water sources.) Distance to surface water: (berizontal distance to all wellands, playas, irrigation canals, disches, and perennial and ephemeral watercourses.) Postunce to surface water: (in Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite pit fished If offisic, name of facility of the private pit of the post of the pit of the pit of the post of the pit of the post of the pit of pit o			3' 59.78 NAD: 1927 🗆 1983 🗀									
Type: Drilling Production Disposal												
Welfhead protection area: (Less than 200 feet from a private demestic vater source, or less than 1000 feet from all other water source.) Distance to surface water: (torizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (torizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) He file is a pit cleave; (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \$\frac{1}{2}\$ official If offities, name of facility (3) Attach a general description of remotial action taken including remodiations tart date and end date. (4) Groundwater encountered: No \$\frac{1}{2}\$ Yes If yes, show depth below ground surface ft. and attach sample results. 3) Attach and sumple results and a diagram of sample locations and exercyations. Additional Companents: O S C O S O S O S O S O S O S O S O S O	<u>Pit</u>	Below-grade tank										
Lines type: Synthetic Markeness Omit Clay Double-walled, with teak detection? Yes If not, explain why not. Lines type: Synthetic Markeness Omit Clay Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playsa, irrigation canals, disches, and perennial and ephemeral watercourses.) Less than 200 feet 200 feet or more, but less than 1000 feet (10 points) (10	Type: Drilling Production Disposal D	Volume:bbl Type of fluid:										
Liner type: Synthetic Thickness Mill Clay												
Prit Volume	Lined X Unlined	Double-walled, with leak detection? Yes If no	t, explain why not.									
Depth to ground water (vertical distance from bottom of pit to seasonal high water clevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (borizontal distance to all wellands, playas, trigation canals, ditches, and perennial and ephemeral watercourses.) Renkling Score (Total Points) Renkling Score (Total Points) (0 points) (10 poin	Liner type: Synthetic Thickness											
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (borizontal distance to all wetlands, playas, trrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (borizontal distance to all wetlands, playas, trrigation canals, ditches, and perennial and ephemeral watercourses.) Ramking Score (Total Points) [100 feet or more, but less than 1000 feet (20 points) (10 points) (10 points) (10 points) [201 feet or more) Ramking Score (Total Points) [202 feet or more) [203 feet or more) [204 points] [205 feet or more) [206 feet or more) [206 feet or more) [207 points) [208 feet or more) [208 points] [209 points] [200 feet or more) [200 feet or more)	Pit Volumebbl											
high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 points) Less than 1000 feet (10 points) Less than 1000 feet (10 points) Less than 1000 feet (10 points) (10 points) Less than 200 feet 200 feet or more, but less than 1000 feet (10 points) (10		Less than 50 feet	(20 points)									
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (korizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (korizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points) Call points (20 points) (10	1	50 feet or more, but less than 100 feet	(10 points)									
Welthead protection area: (Less than 200 feet from a private domestic water source, or least than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all weltands, playas, trigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points) Copoints Cop	high water elevation of ground water.)	100 feet or more	(0 points)									
Welthead protection area: (Less than 200 feet from a private domestic water source, or least than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all weltands, playas, trigation canals, ditches, and perennial and ephemeral watercourses.) Ramking Score (Total Points) Copints		V	(20 minus)									
Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Less than 200 feet 200 points 100 po	Wellhead protection area: (Less than 200 feet from a private domestic		` •									
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Commendation start date and end date. (4) Groundwater encountered: No New readiation start date and end date. (4) Groundwater encountered: No New readiation start date and end date. (4) Groundwater encountered: No New readiations are distinguished below ground surface for a diagram of sample locations and excavations. Additional Comments:	water source, or less than 1000 feet from all other water sources.)	NO	(o points)									
irrigation canals, ditches, and perennial and ephemeral watercourses.) 200 feet or more, but less than 1000 feet (10 points) (0 points)	Distance to surface water (horizontal distance to all water de plane	Less than 200 feet	(20 points)									
Ranking Score (Total Points) Ranking Score (Total Points)		200 feet or more, but less than 1000 feet	(10 points)									
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite (2) offisite (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No (2) Yes (1) Yes, show depth below ground surface ft. and attach sample results. (3) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: (1) Section (3) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: (1) Section (3) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: (1) Section (3) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: (1) Section (3) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: (1) Section (3) Attach a general description of remedial action taken including results. Accepted for record APR 2 1 2008	trigation canais, ditches, and perennial and epinemeral watercourses.)	1000 feet or more	(0 points)									
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite (2) offisite (3) If fifting the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite (3) Offisite (3) If yes, show depth below ground surface (4) Groundwater encountered: No (4) Yes (4) If yes, show depth below ground surface (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: (1) OSC (1) OS		Ranking Score (Total Points)	05									
Additional Comments:	your are burying in place) onsite offsite If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No I	If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite										
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: Signature Signature Signature Your certification and NMOCD approval of this application/elegant does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does a relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Accepted for record APR 2 1 2008			20-08									
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 100 200 200 200 200 200 200 200 200 200	Additional Comments: ()() C (5) () (5)											
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 100 200 200 200 200 200 200 200 200 200			800									
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 100 200 200 200 200 200 200 200 200 200			30 00									
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 100 200 200 200 200 200 200 200 200 200			300									
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 100 200 200 200 200 200 200 200 200 200												
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 100 200 200 200 200 200 200 200 200 200												
ACCEPIED IOI IECOID AFIN 2 1 2000												
Printed Name/Title Signature NMOCD Date:	has been/will be constructed or closed according to NMOCD guideline Date: 1/W 2008 Printed Name/Title D. Faj tals Duly Symptomic does in otherwise endanger public health or the environment. Nor does it relieve to	of my knowledge and belief. I further certify that tes [], a general permit [], or an (attached) alterna Signature Signature the operator of liability should the contents	he above-described pit or below-grade tank tive OCD-approved plan									
	has been/will be constructed or closed according to NMOCD guideline Date. Date: 1/W 2008 Printed Name/Title D. Roj tals 1 July Synthesis does not continue to the continue does not not continue to the continue does not necessary to the continue to the continue does not necessary to the continue	of my knowledge and belief. I further certify that tes , a general permit , or an (attached) alternated signature	he above-described pit or below-grade tank tive OCD-approved plan									



6701 Aberdeen Avenue, Suite 9 200 East Sunset Road, Suite E 5002 Basin Street, Suite A1

El Paso, Taxas 79922 Midland, Texas 79703 8808 Camp Bowie Blvd, West, Suite 180 Ft, Worth, Texas 76116

800+378+1296 888 · 588 = 3443

806 • 794 • 1256 915-585-3443 432-589-6301

FAX 805+794+129B FAX 915+585+4944 FAX 432+689+6313

E-Mail: lab@traceenalysis.com

817 = 201 • 5260 FAX 817 • 560 • 4336

Analytical and Quality Control Report

Dorsey Rogers Cimarex 207 S Mesa

Report Date: February 15, 2008

8021404

Work Order:

Carlsbad, NM, 88220

Project Location: Sec. 22, T16S. 29E. Eddy. NM

Project Name: Project Number: Conoco 22 Fed. #1 API 30-015-31457

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

			Date	Lime	Dare
Sample	Description	Matrix	Taken	Taken	Received
150582	Sample #001 N Side	soil	2008-02-01	14:00	2008-02-13
150583	Sample #002 S Side	soil	2008-02-01	15:00	2008-02-13
150584	#003 Background	soil	2008-02-01	16:00	2008-02-13

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 4 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Case Narrative

Samples for project Conoco 22 Fed. #1 were received by TraceAnalysis, Inc. on 2008-02-13 and assigned to work order 8021404. Samples for work order 8021404 were received intact at a temperature of 4.0 deg C.

Samples were analyzed for the following tests using their respective methods.

Test	Method
Chloride (Titration)	SM 4500-CI B

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 8021404 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MH). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project

Report Date: February 15, 2008 API 30-015-31457

Work Order: 8021404 Conoco 22 Fed. #1

Page Number: 3 of 4 Sec. 22, T16S, 29E, Eddy, NM

Analytical Report

Sample: 150582 - Sample #001 N Side

Analysis: QC Batch:

Chloride (Titration) 45617

Prep Batch: 39277

Analytical Method: Date Analyzed:

SM 4500-Cl B 2008-02-15 Sample Preparation: 2008-02-15

Prep Method: N/A Analyzed By:

ER. ER. Prepared By:

8067941298

RL Flag Result Dilution RL Parameter Units 138 mg/Kg 10 5.00 Chloride

Sample: 150583 - Sample #002 S Side

Analysis: QC Batch:

Chloride (Titration) 45617 Prep Batch: 39277

Analytical Method: Date Analyzed: Sample Preparation:

SM 4500-Ci B 2008-02-15 2008-02-15

Prep Method: Analyzed By: ER Prepared By: ER.

RL Flag Result Parameter 225 Chloride

Unite mg/kg Dilution RL

5.00

Sample: 150584 - #003 Background

45**G**17

39277

Analysis: QC Batch: Prep Batch: Chloride (Titration)

Analytical Method: Date Analyzed: Sample Preparation: SM 4500-Cl B 2008-02-15 2008-02-15

Prep Method: N/A Analyzed By:

RL Result Flag

Prepared By: ER

Dilution RL Units Parameter 5.00 mg/Kg 10 . 57.2 Chloride

Method Blank (1)

QC Batch: 45617

45617 OC Batch: Prep Batch: 39277

2008-02-15 Date Analyzed: 2008-02-14 · QC Preparation:

Analyzed By: ER Prepared By: ER

MDL Units RLFlag Result Parameter mg/Kg ٥ <3.25 Chloride

Laboratory Control Spike (LCS-1)

QC Batch: 45617 Prep Batch: 39277 Date Analyzed: 2008-02-15 2008-02-14 QC Preparation:

Analyzed By: ER Prepared By:

03/18/2008 10:46

Report Date: February 15, 2008

Flag

Units

mg/Kg

Param Chloride

8067941298

Work Order: 8()214()4

Page Number: 4 of 4

PAGE 05

Analyzed 2008-02-15

API 30-013	5-31457		(Conoco 22	Sec. 22, T16S, 29E, Eddy, NM						
Param			C\$	T T	*.0	Spike		trix		Rec.	
Chloride			sult DO	Units	Lil.	Amount		sult Re		Limit.	
				mg/Kg	11	100		1.25	0 9	6.1 - 10	
Percent reco	overy is based	on the spike result	. RPD is	based on	the opike a	nd spike di	ıplicate	result,			
		LCSD			Spike	Matrix		Rec.		RPP	
Param		Result	Units	Dil.	Amount	Result	Rec	Limit	RPD	Limit	
Chloride		99.8	mg/Kg		100	<3.2∂	100	96.1 - 103	Ü	20	
Percent reco	overv is based	on the spike result									
						io opiic at	фиошо	X 02 11			
Matrix Sn	ike (MS-1)	Spiked Sample: 1	505 8 4								
1.1001-1X D.D	A(C (112C-2)	opiace anappe.	,FQ500.								
QC Batch:	45617		Date A	nalyzed:	2005-02-1	15		Arı	alyzed B	y: ER	
Prep Batch:	39277		QC Pre	paration:	2005-02-1	4		Fr	cpared B	y: ER	
		М	'S			Spike	M	atrix		Rec.	
Param		Res		Units	Dil.	Anjount			ec.	Limit	
Chloride		54		ing/Kg	10)	500			18	80 - 120	
	werv is based	on the spike result.			the scike a	nd spike du					
					•	•	·,				
_		MSD	73		Spike	Matrix	_	Rec.	** D. T.	RPD	
eram	·	Result	Unite	Dil.	Jancount	Result	Rec.	Limit	RPD	Limit	
Chloride		578	mg/Kg		5(10	57.198	104	80 - 120	5	20	
Percent reco	wery is based	on the spike result.	RPD is	hased on	the spike a	nd spike du	plicate	result.			
Standard ((ICV-1)										
QC Batch:	(E615		Data As	nalyzed:	2008-(12-15			Δn	alyzed B	w EB	
AC Daten:	43017		באי פיוינים	naryzen.	2000-112-10	•		#1M	2 7.7.00 1	131 11	
			ICVs	IC	CV _E	ICVs		Percent.			
•			True	For	und	Percent		Recovery	Date		
Param	Flag	Units	Conc.	_ Co	onc.	Recovery		Limits	A	nalyzed	
Chloride		mg/Kg	100	99	9.5	100		85 - 115	20	08-02-15	
1	•				<u></u>						
Standard (CCV-1)										
QC Batch:	ŕ	•	Date Ar	nalyzed:	2008-02-15			An	alyzed B	v: ER	
CA TIENTI	10011		~ 13MC 2 BL	Tarana and a second					,		
			CCVs	CC	DV8	CCVs		Percent			
			True	For	nuq	Percent		Recovery		Date	
n	T75		Recovers		Timite	A	nalwood				

Conc.

100

Conc.

100


Recovery


100


Limits


85 - 118

					-					bioH				!	<u></u>						-	2			ī 🔍
.				124	PDUEIS	mon 1	neretil	b il em	ארסטחם ™	muT	Ī	}		7	-	P	Y	إسبا	7	+-	4	7		• ;	
	_					**								<u> </u>	 \	V		1	- 4	+	<u>.</u>	り の] -
ı	IES							~						<u> </u>		1		{	-		4	10			1 11
	e e		0							!							Í	[•	1 11
	2-		No.)												-		;			 	ASA D	•			
	SIS		od							7)	X	21		, 			<u> </u>	-		╁╌	ĬŽ`		je .		! .
1		S	듶						тисо виля											<u> </u>		ſ	Part of the part o	Ē,	
Ì	CHAIN-OF-CUSTODY AND ANALYSIS REQUES	ANALYSIS REGUEST	Circle or Specify Method				0/1		808 esbioti ing ,23T ,(<u> </u>	<u> </u>		Öry Weight Basis Respeied. 1935: Deann Dunnbert	Check H Special Reputing	1
1	Z a		2				80		/ Z808 \$/		<u>.</u> T				<u> </u>	-		+			·		ghil ta	2	1 11
	N M	S) C			939	20Z2					-				-	!	 -			i di		Very Pr	· 主点,	
	D.	7.5	pe				₹ 29	/ 8092	E TON SW				i				1			{ ,	EMANIK		Ō.	후를	
	2	I	5			***		20:	Diotres q.	8C	<u> </u>										<u> </u>	•		ì 🗀 🗀	3
	30.3	Z	0						W imes 4		. 1		. !	 		-				1 1					1
	. L		3					Ś	eliislo\ 9.	TOT	i	- 4					;		 -	+					3
	2								S Metals		i						1						(1) (1) (1) (2)		य
	M		=	7.0020	H0109 P	H 82 d	d 7O FE		Netals Ag							***	1								
	5					THA	1/Q		50 SLOS H			-			+		_}		+-						
			•	(E 9001	XI/	CODIA	1718171		-;	1					i								48
										3T8		i													E-
Ļ	(2)		1	-i -		PEDE	! !	108 \ B	tode BE	IIW	الحية	1	<u> </u>					-						3	اعتا
	*							옷	E YE	MIT	7716	Lai	410									1]		:
	Svile 19932 1443 1944 1944	Y	3	-	刁	1		SAMPLING		+	Ö	Auch	2					<u> </u>	· 1	1 1		1.	. 1		5 * * . .
		14	<u>A</u>)	i i	4		غيرا	VS	E11	AG T	- -		لإ	ĺ		}	İ	İ	1	1	U	7	٠.,١		5. 81
	9.00 S	V	3	7	ਕ੍ਰੋ	#	TQ		·	, v	ल		1	_	- 1	_	4	!_		4 .		ي الخ		interplating	7.5 7.70
	155 McCulcheon, Suite El Pato, Texas 79932 Tel (915) 585-3443 Fex (915) 589-1944 † (808) 589-3443	W. 4.14	4 6	مالال- <u>الإنما</u>	g.				jn€	ON.	<u> </u>	-+						<u>- i</u>				اِ≛اد			
	\$ 10 pm		1	≒ ⊱	<u>ال</u> ال	a	م م	FITESERVATIVE METHOD		301 >	<u></u>	_	*			<u></u>			- 						ຍ .
Ì] `	7 4	-	1 23		METHOD	QH	-				-+	<u> </u>		1	_	+		# ~	ظأ			0 3
		177	ح ک	X -					ao.	H		Ī				T	i					Batte			side di.
	್ತ	17 A	₹ -	9	3	更艾	5		ری	ИН				\Box				\exists			1	3	ì		# ?
	.	Pliene	3X #:	malli	9 3	になる				эн 📗	1			<u> </u>	_			}			Ç	4	. 7		. Je
		F	12 C	4 <u>~</u> 0	Leonor Longer	COUCE Hanner	Į,	Ė	70.00		j		_	<u>-</u>		<u>. </u>				┿┷╅	_		Ì		
	_ <u>ed</u>		1 2	ا خ اخ	7 9	} _	\mathcal{L}	MATRIX	Sedu.	IS	1	+	+	-+			1	-		+	J.	4			D I
	ysis, In		1	7	ا م		7	\ <u>\{\text{\tin}\xi}\\ \text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\te}\text{\texi}\text{\text{\text{\text{\texi}\text{\text{\text{\text{\text{\texi}\text{\text{\texi}\text{\text{\text{\text{\text{\text{\texi}\text{\texit{\text{\ti</u>); ≥	ر و است	-	X	-+			+			 	~ √(2	.,		oits listed on reverse
		. ا	₹ ₹	Ξ			9	F	FETA	44.1	-		1	-+	\dashv	Ť	+	+	-	1-1	r B				
	TraceAnal	Poplar Sen		Tociperon M	(Pincyak	-	-4	1000	mA \ emul	94	5	Ī	λ	Ī			\neg		İ]	Mecalvad m	3 2 2			** <u>*</u>
		18			8	7	Lolo 2			* 7	<u> </u>	<u> </u>	7	<u>-</u> ‡		- <u> </u>	_	_	- -	<u>. </u>		35			, <u></u>
	\sim	, V			7		0	282	SULFINOS	* *	∤ •	Ļ	>	·		1	- 1		į	l i	2	تفاع			5
ļ		8	, ,	7	Q	(-4-4	T)	\top	لَّهُ	1	Ť	-	1				1 1	2	ş	9	4.4	15
	. T	\overline{U}		ZĮ.			36			.	الج	3	1									3 = 5	3	Divie:	를
;			, c	٦	語り	1	کلی			6	8	: F	-	1			i		1	1	,]_	>		PH .
		0		1 4	7 🖁	1	Jesto): Joseph Be	`	30C	3	Z	Ϋ́З	ğ									_	dely 80-81-1		agire
		\leq	原	4 5	~ B		<u> </u>		ಫ ಎ		á	d	R						1.		Date:		7	Dafe:	: 168
9.9	Ē	3	高電子等		STATE OF	R# 30-015-31457			FIELD ¢ODE	ا ا	Sample "CD) Notice	Soupland S. S. S. S. S. S. S. S. S. S. S. Land	Bart granns								- (£	N	-	NSI I
S	7 8 8 E 2	ğ	1	7	子 曾		탈		_	7.7	٦	3	1	1	}		Ì		1	1 1		1	1		: 03 (
vern	98-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	ئے پ	题	*()	1 를	T.	المرق	٠,			سلي	Ģ	ğ						-		<u> </u>	W.	N.	يخ ا	를. :
A Fa	16. (a)		_ 1	اد الأر	ן בֿ		ee⊈ [1]		•	-	F.	À	X)					_}	1:]		起	213	# E	₩ ₩
a is	200000 200000		G		별팀	ب اسن	<u>a</u> 4															福	11		0 63
10	Lubbrock, Texass 79-524 Tel (BUR) 794-1259 Fax (BOS) 794-1298 1 (EDD) 376-1298: email languageseaselysis com	Company Name			Invoice lu:	Projects	Social Loc														Molinquished Ly:	Remission	ELY.	Réfinquishett by	Submittal of samples constitutes egreement to Terms and Condition
B	<u> </u>	පි	3	_ق	'E €	٤					- ,	70 B					e blog				ž <	}≊	13	E	<i>₫</i>
			•																						













,



