

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Oxy USA Inc</u> Telephone: <u>505-887-8337</u> e-mail address: <u>rick_kerby@oxy.com</u>							
Address: <u>P.O. Box 1988 Carlsbad, NM 88221</u>							
Facility or well name: <u>Pure Gold A Federal #10</u> API #: <u>30-015-35299</u> U/L or Qtr/Qtr <u>P</u> Sec <u>21</u> T <u>23S</u> R <u>31E</u>							
County: <u>Eddy</u> Latitude <u>32.284665</u> Longitude <u>103.775863</u> NAD: 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>							
Surface Owner, Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>							
Pit	Below-grade tank						
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>16000</u> bbl	Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u> </u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not <u> </u>						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	<table border="1"> <tr><td>Less than 50 feet</td><td>(20 points)</td></tr> <tr><td>50 feet or more, but less than 100 feet</td><td>(10 points)</td></tr> <tr><td>100 feet or more</td><td>(0 points) XXX</td></tr> </table>	Less than 50 feet	(20 points)	50 feet or more, but less than 100 feet	(10 points)	100 feet or more	(0 points) XXX
Less than 50 feet	(20 points)						
50 feet or more, but less than 100 feet	(10 points)						
100 feet or more	(0 points) XXX						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	<table border="1"> <tr><td>Yes</td><td>(20 points)</td></tr> <tr><td>No</td><td>(0 points) XXX</td></tr> </table>	Yes	(20 points)	No	(0 points) XXX		
Yes	(20 points)						
No	(0 points) XXX						
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	<table border="1"> <tr><td>Less than 200 feet</td><td>(20 points)</td></tr> <tr><td>200 feet or more, but less than 1000 feet</td><td>(10 points)</td></tr> <tr><td>1000 feet or more</td><td>(0 points) XXX</td></tr> </table>	Less than 200 feet	(20 points)	200 feet or more, but less than 1000 feet	(10 points)	1000 feet or more	(0 points) XXX
Less than 200 feet	(20 points)						
200 feet or more, but less than 1000 feet	(10 points)						
1000 feet or more	(0 points) XXX						
Ranking Score (Total Points) 0 points							

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: All excess water will be removed. A burial pit will be constructed and lined with a 12 mil liner. The drilling mud will be mixed with dry soil to stiffen. Then placed in the burial pit. After all drilling mud and liner has been removed, the pit bottom will be sampled per NMOCD Guidelines. After the samples have met NMOCD Standards the pit will be backfilled. The burial pit will be capped with a 20 mil liner overlapping 3' in all directions and a minimum of 3' below ground surface. The site will be backfilled and contoured to the surrounding area. The site will be reseeded to promote re-vegetation.

NMOCD Artesia will be notified 48 hrs before the start of the job and any sampling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 5-2-08

Printed Name/Title Logan Anderson - Agent

Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title

Signature [Signature]

Signed By [Signature] Date: MAY 05 2008

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.