## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

Oil Conservation Division 1220 South St. Francis Dr Santa Fe, NM 87505 ub

Form C-144 June 16, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application APPLICATION

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Please be advised that a	s: Please submit one a	loes not relieve	the operator of la	ability should ope	rations result	ın pollutio	n of surface wate	r, ground water or the
<del></del>	Premier Oil & (							es, regulations or ordinance
Address: P.O. Box 1246, Artesia, N Facility or well name: Dale H. Parke A Tr. 14							<del></del>	
	30-015-36299							
	Unit C, NE/4NW/4							
								IAD: □1927 □ 1983
	Federal  State Pri							
Pit: Subsection	n F or G of 19.15.17.11	NMAC		☐ Closed-loc	p System:	Subsection	on H of 19.15.17	.11 NMAC
Temporary: Dril								ner
• •	mergency  Cavitation	on		Lined Unlined				
☐ Lined ☐ Unlin				Liner type: Thickness mil				
Liner type: Thickne	essmil 🔲	LLDPE 🔲 H	IDPE   PVC	Other				
				Seams: W	elded 🗌 Fa			
	☐ Factory ☐ Other							yd³
Volume:	_bbl Dimensions: L_	x W	x D	Dimensions: Length 20 ft. x Width 8 ft.				
Below-grade tar	nk: Subsection I of 19	9.15.17.11 NM	1AC	Fencing: Subsection D of 19.15.17.11 NMAC				
Volume:	bbl			☐ Chain link	six feet in h	eight, two	strands of barbo	ed wire at top
Type of fluid:				☐ Four foot height, four strands of barbed wire evenly spaced between one and				
Tank Construction n	naterial:			four feet				
☐ Secondary conta	ainment with leak detec	ction		Netting: Subsection E of 19.15.17.11 NMAC				
☐ Visible sidewall	ls, liner, 6-inch lift and	automatic ove	rflow shut-off	☐ Screen ☐ Netting ☐ Other				
☐ Visible sidewall	s and liner			☐ Monthly inspections				
☐ Visible sidewall	ls only			Signs: Subsection C of 19.15.17.11 NMAC				
				☐ 12'x24', 2' lettering, providing Operator's name, site location, and				
Liner type: Thickne	ess	mil 🔲 H	IDPE 🗌 PVC	emergency tel	ephone num	bers		
	Other			☐ Signed in o	ompliance v	with 19.15.	.3.103 NMAC	
Alternative Met		1 5	. 1	Administrati				· 1 Bl
	eption request is require Ita Fe Environmental B			19.15.17 NM/			of equivalency a	re required. Please refer
of approval.				Please check	_		f the following i	is requested, if not leave
				blank:	istrative ann	roval(s): 1	Requests must be	e submitted to the
				appropriate di	vision distric			nental Bureau office for
				consideration  Except		uests mus	t be submitted to	o the Santa Fe
							sideration of an	

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No				
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No				
Within a 100-year floodplain FEMA map	Yes No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.15 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.15 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 1 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 N Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC NMAC Previously Approved Design (attach copy of design) API Number:	9.15.17.15				

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc	cuments are			
### Autoched.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.15 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H₂S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System Proposed Closure Method: Waste Excavation and Removal On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for contractions)				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No			
Within a 100-year floodplain FEMA map	☐ Yes ☐ No			

337 4 87 42				
closure plan. Please indicate Protocols and Procedu Confirmation Samplin Disposal Facility Nan Soil Backfill and Cove Re-vegetation Plan - E Site Reclamation Plan	te, by a check mark in the box, that the trees - based upon the appropriate requing Plan (if applicable) - based upon the and Permit Number (for liquids, dreer Design Specifications - based upon the appropriate requirement - based upon the appropriate requirement - based upon the appropriate requirement.	the documents are attached.  Interments of 19.15.17.13 NMAC the appropriate requirements of Subsect tilling fluids and drill cuttings) In the appropriate requirements of Subsents of Subsection I of 19.15.17.13 NM ments of Subsection G of 19.15.17.13	ection H of 19.15.17.13 NMAC AC NMAC	
			NMAC) Instructions: Please indentify the facility	v
• •	of liquids, drilling fluids and drill cu			
•	Controlled Recovery, Inc.	Disposal Facility Permit Number:		
by a check mark in the box,  Siting Criteria Compl Proof of Surface Own Construction and Des Protocols and Procedu Confirmation Samplii Waste Material Samp Disposal Facility Nan Soil Cover Design - b Re-vegetation Plan - 1	that the documents are attached. iance Demonstrations - based upon the Property of the Propert	ne appropriate requirements of 19.15.1 re requirements of Subsection F of 19.1 representation assed upon the appropriate requirements of 19.15.17.13 NMAC ne appropriate requirements of Subsection F of 19.1	I5.17.13 NMAC ts of 19.15.17.11 NMAC ion F of 19.15.17.13 NMAC 5.17.13 NMAC e on-site closure standards cannot be achieved) IAC AC	,
Operator Application Cert	ification:			
		on is true, accurate and complete to the	e hest of my knowledge and helief	
Thereby certify that the fine	inition submitted with this application	•	e best of my knowledge and benefi.	
Name (Print):	Nancy T. Agnew	Title: Land Depa	<u>artment</u>	
Signature: 1	y T. agnew	Date:	8/07/08	
e-mail address:	landtech@marbob.com	Telephone:	<u>575-748-3303</u>	
OCD Approval: Permi	t Application (including closure plan)	Closure Plan (only)		
		Closure Plan (only)	8-8-08	
OCD Approval: Permi		Closure Plan (only)	Approval Date: 8-8-08	
		Closure Plan (only)	Approval Date: <u>8-8-08</u> per: 0208270	_
OCD Representative Signa	tufin W. Ben Lid II Sage	OCD Permit Numb	Approval Date: 8-8-08 per: 0208270	_
OCD Representative Signa	tufin W. Ben Lid II Sage	OCD Permit Number  Subsection K of 19.15.17.13 NM.  Closure Comp	ne.	_
OCD Representative Signa  Title:  Closure Report (required to the content of the	within 60 days of closure completion  temoval  On-Site Closure Methoded plan, please explain.	OCD Permit Number  Subsection K of 19.15.17.13 NM.  Closure Comp  Alternative Closure Method	letion Date:	
Closure Report (required of the continuous of th	within 60 days of closure completion  Removal  On-Site Closure Methoded plan, please explain.  Int Checklist: Instructions: Each of comments are attached.  In Analytical Results ling Analytical Results ling Analytical Results ne and Permit Number Cover Installation attion Rates and Seeding Technique oto Documentation)	OCD Permit Number OCD Permit N	letion Date: to the closure report. Please indicate, by a check	-
Closure Report (required Closure Report (required Closure Method:  Waste Excavation and Relation in the box, that the down Proof of Closure Notice Plot Plan Confirmation Sampling Waste Material Samp Disposal Facility Nan Soil Backfilling and Center Reclamation (Pheonesite Closure Local	within 60 days of closure completion  temoval  On-Site Closure Methoded plan, please explain.  In Checklist: Instructions: Each of comments are attached.  The comments are attached.  The completion of the compl	OCD Permit Number  Subsection K of 19.15.17.13 NM.  Closure Comp  Alternative Closure Method	letion Date: to the closure report. Please indicate, by a check	_
Closure Report (required to Closure Report (required to Closure Method:  Waste Excavation and Real of the Box, that the dot Proof of Closure Notice Plot Plan Confirmation Sampling Waste Material Sampling Waste Material Sampling Confirmation Applice Site Reclamation (Photon-site Closure Local Operator Closure Certification Confirmation (Photon-site Closure Certification Confirmation (Photon-site Closure Certification Confirmation (Photon-site Closure Certification Confirmation Conf	within 60 days of closure completion  temoval  On-Site Closure Methoded plan, please explain.  In Checklist: Instructions: Each of comments are attached.  ce (if applicable)  Ing Analytical Results Ing Anal	OCD Permit Number  n): Subsection K of 19.15.17.13 NM.  Closure Composed  Alternative Closure Method  the following items must be attached  Longitude  Longitude	to the closure report. Please indicate, by a check  NAD: 1927 1983	
Closure Report (required to Closure Report (required to Closure Method:  Waste Excavation and Real of the Box, that the down ark in the box.	within 60 days of closure completion  temoval  On-Site Closure Methoded plan, please explain.  In Checklist: Instructions: Each of cuments are attached.  ce (if applicable)  Ing Analytical Results Iling Analytical Results Iling Analytical Results Iling Analytical Results Iling Analytical Results Ine and Permit Number Cover Installation action Rates and Seeding Technique of Documentation) tion: Latitude  Intim:  Temation and attachments submitted we	OCD Permit Number  n): Subsection K of 19.15.17.13 NM.  Closure Composed  Alternative Closure Method  the following items must be attached  Longitude  Longitude	to the closure report. Please indicate, by a check  NAD: 1927 1983  and complete to the best of my knowledge and	-
Closure Report (required to Closure Method:  Waste Excavation and Relation of Closure Report Attachmer mark in the box, that the dotor Proof of Closure Notice Plot Plan  Confirmation Samplin Waste Material Samplin Waste Material Samplin Confirmation Applice Site Reclamation (Photon-site Closure Local Operator Closure Certification I also certify that the infolicition of the Closure Certification of the Closure Certification I also certify that the infolicition of the Closure Certification of the Closure	within 60 days of closure completion  temoval  On-Site Closure Methoded plan, please explain.  In Checklist: Instructions: Each of cuments are attached.  ce (if applicable)  Ing Analytical Results Iling Analytical Results Iling Analytical Results Iling Analytical Results Iling Analytical Results Ine and Permit Number Cover Installation action Rates and Seeding Technique of Documentation) tion: Latitude  Intim:  Temation and attachments submitted we	OCD Permit Number of 19.15.17.13 NM.  Closure Composed Alternative Closure Method  The following items must be attached  Longitude  Longitude  ith this closure report is true, accurate closure requirements and conditions specifications.	to the closure report. Please indicate, by a check  NAD: 1927 1983  and complete to the best of my knowledge and	
Closure Report (required of the continuous of th	within 60 days of closure completion  temoval  On-Site Closure Methoded plan, please explain.  In Checklist: Instructions: Each of comments are attached.  In Checklist: Instructions: Instructions: Each of comments are attached.  In Checklist: Instructions: Instructi	OCD Permit Number OCD Permit N	NAD: 1927 1983  and complete to the best of my knowledge and pecified in the approved closure plan.	
Closure Method:  Waste Excavation and R If different from approve  Closure Report Attachment in the box, that the do Proof of Closure Notice Plot Plan Confirmation Samplin Waste Material Samp Disposal Facility Nan Soil Backfilling and C Re-vegetation Applic Site Reclamation (Pho- On-site Closure Loca  Operator Closure Certification I hereby certify that the information in	within 60 days of closure completion  Removal  On-Site Closure Methoded plan, please explain.  Int Checklist: Instructions: Each of comments are attached.  In Analytical Results ling Analytical Resu	OCD Permit Number OCD Permit N	NAD: 1927 1983  and complete to the best of my knowledge and becified in the approved closure plan.	

## Design Plan Operating and Maintenance Plan Closure Plan

Dale H. Parke A Tr. 1 #31 330' FNL & 1680' FWL Section 22, T17S, R30E Eddy County, New Mexico

Marbob will be using all above ground steel pits for fluid and cuttings while drilling. If any tank develops a leak we will have immediate visual discovery, we would then transfer the fluid to another tank then remove any contaminated soil and dispose of it in the cuttings bins for transportation. All leaks should be kept to less than 5 barrels. Rig crews will monitor the tanks at all times.

## Equipment List:

- 1-Rig Shale Shaker
- 1- Clacko Settling Tank
- 2- Roll Off Bins w/ Tracks
- 1- 500 BBL Frac Tank

During drilling operations all liquids, drilling fluids and cuttings will be hauled off via CRI (Controlled Recovery Inc.) Permit R-9166 or any other approved facility.