

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015- 12182
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chesapeake Operating, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 18496 Oklahoma City, OK 73154-0496		7. Lease Name or Unit Agreement Name Old Indian Draw Unit
4. Well Location I 1663' South 963' West Unit Letter : feet from the line and feet from the line Section 7 Township 22 South Range 28 East NMPM Eddy County		8. Well Number 35
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3099'		9. OGRID Number 147179
		10. Pool name or Wildcat Indian Draw; Delaware

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Chesapeake Operating, Inc. request to plug and abandon this well.

Please refer to the attached P&A procedure, actual and proposed well bore diagram and NMOCD's C-144.

Spud Date:

6-29-77

Rig Release Date:

7-26-77

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Linda Good
Linda Good

TITLE

Sr. Regulatory Compliance Specialist

DATE

07/23/2008

Type or print name

E-mail address:

linda.good@chk.com

PHONE:

405-767-4275

For State Use Only

APPROVED BY:

TITLE

Copling

DATE

8/1/08

Conditions of Approval (if any):



**Old Indian Draw Unit 35
P&A Procedure
Eddy County, New Mexico**

Current Wellbore Information:

Location: 1,663' FSL & 963' FEL Sec. 7-T22S-R28E

Prod. Casing: 5-1/2", 14# 0-3,450', ID-5.012", Drift-4.887", Burst-3,110 psi

Tubing: 2-3/8" tubing set at 498'

PBTD/TD: 3,159' / 3,450'

Existing Perfs: 3,282' – 3,302' *Delaware (below CIBP & cement at 3,194')*
3,333' – 3,345' *Delaware (below CIBP & cement at 3,194')*

Procedure

1. Notify the NMOCD 24 hrs in advance prior to commencing plug and abandonment operations.
2. Test anchors. MIRU workover rig and reverse unit. Unload, rack and tally 3,200' 2-3/8" tubing. ND WH. NU BOP.
3. TOH with 2-3/8" tubing, LD. Inspect tubing for damage as the last pull was in 1996.
4. PU and TIH with 2-3/8" tubing to 3,159 and circulate hole with salt gel mud containing 9.5 pound brine and 12.5 lbs of gel per barrel.
5. PU and spot cement plug from 446' to surface (starting 50' below 8-5/8" casing shoe). TOH, LD tubing.
6. ND BOP. Cut off casing 3' below ground level. Install dry hole marker.
7. RDMO workover rig and reverse unit. Restore location.



Proposal - Workover

OLD INDIAN DRAW UT 35

Field: INDIAN DRAW
County: EDDY
State: NEW MEXICO
Elevation: GL 3,099.00 KB 3,110.00
KB Height: 11.00

Location: SEC 7, 22S-28E, 1663 FSL & 963 FEL

Spud Date: 6/29/1977
Initial Compl. Date:
API #: 3001522182
CHK Property #: 891525
1st Prod Date: 8/1/1977
PBDT: Original Hole - 3159.0
TD: 3,450.0

