Form 3160-4 (July 1992)

## UNITED STATES NUMBER DEPARTMENT OF THE INTERIOR OF LAND MANAGEMENT RESIDENCE (NO. 1) STATES OF LAND MANAGEMENT

Oil Cons.

FORM APPROVED OMB NO. 1004-0137 Expires: February 28, 1995

SA

5. LEASE DESIGNATION AND SERIAL NO.

NMLC028784B

WELL CO	<b>VIPLETIO</b>	N OR R	ECON	/IPLETIC	ON REP	ORT A	AND LO	OG*	6. IF INDIAN,	ALLOT	TEE OR TRIBE NAME
1a. TYPE OF WELL:		OIL X	GAŠ WELL	DRY .	Other				7. UNIT AGRE	EMEN	T NAME
b. TYPE OF COMPLE NEW WELL X	TION: WORK OVER	DEEP-	PLUG : BACK 1-	DIFF. RESVR.	Other	F	ECEIV	/ED	NMNM88525X 8. FARM OR LEASE NAME, WELL NO.		
2. NAME OF OPERATO				•			10V 1 4	2003			
MARBUB EN 3. ADDRESS AND TEL	NERGY CORI	PORATION			· · · · · · · · · · · · · · · · · · ·			ECIA			EELY UNIT #350
	27, ARTES	RTA. NM	8821	1-0227	(505)	748-33	D-ART	ESIA.	30-0	15-3	32920 <b>S</b> (
LOCATION OF WELL									10. FIELD AN	D POO	L, OR WILDCAT
	60 FSL 198				·	•		· i.			CSON SR Q GRB
At top prod. interva		ŕ						i	OR AREA	., NI., U	OR BLOCK AND SURVEY
At total depth								· 	SEC.	23-7	17S-R29E
SA	AME			14. PERMIT	NU.	; DATE	ISSUED			K PAKI	ISH 13. STATE
15. DATE SPUDDED	16. DATE T.D. I	REACHED	17. DATE	COMPL. (Read	ly to prod.)	18. ELE	VATIONS (D	F, RKB, RT	EDDY	19. [	NM ELEV. CASINGHEAD
9/22/03	10/2/			/16/03			3573 <sup>†</sup>		,,,	1	
20. TOTAL DEPTH, MD				/D 22. IF MI	ULTIPLE COMP	PL.,	23. INTE	RVALS	ROTARY TOO	LS	CABLE TOOLS
4650'		4601			/ MANY*		DRIL	LED BY	0 - 465	0'	
24. PRODUCING INTE	RVAL(S), OF THIS	COMPLETION	-TOP, BOT	TOM, NAME (	WID AND TVD)*					25	S. WAS DIRECTIONAL SURVEY MADE
		SAN ANDR	ES							i	NO
26. TYPE ELECTRIC A	ND OTHER LOGS	RUN								27. W	VAS WELL CORED
DLL, CS	SNG					···· · · · · · · · · · · · · · · · · ·					NO
28. 	. ,				Report all str	4 41 4 4					
CASING SIZE/GRADE		!	PTH SET (		HOLE SIZE				IENTING RECO	)RD	AMOUNT PULLED
8 5/8" J55		F 1- L	355	•	1211/4"		300 5				NONE
5 1/2" J55			4013	· — ·-	[ ] /.8		1375 S	X, CL	RC		NONE
	<del></del>	····		·-···		· · · · <del>:</del>					
29.		LINER RE					30.	1	UBING RECO	RD	
SIZE	TOP (MD)	вот <del>гом (</del>	MD) S	ACKS CEMEN	T SCREEN		SIZE	! !	DEPTH SET (ME	<b>)</b>	PACKER SET (MD)
		. AC	CEPT	ED FOR	RECORI	)   2	7/8"		4048		
31. PERFORATION RE	CORD (Internal o	ize and humbs			32.			<u> </u>			1
31. PERFURATION RE	CORD (interval, s	ize and numbe	i	4 0 0		I			RE, CEMENT		
			I NC	)V 13 2			L (MD)				IATERIAL USED
4047 <b>' -</b>	4340' (2	O SHOTS	k		acs	7	340	ACDZ	. <u>w/</u> ∠∪∪∪	GAL	15% NEFE AC
			ALEX	IS C. SWC				<b>!</b>		- •	
			PETRO	DLEUM EN	GINEER						
3. *				PRO	DUCTION						
ATE FIRST PRODUCT	ION PRO	DUCTION MET	HOD (Flo	wing, gas lift, µ	oumpingsize	and type of	pump)				(Producing or
10/18/03		PUMPI	NG						shut-	in) I	PROD
DATE OF TEST	HOURS TESTE	р снок	E SIZE	PROD'N FOR	D		GASMC	F. ,	WATER-BBL	200	GAS-OIL RATIO
10/21/03	24	.==	<u></u> . L		12		49		317		
LOW. TUBING PRESS.	CASING PRESSU		IR RATE	OILBBL.	G	ASMCF.	, <b>'</b>	NATERE	BL.	OIL GF	RAVITY-API (CORR.)
4 DISPOSITION OF C	AS (Sold wood for				·-·		i.				
SOLD  SOLD						TITO		ODE			
5. LIST OF ATTACHME	ENTS							– – — .i –	1110	LUU1	INE
	EVIATIONS	URVEY									
6. I hereby certify that			mation is	complete and	correct as dete	rmined from	n all availah	le records			
\ \_	1 / / / /	. 000	<i>M</i>							_	11/10/02
SIGNED	www.	WYU	)1 <u> </u>	TITLE	PRODU	CITON	ANALYS	T	DATE	Ξ1	11/10/03
	*(5)	. In admirable				· · · · · · · · · · · · · · · · · · ·					

TOP	BOTTOM '		CDIDTION CONTENTS	
106	BOTTOM	DESI	CRIPTION, CONTENTS, E	ETC.
:				
	İ			
	!			
	:			
	!			
	·			
· • • • • • • • • • • • • • • • • • • •	:			
	1			
	i			
	<u>:</u>			
	:			
İ	!			
	; I			
	i			
	1 :			
: :	:			
	:			
LOGICAL MARKERS		38. G	EOLOGICAL MARKERS	
T				P
MEAS. DEPTH	TRUE VERT. DEPTH	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
		m		VERT. DEFIN
	•			
2504 <b>'</b>	1			
3952	:	:		
		!		
	į			
	<u> </u> 			
	<b>!</b> !			
	916' 1802'	OGICAL MARKERS TOP MEAS. DEPTH TRUE VERT. DEPTH  916' 1802' 2504'	LOGICAL MARKERS 38. G TOP TOP MEAS. DEPTH TRUE NAME VERT. DEPTH  916 ' 1802 ' 2504 '	OGICAL MARKERS 38. GEOLOGICAL MARKERS TOP TOU MEAS DEPTH VERT. DEPTH NAME MEAS. DEPTH 916' 1802' 2504'

WELL NAME AND NUMBER BUTCH	Reely Unit # 336							
LOCATION 660' FSL, 980' FW	L, Sec. 23, T17S, R29E, Eddy Co.	NM						
OPERATOR Marbob Energy Cor	poration							
DRILLING CONTRACTOR United	Drilling, Inc.	-						
of the drilling contractor w	certifies that he is an authori ho drilled the above described btained the following results:							
Degrees @ Depth	Degrees @ Depth	Degrees @ Depth						
<u>1° @ 517</u>	1/4° @ 4516'							
<u>1° @ 1005'</u>								
3/4° @ 1515 <b>'</b>								
3/4° @ 2056'		RECEIVED						
<u>1/2° @ 2501'</u>		NOV 1 4 2003						
<u>1/2° @ 3011'</u>	-	OCD-ARTESIA						
1/2° @ 3493'								
1/4° @ 4006'								
	Drilling Contractor United Dr	illing. Inc.						
•	By: Deay ale	O George Aho						
• • • • • • • • • • • • • • • • • • • •	Title: <u>Business M</u> a							
	Trete. Business Ma	mager						
Subscribed and sworn to before me this 7th day of October ,								
<b>20</b> 03 •	Carlene Marte Notary Pub	vCarlene Martin						
My Commission Expires: 10-04	4-04 <u>Chaves New</u> County Stat	<u>w Mexico</u> :e						