opened Prior to new Rule 50

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 SEP 16 2008

Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: WESTERN RESERVES OIL COMPANY, INC. OGRID#: Address: P.O. BOX 993 MIDLAND TX 79702 Facility or well name: LAKE MCMILLAN "21" WELL #2 API Number: 30-015=36320 OCD Permit Number: Section 21 Township 195 Range 26 E County: EDDY Longitude NAD: 1927 1983 Center of Proposed Design: Latitude Surface Owner: TFederal State Private Tribal Trust or Indian Allotment Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: M Drilling Morkover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☑ Lined ☐ Unlined Liner type: Thickness 20 mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other ____ String-Reinforced Volume: <u>3800</u> bbl Dimensions: L 120 x W 125 x D 5 Liner Seams: Welded Factory Other Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of ☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other ☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other Liner Seams: Welded Factory Other Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: __bbl Type of fluid: ____ Tank Construction material: Secondary containment with leak detection U Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other Liner type: Thickness mil HDPE PVC Other Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

100,000 41

Chi Conservation District

Pre-Existing

Funcing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
s. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain FEMA map					

10,00 C-14-

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are							
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC							
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC							
Previously Approved Design (attach copy of design) API Number: or Permit Number:							
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.							
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC							
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC							
Previously Approved Design (attach copy of design) API Number:							
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use							
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)							
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.							
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC							
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC							
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC							
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC							
Quality Control/Quality Assurance Construction and Installation Plan							
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC							
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan							
Emergency Response Pian							
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan							
Erosion Control Plan							
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC							
(12) <u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.							
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative							
Proposed Closure Method: Waste Excavation and Removal							
☐ Waste Removal (Closed-loop systems only) ☐ On-site Closure Method (Only for temporary pits and closed-loop systems)							
☐ In-place Burial ☐ On-site Trench Burial							
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)							
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC							
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)							
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC							
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							

\times			•		
Observed Constitutions Contributions and standard submitted with this closure report is true, securition and complete to the best of my harmledge and best of laten certify that the closure complices with all applicable closure requirements and conditions specified in the appeared channer plan. Name (Print): CHEISTOP DOC F. RONGER MONEY THE ACCUST Signature CHEISTOP DOC FOOL COM. Telephone: 432 6835533	Steppe Beauty Attachment Christitet Josephene East of English Name speed be consided to the change report. Flowle fedicate, by a check mark in the face, that the face from the face of change Notice (perfect are associated) Frowl of Change Notice (perfect are associated) Frowl of Change Notice (perfect for on-site change) Frowl of Change Notice (perfect for on-site change) Orthogonal Sampling Analysical Results (frapilicable) Waste Malacial Sampling Analysical Results (frapilicable) Disposed Facility Notice and Fermit Number Soil Backeling and Corte Installation Re-regardion Application Ratter and Senting Technique Six Re-regardion (Photo Incrementation) Orthogonal Location: Location: Location:	Chemic Regard Respecting Whesto Respect Chemic Run Chandrhop Brushmi That Utiline Adress Ground Stand That are Responded in the Chandrhop as facilities for whose the Republic, of things finds and distinct changes was disposed. Use attainment of materials now facilities was distinct from the Republic, of things finds and distinct of the Adress disposed. Use attainment of materials now disposed. Use attainment of materials promised from the stand of the chandro for the chandrhop system operations and securious desired activities performed an or in areas fluctually Present Numbers. When the clearch born applicate compliance to the increase below) [] No Promised for insure stands will not be used for fluctual performance of the increase the compliance of the increase of the increas	Chance Required within 60 days of classes completied is Submertion & of 19,15.17.13 NAAC Described the provides an enquired as obtain an approved classes plan prior to implementing any chance and animating the classes report. The circum regard to required to be submitted in the Arieban within 60 days of the completies of the classes anti-ban. Plane do not complete this suction of the form made as approved electure plan have electured and the classes and the chapter and then benefic any force of the completies Date: Construction of the form and an approved electure plan have electrod and the chapter and the chapter and their completies Date: Construction of the form and an approved electron plane have electrod and the chapter and the chapter and their completies Date: Construction of the form and an approved electron from his chapter and the chapter and the chapter and their completies Date: Construction of the form and an approved electron of the chapter and the chapter and the chapter and their chapter and the chapter and the chapter and their chapter and their chapter and their chapter and an include their chapter and the chapter and their chapter and their chapter and their chapter and an include and an include their chapter and their chapter and an include and an include their chapter and their chapter and an include their chapter and an include their chapter and an include their chapter and their chapt	OCD Approved: C) Frank Application (including closury flysts) [X] Closure Flort (only) [X] OCD Candifians (see stucturent) OCD Representative Signal By Mark Schwideler Approval Data SEP 1 8 2008 Title: OCD Frank Number	Obsignité Appropriée Corification: I borday constitue des sponsories est expellentes is trus, accomme aut constitue to best of my boominique and bolies. Name (Print): (Alto Control Control (Control Control Contro



SWEATT CONSTRUCTION INC.

POST OFFICE BOX 827 ARTESIA, NEW MEXICO 88211-0827 (505) 748-1238 - FAX (505) 748-1230 Hobbs, New Mexico (505) 397-4541 1-800-530-8293

GENERAL DIRT WORK
OIL FIELD ROADS - PITS - LOCATIONS

ATTACHMENT

Waste Excavation and Removal Closure Plan

For

Western Reserves Oil Company, Inc.

Lake McMillian "21" Well # 2

- Disposal Name and Permit # C.R.I, Hobbs, NM. R-1966.
- Soil Backfill Operator will backfill 3 feet of clean material and 1 foot of top soil.
- Re-vegetation Plan Operator will re-seed site with seed mixture consisting of (3) native plant species and (1) native grass.
- Conformation Sampling Plan Operator will supply test results from a (5) point composite sample from pit area; to include: *BTEX

*TPH 418.1

*TPH 8015M

*CLORIDES

 Site Reclamation Plan – Operator will comply with requirements of NMOCD guidelines in subsection G of 19.15.17.13 NMAC.

New Mexico Energy, Minerals and Natural Resources Department

Bill Richardson Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire Division Director Oil Conservation Division



Conditions of approval for closure of a drilling pit

Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.

