

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

FEB 13 2009

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8 Well Name and No. WESTERN FEDERAL 6
2. Name of Operator COG OPERATING LLC Contact: ROBYN ODOM E-Mail: rododom@conchoresources.com		9. API Well No. 30-015-31706-00-S1
3a. Address 550 W TEXAS, STE 1300 FASKEN TOWER II MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-685-4385	10. Field and Pool, or Exploratory E EMPIRE
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 30 T17S R29E SWNE 1650FNL 1650FEL		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Workover Operatic
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

11/05/08 MIRU. TOH and LD tbg.
11/06/08 RIH w/cmt retainer & set @ 3850'. Pump 200sx C, 200sx C. Squeezed off at 3000 psi.
Reversed out 83sx.
11/07/08 Drill 4-3/4" hole thru cmt retainer @ Drill to 4454. Drill from 4454 to 4486.
11/14/08 - 11/22/08 Drill from 4484 to 5806, TD.
11/25/08 Run 131jts 4" P110 11.6# @ 5763'. DV tool @ 4190'. Cmt w/ 140sx C. PD @ 1:30pm.
Centralizers @ 5336 - 5290, 4937 - 4892, 4630 - 4584.
11/26/08 Drill out DV tool. Tag plug 10' below DV tool @ 4190'. Drill out Cmt from 4200 to 5368.
11/27/08 Drill from 5636 to 5745'.
12/04/08 Perf w/2SPF @ 5400 - 5200, 42 holes. PBTD @ 5717. Acidize w/60 bbls acid. Frac w/2876 bbls gel, 169,575# 16/30 sand. Set CBP @ 5140. Perf w/2SPF @ 5100 - 4900, 36 holes. Acidize w/60 bbls acid. Frac w/2855 bbls gel, 166,562# 16/30 sand. Set CBP @ 4750'. Perf w/2SPF @ 4700 - 4500,

See
Attached

14. I hereby certify that the foregoing is true and correct. Electronic Submission #67185 verified by the BLM Well Information System For COG OPERATING LLC, sent to the Carlsbad Committed to AFMSS for processing by CHERYLE RYAN on 02/11/2009 (09CMR0222SE)	
Name (Printed/Typed) ROBYN ODOM	Title PERSON RESPONSIBLE
Signature (Electronic Submission)	Date 02/11/2009

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	WESLEY INGRAM Title PETROLEUM ENGINEER	2009 Date 02/11/20
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Additional data for EC transaction #67185 that would not fit on the form

32. Additional remarks, continued

36 holes. Acidize w/100 bbls acid. Frac w/2936 bbls gel, 169,064# 16/30 sand.
12/12/08 Drill out CBP's.
12/15/08 DV tool located @ 4200'.
12/16/08 TIH w/ 130jts 2-7/8 6.5# J-55 @ 4128'.RIH w/ 2.5x1.5x16' pump.
12/17/08 Hang on well.

**Western Federal 6
30-015-31706
COG Operating LLC
February 11, 2009**

Operator did not perform work as approved in NOI.

- 1. NOI did not mention setting cement retainer and squeezing.**
- 2. Was 4-1/2" casing run to surface or was it removed as in the NOI? If so, what depth?**
- 3. Copy of Radial CBL has not been submitted to the BLM.**
- 4. New completion report has not been submitted.**

WWI 021109