

Submit 1 Copy To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-01523
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	6. State Oil & Gas Lease No. B6251
2. Name of Operator Doral Energy Corp.	7. Lease Name or Unit Agreement Name Wentz State	8. Well Number 1
3. Address of Operator 415 W. Wall Street, Suite 500 Midland, TX 79701	9. OGRID Number 261198	10. Pool name or Wildcat AID. Yates-Seven Rivers
4. Well Location Unit Letter P : 330 feet from the South line and 330 feet from the East line Section 24 Township 17S Range 28E NMPM Eddy County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,664' GR		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Remove production equipment and
P & A as follows:

1. All portions of the well not filled with cement will be filled with mud
2. Fill casing / OH from 871' to 400': 50 sx - *Tas*
3. Perf & squeeze 25 sx @ 400' - *Tas*
4. Perf & squeeze 25 sx @ 200' - *Tas*
5. Fill 10 3/4" / 8 5/8" annulus, 5 1/2" / 8 5/8" annulus, & 5 1/2" casing to surface with cement
6. Set P & A marker and clean up location

**Notify OCD 24 hrs. prior
To any work done.**

Spud Date:

01/15/1953

Rig Release Date:

02/10/1953

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Vice President of Operations

DATE

01/29/2010

Type or print name **C. M. Bloodworth, P.E.**

E-mail address: **martyb@doralenergy.com**

PHONE: **432/789-1180**

For State Use Only

APPROVED BY:

TITLE

Approval Granted providing work
is complete by **2/15/2010**

DATE

2/15/2010

Conditions of Approval (if any):