


N.M. Oil Cons. DIV-Dist. 2
UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
1301 W. Grand Avenue
Artesia, NM 88210

FORM APPROVED
OMB No. 4000-0137
Expires: March 31, 2007



SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
JALAPENO CORPORATION

3a. Address
P.O. BOX 1608, ALB., NM 87103

3b. Phone No. (include area code)
505-242-2050

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
330' FSL & 330' FEL S.12, T.9-S, R. 27-E

7. If Unit or CA/Agreement, Name and/or No

8. Well Name and No
PAISANO FEDERAL #1

9. API Well No
30-005-63840

10. Field and Pool, or Exploratory Area
Wolf Lake, San Andres, South

11. County or Parish, State
CHAVES COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other Interim Reclamation Plan
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

(SEE ATTACHED INTERIM RECLAMATION PLAN)

ACCEPTED FOR
RECORD

MAR 15 2010

NAME David Reese
NAT. RESOURCE SPEC.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

JUN BARRACK

Title OIL AND GAS OPERATIONS ASSOCIATE

Signature

Jun Barrack

Date

1/20/10

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

ROSWELL FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)

Jalapeno Corporation


INTERIM RECLAMATION PLAN

Paisano Federal #1
330' FSL & 330' FEL
Section 12, T. 9-S, R. 27-E
Chaves, County, New Mexico

This plan is submitted with Form 3160-5. The purpose of the plan is to describe the Interim Reclamation procedures to be followed by the Jalapeno Corporation in order to reclaim the well pad area not needed for active support of production.




PLAN FOR INTERIM RECLAMATION

We have reclaimed the pit area and hauled necessary soil to the Gandy Marley Disposal Site (see attached OCD Form). Due to the location of the road and anchors, we believe it would be counterproductive to further reclaim any portion of the well pad at this time (see attached diagram for further details). For now, we propose no further action of reclamation as we believe it would impede in the safe and efficient removal of oil and water in the daily operations of the well and inhibit safe operations during well remedial activities.


Harvey E. Yates, Jr. President
Jalapeno Corporation

1/16/10
Date

Paisano Federal #1



Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application AUG 12 2008

DEC 10 2008

AUG 12 2008

OCD-ARTESIA

WASH-ARTESIA

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☒ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator JALAPENO CORPORATION OGRID #
Address: P.O BOX 1608; ALBUQUERQUE, NEW MEXICO 87103
Facility or well name PAISANO FEDERAL NO. 1
API Number: 30-005-63840 OCD Permit Number
U/L or Qtr/Qu P Section 12 Township 9-S Range 27-E County CHAVES
Center of Proposed Design Latitude 33°32'27.75" N Longitude 104°08'18.75" W NAD. ☐ 1927 ☐ 1983
Surface Owner. ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

[illegible]

☒ Closed-loop System: Subject or Dept. 916-111-NVAC

Type of Operation: ☐ P&A ☐ Design new cell ☐ Workover, or Drilling (applies to activities which require pre-drill approval of a permit to drill - a permit)

Drilling Plan: ☐ Above Ground Steel Casing ☐ Horizontal Bore ☐ Other _____

Drill Bit: ☐ Twist ☐ Uniflex ☐ Triangular ☐ X-Scr ☐ Other _____ ☐ PDCP ☐ RDCP ☐ PVC ☐ Other _____

Drill Seams: ☐ Harder ☐ Easier ☐ Other _____

☐ Below-grade tank: Subsection 16.19.2.1.1.4. N/A

Volume: _____ lbs. Type of liner: _____

Liner Construction: _____

☐ Secondary containment with leak detection ☐ Visible sidewall liner, from 6' behind to 6' in front of overflow shut-off

☐ Visible sidewall liner ☐ Visible externally only ☐ Other _____

Liner type: _____ Thickness: _____ mil ☐ HDPE ☐ PVC ☐ Other _____



☐ Alternative Method:
 Summary of other exemption requests received. Exemption must be submitted to the State Technical Management Bureau office to be reviewed and approved.

ENTERED
10/12/00

Permitting: Subsection D of 19.15.11.1 NMAC *Applies to permanent pits, temporary pits, and below-grade tanks.*

- ☐ Class includes at least eight two-hundred (200) foot by at least one (1) foot deep pits or tanks, 1000 feet of a permanent reservoir, or an impoundment or conduit.
- ☐ Total four-hundred (400) and of at least six (6) feet by at least one (1) foot deep pits or tanks.
- ☐ All other cases please specify:

Settling: Subsection E of 19.15.11.1 NMAC *Applies to permanent pits and permanent open-loop tanks.*

- ☐ Settling ☐ Settling ☐ Other:
- ☐ Monthly inspections (if settling or screening is not physically feasible)

Signs: Subsection F of 19.15.11.1 NMAC

- ☐ Signs shall be erected providing information concerning location and emergency telephone numbers.
- ☐ Signed in compliance with 19.15.11.1 NMAC

Administrative Approvals and Exceptions:

Justification and/or de-waiver of violations or equivalency are required. Please refer to 19.15.11.1 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- ☐ Administrative approval(s) - Request must be submitted to the appropriate division director of the Santa Fe Environmental Bureau or its authorized representative for approval.
- ☐ Exception(s) - Request must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NMI Office of the Santa Fe Bureau of Waters can provide search USGS Data on record from nearby wells.	☐ Yes ☐ No
Within 50 feet of a non-majority flowing water course, or 50 feet of any other specific flow water source (e.g., lake, stream, sinkhole, or other take liner or ed from a pond or high water tank). Topographic map. Visual inspection (certification) of the proposed site.	☐ Yes ☐ No
Within 100 feet from a primary residence, school, hospital, institution, or church existence at the time of initial application. <i>Applies to temporary emergency or emergency pits and below-grade tanks.</i> Visual inspection (certification) of the proposed site. Aerial photo. Satellite image.	☐ Yes ☐ No
Within 100 feet from a permanent residence, school, hospital, institution, or church existence at the time of initial application. <i>Applies to permanent pits.</i> Visual inspection (certification) of the proposed site. Aerial photo. Satellite image.	☐ Yes ☐ No
Within 50 feet from a free of private domestic (residential) water well or spring that discharges to a surface water body for domestic use (e.g., drinking water, irrigation, etc.) or within 100 feet from a free of private domestic (residential) water well or spring that discharges to a surface water body for domestic use (e.g., drinking water, irrigation, etc.). NMI Office of the Santa Fe Bureau of Waters can provide search. Visual inspection (certification) of the proposed site.	☐ Yes ☐ No
Within 50 feet from a public water supply or within a defined area of public water supply (e.g., fire hydrant, water main, etc.). Adapted pursuant to NMN 19.15.17.10 NMAC, Section 27-3, as amended. Written confirmation or verification from the municipality. Written approval of the fire hydrant, water main, etc.	☐ Yes ☐ No
Within 50 feet of a wetland. US Fish and Wildlife Service identification map. Topographic map. Visual inspection (certification) of the proposed site.	☐ Yes ☐ No
Within 50 feet of a wetland. Written confirmation or verification from the NM EMMRD Mining and Mineral Division.	☐ Yes ☐ No
Within 50 feet of a wetland. Engineering measures incorporated into the design. NM Bureau of Geology & Mineral Resources USGS NM Geological Society, topographic map.	☐ Yes ☐ No
Within 50 feet of a flood zone. FEMA map.	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.5.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (c) of Subsection B of 19.5.17.9 NMAC
- ☐ Hydrogeologic Data (Emergency and Emergency Pits) - based upon the requirements of Paragraph (c) of Subsection B of 19.5.17.9 NMAC
- ☐ Soil Contamination Compliance Demonstrations - based upon the appropriate requirements of 19.5.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.5.17.11 NMAC
- ☐ Operation and Maintenance Plan - based upon the appropriate requirements of 19.5.17.12 NMAC
- ☐ Closure Plan (Pits) - based upon the appropriate requirements of Subsection C of 19.5.17.9 NMAC and 19.5.17.13 NMAC
- ☐ Previously Approved Design (attach copy of design) - API Number _____ Permit Number _____

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.5.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic or Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (c) of Subsection B of 19.5.17.9 NMAC
- ☐ Soil Contamination Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.5.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.5.17.11 NMAC
- ☐ Operation and Maintenance Plan - based upon the appropriate requirements of 19.5.17.12 NMAC
- ☐ Closure Plan (Pits) - based upon the appropriate requirements of Subsection C of 19.5.17.9 NMAC and 19.5.17.13 NMAC
- ☐ Previously Approved Design (attach copy of design) - API Number _____ Permit Number _____
- ☐ Previously Approved Operation and Maintenance Plan - API Number _____ (If previous design and/or operation system has been used, attach a copy of the design and/or operation system.)

above permit such as: a) have all plans and propose to maintain, waste to be used, and this is a

Permanent Pits Permit Application Checklist: Subsection B of 19.5.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (c) of Subsection B of 19.5.17.9 NMAC
- ☐ Soil Contamination Compliance Demonstrations - based upon the appropriate requirements of 19.5.17.10 NMAC
- ☐ Geologic Data (Pits) - based upon the appropriate requirements of 19.5.17.11 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.5.17.11 NMAC
- ☐ Leak Detection Design - based upon the appropriate requirements of 19.5.17.11 NMAC
- ☐ Inter-Site Locations and Compatibility Assessment - based upon the appropriate requirements of 19.5.17.11 NMAC
- ☐ Quality Control Assurance and Installation Plan
- ☐ Operation and Maintenance Plan - based upon the appropriate requirements of 19.5.17.12 NMAC
- ☐ Hardware and Overlapping Prevention Plan - based upon the appropriate requirements of 19.5.17.13 NMAC
- ☐ Surface of Hazards Orders - and in 19.5.17.13 NMAC
- ☐ Emergency Response Plan
- ☐ Other Waste Sites Characterization
- ☐ Monitoring and Protection Plan
- ☐ Final Closure Plan
- ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.5.17.9 NMAC and 19.5.17.13 NMAC

Proposed Closure: 19.5.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: ☒ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System
- Proposed Closure Method: ☒ Waste Excavation and Removal
- ☐ Waste Removal (Closed-loop system only)
 - ☐ On-site Closure Method (Only for emergency pits and closed-loop systems)
 - ☐ In-place Borehole ☐ On-site Borehole
 - ☐ Alternative Closure Method (The regions must be submitted to the State Health Department for consideration)

Waste Excavation and Removal Closure Plan Checklist: (19.5.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Protocols and Procedures - based upon the appropriate requirements of 19.5.17.13 NMAC
- ☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.5.17.13 NMAC
- ☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- ☒ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.5.17.13 NMAC
- ☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.5.17.13 NMAC
- ☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.5.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17-13 NMAC)

Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name _____

Disposal Facility Permit Number _____

Disposal Facility Name _____

Disposal Facility Permit Number _____

Will the proposed closure steps, decommissioning and associated activities occur on or in areas that will not be used for future oil and gas operations?

☐ Yes (If yes please note the container below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Soil Bank and Cover Design Specifications based upon the appropriate requirements of Subsection F of 19.15.17-13 NMAC

☐ Reclamation Plan based upon the appropriate requirements of Subsection F of 19.15.17-13 NMAC

☐ Site Reclamation Plan based upon the appropriate requirements of Subsection G of 19.15.17-13 NMAC

Siting Criteria (regarding on-site closure methods only): (19.15.17-10 NMAC)

Instructions: Each siting criterion requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and on-site demonstrations of equivalency are required. Please refer to 19.15.17-10 NMAC for guidance.

Groundwater less than 50 feet below the bottom of the buried waste

NM Office of the State Engineer (WATERS) can use search USGS Data obtained from nearby well

☐ Yes ☐ No

Groundwater between 50 and 100 feet below the bottom of the buried waste

NM Office of the State Engineer (WATERS) can use search USGS Data obtained from nearby well

☐ Yes ☐ No

Groundwater more than 100 feet below the bottom of the buried waste

NM Office of the State Engineer (WATERS) can use search USGS Data obtained from nearby wells

☐ Yes ☐ No

Within 300 feet of a county road, flowing water course, or 200 feet of any other significant waterway or likelihood of future lake formation (including the Colorado River and its tributaries)

Engineering map, Aerial photo, Satellite image of the proposed site

☐ Yes ☐ No

Within 500 feet of a permanent residence, school, hospital, airport, or other high-use area of the municipality of application

Aerial photo, Satellite image of the proposed site

☐ Yes ☐ No

Within 500 horizontal feet of a public domestic fresh water well or spring that is less than five miles from the proposed site for domestic use, or within 1000 horizontal feet of any other fresh water well or spring in existence at the time of initial application

NM Office of the State Engineer (WATERS) can use Aerial photo or Satellite image of the proposed site

☐ Yes ☐ No

Within incorporated municipal boundaries or within a defined drainage flow area wellhead covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-2-15, as amended

Written confirmation of verification from the municipality. Written approval of water flow area from the municipality

☐ Yes ☐ No

Within 500 feet of a well

USGS State Water Well Identification map, Department map, Aerial photo or Satellite image of the proposed site

☐ Yes ☐ No

Within a cadastral zone or subsurface mine

Written confirmation of verification of mine on the NM LMRD Map and Mineral Declaration

☐ Yes ☐ No

Within an urban area

Engineering map, Aerial photo, Satellite image of the proposed site, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Survey, Local map, etc.

☐ Yes ☐ No

Within 100 feet of a building

USGS map

☐ Yes ☐ No

On-Site Closure Plan Checklist: (19.15.17-13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate by a check mark in the box, that the documents are attached.

☐ State/Certified Compliance Demonstration based upon the appropriate requirements of 19.15.17-10 NMAC

☐ Proof of Surface Owner Notice based upon the appropriate requirements of Subsection F of 19.15.17-13 NMAC

☐ Construction Design Plan or Blueprint (if applicable) based upon the appropriate requirements of 19.15.17-13 NMAC

☐ Construction Design Plan or Temporary Plan (if necessary) based upon the appropriate requirements of 19.15.17-13 NMAC

☐ Procedures and Protocols based upon the appropriate requirements of 19.15.17-13 NMAC

☐ Contention Sampling Plan (if applicable) based upon the appropriate requirements of Subsection F of 19.15.17-13 NMAC

☐ Waste Material Sampling Plan based upon the appropriate requirements of Subsection F of 19.15.17-13 NMAC

☐ Disposal Facility Name and Permit Number for liquids, drilling fluids and drill cuttings or in case on-site closure site may not be located

☐ Soil Cover Design based upon the appropriate requirements of Subsection F of 19.15.17-13 NMAC

☐ Reclamation Plan based upon the appropriate requirements of Subsection F of 19.15.17-13 NMAC

☐ Site Reclamation Plan based upon the appropriate requirements of Subsection G of 19.15.17-13 NMAC

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): HARVEY E. YATES, JR. Title: PRESIDENT
Jalapeño Corporation

Signature: [Signature] Date: 8/6/08

e-mail address: _____ Telephone: 505-242-2050

20.
OCD Approval: ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: Signed By [Signature] Approval Date: AUG 12 2008

Title: Field Supervisor OCD Permit Number: N/A

21.
Closure Report (required within 60 days of closure completion): Subsection K of 19 15.17 13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 10/7/08

22.
Closure Method:
☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain

23.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations.
☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24.
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.

☒ Proof of Closure Notice (surface owner and division)
☒ Proof of Deed Notice (required for on-site closure)
☒ Plot Plan (for on-site closures and temporary pits)
☒ Confirmation Sampling Analytical Results (if applicable)
☒ Waste Material Sampling Analytical Results (required for on-site closure)
☒ Disposal Facility Name and Permit Number
☒ Soil Backfilling and Cover Installation
☒ Re-vegetation Application Rates and Seeding Technique
☒ Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude 33° 32' 27.75" N Longitude 104° 03' 13.75" W NAD ☐ 1927 ☐ 1983

25.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): HARVEY E. YATES, JR. Title: PRESIDENT
Jalapeño Corporation

Signature: [Signature] Date: 11/02/08

e-mail address: _____ Telephone: 505-242-2050

JALAPENO CORPORATION

PAISANO FEDERAL #1

24. CLOSURE REPORT ATTACHMENT CHECKLIST: (19.15.17.13 NMAC)

☒ PROOF OF CLOSURE NOTICE (SURFACE OWNER AND DIVISION)

In accordance with Subsection J of 19.15.17.13 NMAC, the surface owner (BLM) was notified by certified receipt requested, that we plan to close the temporary pit. (See attached letter to BLM, a copy of the Certified Mail Receipt and a copy of the Domestic Return Receipt signed by BLM employee, Carol Hines).

☒ PLOT PLAN

See attached Plot Plan.

☒ CONFIRMATION SAMPLING ANALYTICAL RESULTS

In accordance with Subsection B (1) (b) (ii) 19.15.17.13 NMAC, soil samples were collected by Gene Shull of Shull-Oil Field Services and sent to Cardinal Laborites to be analyzed for Benzene, total BTEX, TPH, GRO & DRO combined fraction and chlorides using EPA SW-846 methods to determine if samples exceed OCD accepted levels. (See attached Analytical Results). The soil samples results were sent to Mike Bratcher in the Roswell OCD office. After reviewing these results, Mr. Bratcher gave authorization for Mr. Shull to process with completion of the pit closure.

☒ DISPOSAL FACILITY NAME AND PERMIT NUMBER

Disposal Facility Name: GANDY MARLEY LANDFARM Disposal Facility Permit Number: 19

☒ SOIL BACKFILL AND COVER INSTALLATION

In accordance with Subsection H of 19.15.17.13 NMAC, the pit was backfilled with stockpile of topsoil and clean soil. No mud and/or cuttings from the pit were used in the backfill. Mr. Shull constructed the soil cover to the site's existing grade to prevent ponding of water and erosion of the cover material. (See attached letter from Gene Shull).

☒ RE-VEGETATION APPLICATION RATES AND SEEDING TECHNIQUE

In accordance with Subsection I of 19.15.17.13 NMAC and BLM's Reserve Pit Reclamation Requirements, the stockpile of topsoil was spread over the pit site to cultivate a seed bed. We used BLM's Desert Plant Community seed mixture for this geographic area (see attached the BLM's Surface Reclamation/Restoration Requirements for the Paisano and a copy of the seed sack mixture used in the seeding of the pit area) which also corresponds to the OCD's requirements.

The seed mixture was applied and the seeding process was completed in compliance with both BLM's and OC's requirements and regulations. (See attached letter from Gene Shull).

☒ SITE RECLAMATION (PHOTO DOCUMENTATION)

In accordance with Subsection G of 19.15.17.13 NMAC, we have reclaimed the pit location and have substantially restored the impacted surface area to the condition that existed prior to oil operations in accordance to our Soil Backfill and Cover Design Specifications plan. We have, also, recontoured the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to our Re-vegetation Plan. (See attached photos and letter from Gene Shull).