District I	State of New Mexico Energy, Minerals and Natural Resou	Form C-103 rces October 13, 2009
1625 N French Dr , Hobbs, NM 88240		WELL API NO.
<u>District II</u> 1301 W Grand Ave , Artesia, NM 88210	OIL CONSERVATION DIVISION	ON 3001525433
District III	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE X  6. State Oil & Gas Lease No.
District IV 1220 S St. Francis Dr , Santa Fe, NM	5 <b></b> 1 <b>0</b> , 1 1 0 , 0 00	o. State on & das Lease No.
(DO NOT USE THIS FORM FOR PROPOSALS	S AND REPORTS ON WELLS S TO DRILL OR TO DEEPEN OR PLUG BACK TO	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR USE "APPLICATI PROPOSALS)	ON FOR PERMIT" (FORM C-101) FOR SUCH	Belco
	Gas Well Dilace	8. Well Number 002
2. Name of Operator Basic Energy Services	Gas Well   DIRECEIVED	9. OGRID Number 246368
3. Address of Operator	JUN <b>2 8</b> 2010	10. Pool name or Wildcat
P.O.Box 10460 Midland Texas 79702		South Loving Delaware
4. Well Location	NMOCD ARTESIA	
	feet from the North line and 1980	
	nship 21South Range 28 East	
	1. Elevation (Show whether DR, RKB, RT,	
The state of the s	i. Die varion (show whether Bit, 1112), 111,	
Sold Comments of the Comments		,
12. Check App	ropriate Box to Indicate Nature of	Notice, Report or Other Data
NOTICE OF INTE	NTION TO:	SUBSEQUENT REPORT OF:
		AL WORK
		NCE DRILLING OPNS. □ P AND A □
	=	/CEMENT JOB
DOWNHOLE COMMINGLE		_
		_
OTHER Conversion for oil well to		
		etails, and give pertinent dates, including estimated date
proposed completion or recomp		ltiple Completions: Attach wellbore diagram of
proposed completion of recomp	Nation	
<u>-</u>	detion.	
To turn in C-108 for approval and t		as a selection with
To turn in C-108 for approval and t On the Belco # 2		CANNOT BE APROVED WAL
On the Belco # 2		CANNOT BE APROVED UNTIL
On the Belco # 2  POH with Pkr. AD-1 PC 51/2	then continue with the following	CANNOT BE APROVED WILL PERMIT IS SHED.
On the Belco # 2  POH with Pkr. AD-1 PC 51/2  RIH with bit and scraper to PBTD of	then continue with the following	•
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD c Set pkr. at 3364.33 and establish rat	then continue with the following circulate clean e and record with in guide line psig.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD c Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD c Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. South Delaware above existing perfs. South Delaware and corrosion inhibitor.	Accepted for record NMOCD & T
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test.	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. South Delaware above existing perfs. South Delaware and corrosion inhibitor.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. South Delaware above existing perfs. South Delaware and corrosion inhibitor.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test.	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. South Delaware above existing perfs. South Delaware and corrosion inhibitor.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test.	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. South Delaware above existing perfs. South Delaware and corrosion inhibitor.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test.	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. South Delaware above existing perfs. South Delaware and corrosion inhibitor.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test.	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. South Delaware above existing perfs. South Delaware and corrosion inhibitor.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.	Accepted for record
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:	then continue with the following circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.	Accepted for record NMOCD 47
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:	circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. l depth set.  Rig Release Date:	Accepted for record NMOCD 45 (e) 29/10
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:  I hereby certify that the information about the selection of the possible selection of the perforate performance of the properties of the properties of the performance of the per	circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.  Rig Release Date:	Accepted for record NMOCD 45 (e) 29/10
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:	circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.  Rig Release Date:	Accepted for record NMOCD 45 (e) 29/10
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:  I hereby certify that the information about SIGNATURE	circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.  Rig Release Date:  ve is true and complete to the best of my limited to the best of my limited.  TITLE	Accepted for record NMOCD 45 (e) 29/10 cnowledge and belief.
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:  I hereby certify that the information about SIGNATURE	circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.  Rig Release Date:  ve is true and complete to the best of my limited to the best of my limited.  TITLE	Accepted for record NMOCD 45 (e) 29/10
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:  I hereby certify that the information about SIGNATURE  Type or print name David Alvarado  For State Use Only	circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.  Rig Release Date:  ve is true and complete to the best of my least true and complete to the best of my least true.  TITLE	Accepted for record NMOCD 45 (e) 29/10  knowledge and belief.  er DATE 3-28-10  ergyservices.com PHONE: 575.746.9663
On the Belco # 2  POH with Pkr. AD-1 PC 51/2 RIH with bit and scraper to PBTD of Set pkr. at 3364.33 and establish rat Possible select perfs. And perforate Treat perfs. With Exylene and 15% Run PC tubing with PC Pkr. to legal Fill annulus with pkr. Fluid test. Call OCD for MIT  Spud Date:  I hereby certify that the information about SIGNATURE  Type or print name David Alvarado	circulate clean e and record with in guide line psig. in South Delaware above existing perfs. 5 NEFE with scale and corrosion inhibitor. I depth set.  Rig Release Date:  ve is true and complete to the best of my least true and complete to the best of my least true.  TITLE	Accepted for record NMOCD 45 (e) 29/10  knowledge and belief.  er DATE 3-28-10  ergyservices.com PHONE: 575.746.9663