

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions on
reverse side)Form approved.
Budget Bureau No. 42 R1424.
5. LEASE DESIGNATION AND SERIAL NO.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. DATE OF NOTICE 10 1981

2. NAME OF OPERATOR
General American Oil Company of Texas

3. ADDRESS OF OPERATOR
P. O. Box 128 Loco Hills, New Mexico 88255

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface: 1980' FNL and 660' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3599' DF

RECEIVED
NOV 23 1981
O. C. D.
ARTESA, OFFICE

LC-028784-c

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
Dravner, NM 88210

8. FARM OR LEASE NAME
Keely "C"

9. WELL NO.
13

10. FIELD AND POOL, OR WILDCAT
Grayburg-Jackson

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA
Sec. 25, T-17S, R-29E

12. COUNTY OR PARISH
Eddy

13. STATE
New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☒

SHOOTING OR ACIDIZING ☒

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

10- 1-81 Ran Dresser-Atlas Acoustilog with gamma ray curve.

10-19-81 Perforate as follows: Loco Hills 2546'-2552' 2 holes per foot
2558'-2564' 2 holes per foot

Metex 2684'-2688' 2 holes per foot
2701'-2704' 2 holes per foot
2706'-2708' 2 holes per foot
2714'-2718' 2 holes per foot

10-20-81 Treat San Andres open hole section with 20,000 gallons gelled water containing 20,000# 20/40 sand.

10-21-81 Treat perforations 2701'-2704', 2706'-2708', and 2714'-2718' with 30,000 gallons gelled water containing 30,000# 20/40 sand.

Treat perforations 2546'-2552', and 2558'-2564' with 30,000 gallons gelled water containing 30,000# 20/40 sand.

10-24 thru

10-30-81 Pumping undetermined amount of load water to pit.

10-31-81 Pumped 68 barrels of oil per day and 19 barrels of water per day.

11- 1-81 Pumped 21 barrels of oil per day and 5 barrels of water per day.

11- 2-81 Pumped 20 barrels of oil per day and 4 barrels of water per day.

18. I hereby certify that the foregoing is true and correct

SIGNED M. S. SanningTITLE EngineerDATE November 10, 1981

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

ACCEPTED FOR RECORD

*See Instructions on Reverse Side

NOV 20 1981
O.C.D.
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO