

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

LC 029395 (a)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR SINCLAIR OIL & GAS COMPANY		8. FARM OR LEASE NAME Turner "A"	
3. ADDRESS OF OPERATOR P. O. Box 1920, Hobbs, New Mexico 88240		9. WELL NO. 2	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 440' from the North ^{West} line and 2200' from the South line		10. FIELD AND POOL, OR WILDCAT Grayburg Jackson	
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 18-T17S-R31E	
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 3761' GR		12. COUNTY OR PARISH Eddy	
		13. STATE New Mexico	

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐

(Other)

PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐(Other) Convert oilwell to WIW ☒

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐

(Other)

REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T. D. Drilled 3497'. Presently producing from Grayburg Jackson Open Hole interval 3174-3497' 2 BOPD and 0 BWPD.

10" casing set @ 1384' w/25 sacks. 6-5/8" csg set @ 3174' w/no cement.

PROPOSE TO: Fill hole w/pea gravel to 3180'. Perf. 6-5/8"OD casing w/ 4 holes @ approx. 3130', establish circulation & bring cement to base of 10" casing. Drill out and test. Clean out to T.D. Run 2-3/8"OD tubing and packer and set @ approx. 3150', convert from oilwell to water injection in Grayburg Jackson Open Hole 3174-3497' in Russell Turner Waterflood area. (Load annulus w/corrosion inhibited fluid).

RECEIVED
NOV 2 1967
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Engineer

DATE

10-31-67

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

NOV 2 1967

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Original cc: USGS, Artesia, N.M.
cc: Regional Office
cc: file