


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Danciger Oil & Refining Company, W. T. Waggoner Building, Fort Worth, Texas

Company or Operator **Mancil E. Turner** Address **Fort Worth, Texas**
Well No. **28-3** in **SW/4W/4N** of Sec. **30**, T. **17S**

Lease **31** R. **31** N. M. P. M., **Frederick** Field, **May** County.

Well is **2310** feet south of the North line and **330** feet **west** of the **East** line of **Section 20**

If State land the oil and gas lease is No. Assignment No.

If patented land the owner is Address

If Government land the permittee is **Mancil E. Turner** Address **Artesia, New Mexico**

The Lessee is **Danciger Oil & Refining Company** Address **Fort Worth, Texas**

Drilling commenced **April 22** 19 **48** Drilling was completed **June 7** 19 **48**

Name of drilling contractor **Kersey & Company** Address **Artesia, New Mexico**

Elevation above sea level at top of casing **3817** feet. **G.L.**

The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from **1892** to **1896** No. 4, from to
No. 2, from **1917** to **1928** No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **None** to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	OUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
7"	20	8 R	Republic	511'					
5 1/2"	14	8 R	Spring	1873'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
	7"	511'	50	Halliburton		
	5 1/2"	1873'	100	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	4"	Nitro-glycerine	110 cts.	6/6/48	1890 - 1930	

Results of shooting or chemical treatment **Before shooting, well produced 11 bbls. per day; after shooting, well produced 15 bbls. per day.**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from **0** feet to **1949** feet, and from feet to feet

PRODUCTION

Put to producing **June 8** 19 **48**
The production of the first 24 hours was **15** barrels of fluid of which **100** % was oil; % emulsion; % water; and % sediment. Gravity, Be. **37**
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES

Kersey & Company, Driller
Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **12th** day of **July** 19 **48**

GRACE O'CONNOR, Notary Public
In and for Tarrant County, Texas
My Commission expires

Notary Public
June 1, 1949

Fort Worth, Texas - July 12, 1948

Place Date
Name **Secretary**
Position **Danciger Oil & Refining Company**
Representing **Fort Worth, Texas**
Address

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	238		Red bed & sand
226	278		Red bed
278	388		Anhydrite
388	430		Red bed
430	470		Red bed & salt
470	490		Red bed
490	500		Anhydrite & salt
500	588		Salt
588	600		Anhydrite & red bed
600	1028		Salt
1028	1040		polyhalite
1040	1198		Salt
1198	1280		Anhydrite
1280	1280		Red bed
1280	1290		Brn. anhydrite
1290	1310		Shale & anhydrite
1310	1380		Anhydrite
1380	1418		Shale & anhydrite
1418	1440		Red bed
1440	1468		Brn. anhydrite
1468	1800		Shale & anhydrite
1800	1838		Anhydrite
1838	1840		Brn. anhydrite & mud
1840	1878		Anhydrite, brn.
1878	1888		Red bed
1888	1833		Anhydrite
1833	1847		Anhydrite & brown lime
1847	1855		Anhydrite & red bed
1855	1890		Anhydrite
1890	1892		Lime
1892	1896		Sand
1896	1902		Anhydrite
1902	1912		Lime
1912	1917		Anhydrite
1917	1928		Sandy lime
1928	1948		Anhydrite
	T.D.		