


N

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED
MAR 2 1949Oil Cons. Comm.
Artesia Office

30-015-05438

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Danciger Oil & Refining Company, W. T. Waggoner Building, Fort Worth, Texas
Company or Operator
Mancil E. Turner Well No. **29-B** in **NW/4 NW/4** of Sec. **20**, T. **17S**
Lease
R. **31E**, N. M. P. M., **Fron** Field, **Edley** County.
Well is **660** feet south of the North line and **660** feet **E** of the **N** line of **Section 20**
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is **Mancil E. Turner**, Address **Artesia, New Mexico**
If Government land the permittee is **Danciger Oil & Refining Company**, Address **Fort Worth, Texas**
The Lessee is **Danciger Oil & Refining Company**, Address **Fort Worth, Texas**
Drilling commenced **November 30** 19 **48** Drilling was completed **December 30** 19 **48**
Name of drilling contractor **Kersey & Company**, Address **Artesia, New Mexico**
Elevation above sea level at top of casing **3665** feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from **1805** to **1815** No. 4, from to
No. 2, from **1913** to **1915** No. 5, from to
No. 3, from **1945** to **1952** No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8-5/8"	24	8		525'	Common				
5"	14	8 R	Spang	1890'	Plugged				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
	8-5/8"	525'	50	Halliburton		
	5"	1890'	100	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Nitro-glycerine	130 qts.	12/30/48	1910-1960	1972

Results of shooting or chemical treatment Well flowed 15 bbls. per 24 hrs. through tubing.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from 0 feet to 1972 feet, and from feet to feet

PRODUCTION

Put to producing February 8 1949
The production of the first 24 hours was 15 barrels of fluid of which 100% was oil;
emulsion; % water; and % sediment. Gravity, Be.
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES

Kersey & Company, Driller
Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 18th day of February 1949
Grace O'Connor
Notary Public
June 1, 1949
My Commission expires

Fort Worth, Texas February 18, 1949
Name **Grace O'Connor**
Position **Secretary**
Representing **DANCIGER OIL & REFINING COMPANY**
Company or Operator
Address **Fort Worth, Texas**
GRACE O'CONNOR, Notary Public
In and for Tarrant County, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	35		Sand
35	90		Sand & red bed
90	140		Red bed
140	210		Sand
210	262		Red bed & sand
262	270		Anhydrite & shale
270	285		Anhydrite & red bed
285	405		Anhydrite
405	428		Red bed
428	435		Anhydrite & red bed
435	470		Anhydrite
470	478		Anhydrite & red bed
478	500		Red bed
500	505		Anhydrite & salt
505	1243		Salt
1243	1355		Anhydrite & shale
1355	1405		Anhydrite
1405	1455		Anhydrite & shale
1455	1460		Red rock, sandy
1460	1464		Red rock
1464	1515		Anhydrite & shale
1515	1675		Anhydrite, brkn.
1675	1725		Anhydrite & shale
1725	1805		Anhydrite
1805	1815		Anhydrite, sandy
1815	1885		Anhydrite
1885	1902		Lime
1902	1913		Lime, gray
1913	1915		Lime, brown
1915	1918		Lime, sandy
1918	1945		Anhydrite
1945	1952		Lime, brown
1952	1972		Anhydrite
	T. D.		