Form 9-331 a (Feb. 1951)

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

Land Office

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

RECEIVED

OTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF	WATER SHUT-OFF		
OTICE OF INTENTION TO CHANGE PLANS	OF SHOOTING OR ACIDIZING RTESIA. OF FICE OF ALTERING CASING			
OTICE OF INTENTION TO TEST WATER SHUT-OFF				
OTICE OF INTENTION TO RE-DRILL OR REPAIR \				
OTICE OF INTENTION TO SHOOT OR ACIDIZE				
OTICE OF INTENTION TO PULL OR ALTER CASIN	i ∥	IISTORY		
OTICE OF INTENTION TO ABANDON WELL				
(INDICATE ABOVE BY	CHECK MARK NATURE OF REPORT, NOTICE, O	•		
	August A	, 19.60		
ell No. 🐞 is located 💃	ft. from S line and	ft. from W line of sec.		
(½ Sec. and Sec. No.) (Tw	(Range) (Meri	dian)		
(Field)	(county or Subdivision)	(State or Territory)		
ne elevation of the derrick floor ab	ove sea level isft.	RECEIVED		
	DETAILS OF WORK	AUG 9 1980		
ate names of and expected depths to objective s ing po	ands; show sizes, weights, and lengths of pro- pints, and all other important proposed work	المائية المسترادي المستردي المسترادي المسترادي المسترادي المسترادي المستراد		
ote 661 A fee Company's No	L. D. Tomas W. R.	A CUTAN MEW MEMO		
	16001 (or thru 8111)	440 main & Circ		
h ea everal was	Series for once many			
14 CO makes 9.55	73601	3,000 seein (or consul be		
		THEO DUSTNOO		
		makele Missi to took the		
	office to 4 cuber on others	many () and an annual many		
one to dell ulth rutury of				
nes to drill with rotary to Roof 6668' to 55.				
nes to drill with rutary to hoof 6660° to 20.				
nes to drill with rotary to hoof 6000' to 5%.	to the control of the	ever before operations may be commenced.		
hoof (200° to 20,	ive approval in writing by the Geological Sur	vey before operations may be commenced.		
Manufacture DAN & E	ive approval in writing by the Geological Sur	vey before operations may be commenced.		
ompany Resider 611 & 6	ive approval in writing by the Geological Sur	vey before operations may be commenced.		
Manufacture DAN & E	ive approval in writing by the Geological Sur	rvey before operations may be commenced.		

GPO 862040

FORM C-128 Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

	SEE IN	STRUCTIONS		CTION		ON THE REV	ERSE SIDE	
Operator			L	ease _				Well No.
	mir Oil & (eny	· · · · · · · · · · · · · · · · · · ·	urder	"B" SP		70
Unit Letter	Section 20	Township 17 Sou	t h	Range 31	Last	County	Eddy	
Actual Footage Lo	cation of Well: feet from the	South	line and	660) fe	et from the	West	line
Ground Level Elev	Producing F		P	ool _	hase	, 3 ,	De	dicated Acreage:
who has the rig another. (65- 2. If the answer to	ht to drill into and 3-29 (e) NMSA 19 o question one is '	d to produce fr 35 Comp.) 'no,'' have the f answer is ''y	om any pool a interests of es," Type of	all the ov Consolid	ropriate the	production e	ther for himse	("Owner" means the person If or for himself and Ition agreement or other-
								AUGS 1960
	 	<u> </u>			 			. GEOLOGICAL SURVEY TESTA, NEW MEXICO
		SECTIO	N B		·		··· }	RTIFICATION
							I hereby cert shown on the plotted from surveys made supervision,	A above is true and combest of my knowledge and or who have the prode of the product of the prode of the product of the produ
660°							Registered F	Professional Engineer
0 330 660 9	90 1320 1650 19	080 2310 264	2000	1500	1000	<i>500</i> 0	Certificate N	°. 676

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.