

O+5 - USGS - P.O. Box 1857  
Roswell, NM 88201

1 - Engr.-PS 1 - WIOs  
1 - Foreman-EF 1 - File

Form 9-331  
Dec. 1973

Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other  
well well

2. NAME OF OPERATOR  
Getty Oil Company

3. ADDRESS OF OPERATOR  
P.O. Box 730 Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
530/FSL + 330/FWL  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH: ut-M

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☒  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

5. LEASE

LC-029420 (B)

6. IF INDIAN, ALLOTTEE OR TRIBE **RECEIVED**

7. UNIT AGREEMENT NAME  
Skelly Unit

JUL 15 1982

8. FARM OR LEASE NAME  
O. C. D.

9. WELL NO.  
74 ARTESIA, OFFICE

10. FIELD OR WILDCAT NAME  
Grayburg Jackson

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
21, T17S, R31E

12. COUNTY OR PARISH  
Eddy

13. STATE  
NM


14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3773' DF

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1. Rig up pulling unit.
2. Install BOP.
3. POH with rods and tubing.
4. Run wash pipe & bit & scrapper to TD.
5. Acidize perms w/6000 gals of 15% NEFE.
6. Recover load and allow well to clean up-
7. Squeeze well with scale inhibitor.
8. Place well on production.



U.S. GEOLOGICAL SURVEY  
LOS ANGELES, CALIF. 90012

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Dale R. Crockett TITLE Area Superintendent DATE 7-8-82

APPROVED BY (Orig. Sgd.) PETER W. CHESTER DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

JUL 13 1982

FOR  
JAMES A. GILLHAM \*See instructions on Reverse Side