



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. 029419 (a)
Unit Lynah A

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 7 is located 1900 ft. from N line and 660 ft. from E line of sec. 22
NE/4 SE/4 Section 22 178 18 N. M. P. M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Undesignated Blake County New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

To be drilled (with rotary tools from surface to total depth of approximately 12,000 feet to test Pennsylvanian formation.) Casing program to be as follows:

Size Hole	Size Casing	Approximate Casing Point	Seals Cement
18"	13-3/8"	300'	300
11"	8-5/8"	3000'	2000
7-7/8"	5-1/2"	11,875'	1750

The Halliburton process will be used in Cementing all Casing and Cement will be circulated to surface on the 13-3/8" OD Casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Skelly Oil Company

Address Box 38

Hobbs,

New Mexico

By J. J. Lawrence
District Superintendent
Title _____