

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: September 30, 1990

5. Lease Designation and Serial No.

LC 028784C

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Marbob Energy Corporation

3. Address and Telephone No.

P. O. Drawer 227, Artesia, NM 88210 (505) 748-3303

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 660' FWL, Sec.26 T-17-S R-29-E Unit L

7. If Unit or CA, Agreement Designation

NM NM 88525X

8. Well Name and No.

Burch Keely Unit #173

9. API Well No.

30-015-05910

10. Field and Pool, or Exploratory Area

Grbj Jackson SR Q GRB SA

11. County or Parish, State

Eddy, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 1) 7" CIBP set 2422' 6-4-92
- 2) Load hole with mud
- 3) Spot 25 sks cement on top of 7" CIBP @ 2422'
- 4) Perforate 7" casing at base of salt 765' Squeeze with 50 sks cement, W.O.C. Tag cement top @ 659'
- 5) Perforate 7" casing at base of 8-5/8 shoe 451' Squeeze with 60 sks cement W.O.C. Did not tag plug - Re Squeeze with 60 sks W.O.C. Tag cement top @ 286'
- 6) Perforate 7" & 8-5/8" @ 60' Circulate cement to surface with 190 sks leaving 7" full Set PA marker
- 7) Job completed 12-21-95

RECEIVED

FEB 16 1996

OIL CON. DIV.
DIST. 2

Part ID-2
1-19-96
PAA

14. I hereby certify that the foregoing is true and correct

Signed

Title

Date

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any: