


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

TEXACO Inc.

Woolley Unit

(Company or Operator)

(Lease)

Well No. 1, in SE 1/4 of NW 1/4, of Sec 16, T. 17-S, R. 30-E, NMPM.

Wildcat

Pool,

Eddy

County.

Well is 1980 feet from North line and 1980 feet from West line

of Section 16. If State Land the Oil and Gas Lease No. is B-8095-5

Drilling Commenced August 22, 1963 Drilling was Completed November 17, 1963

Name of Drilling Contractor Foster Drilling Company

Address P. O. Box 32 - Odessa, Texas

Elevation above sea level at Top of Tubing Head 3689' (D. F.) The information given is to be kept confidential until May 1964

OIL SANDS OR ZONES

No. 1, from 11,102' to 11,114' No. 4, from to

No. 2, from 11,133' to 11,143' No. 5, from to

No. 3, from to No. 6, from to

Drilled with Rotary Tools and No water sands tested.

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
16"	65.00	NEW	341'	HOWCO	NONE	NONE	Surface
8 5/8"	24.00	NEW	3988'	HOWCO	NONE	NONE	Intermediate
3 1/2"	9.20	NEW	11288'	HOWCO	NONE	See Attached	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
20"	16"	352'	400	HOWCO		
11"	8 5/8"	4000'	1200	B & J		
7 7/8"	3 1/2"	11300'	1650	B & J		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

See Attached Sheet

Result of Production Stimulation See Attached Sheet

Depth Cleaned Out 11,300'

PBD 11,262'

REC OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 11,300 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing December 31, 1963 (WELL SHUT IN FOR GAS CONNECTION)

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity

GAS WELL: The production during the first 24 hours was 258.8 M.C.F. plus NONE barrels of
liquid Hydrocarbon. Shut in Pressure 150 lbs.

Length of Time Shut in - - -

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy. 350'	T. Devonian.	T. Ojo Alamo.
T. Salt. 545'	T. Silurian.	T. Kirtland-Fruitland.
B. Salt. 1840'	T. Montoya.	T. Farmington.
T. Yates. 2085'	T. Simpson.	T. Pictured Cliffs.
T. 7 Rivers.	T. McKee.	T. Menefee.
T. Queen. 2920'	T. Ellenburger.	T. Point Lookout.
T. Grayburg.	T. Gr. Wash.	T. Mancos.
T. San Andres. 3250'	T. Granite.	T. Dakota.
T. Glorieta. 4240'	T. Wolfcamp. 7675'	T. Morrison.
T. Drinkard.	T. Cisco. 9405'	T. Penn.
T. Tubbs. 5750'	T. Strawn. 10290'	
T. Abo. 6412'	T. Atoka. 10520'	
T. Penn.	T. Morrow. 11030'	
T. Miss.	T. Upper Miss. 11,176'	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	190	190	Caliche				
190	360	170	Redbed				Estimate Number 7830
360	1281	921	Rebed & Anhy	6			NMOCC
1281	1864	583	Anhy & Salt	1			SIO-Santa Fe
1864	2854	990	Anhy & Lime	1			Field
2854	3562	708	Lime & Chert	1			File
3562	4150	588	Lime, Chert & Sand	1			General American Oil Co. of Texas
4150	5010	860	Lime & Sand				Meadows Bldg, Dallas, Texas
5010	6440	1430	Lime, Dolomite & Sand	1			Sinclair Oil & Gas Co.
6440	7070	630	Lime & Shale				P.O. Box 1677, Roswell, N. M.
7070	8310	1240	Lime, Shale & Chert	1			Marathon Oil Company
8310	9150	840	Lime, Dolomite & Shale				P. O. Box 552 - Midland, Texas
9150	10750	1600	Lime, Shale & Sand	1			Nash, Windfohr & Brown
10750	10929	179	Lime, Dolomite & Shale				National Bank Building
10929	11270	341	Lime, Shale & Chert				Fort Worth, Texas
11270	11300	30	Sand, Shale & Chert	1			Mrs. Rhea - Unit Supervisor
Total Depth	11300						State Land Office
BTD	11262						Santa Fe, New Mexico

All measurements from rotary table or
12' above ground level.

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

Company or Operator TEXACO Inc.
Name H. D. Raymond

January 16, 1964.
(Date)
Address P. O. Box 728 - Hobbs, New Mexico
Position or Title Assistant District Superintendent