

N. M. O. C. C. COPY

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE\*

(See other in-  
structions on  
reverse side)Form approved.  
Budget Bureau No. 42-R355.5.

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

|                                                                                                                                                                                                                                |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------|------------------------------------|----------------------------------------------------|------------------------------------|-----------------------------------------------------------|--------------------------------|---------------------------------------------------------|--|------------------------------------------------|--|------------------------------------------------------------|--|-----------------|--|
| 1a. TYPE OF WELL:                                                                                                                                                                                                              |  | OIL WELL <input checked="" type="checkbox"/>                                           | GAS WELL <input type="checkbox"/>  | DRY <input type="checkbox"/>                       | Other <input type="checkbox"/>     |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| b. TYPE OF COMPLETION:                                                                                                                                                                                                         |  | NEW WELL <input checked="" type="checkbox"/>                                           | WORK OVER <input type="checkbox"/> | DEEP-EN <input type="checkbox"/>                   | PLUG BACK <input type="checkbox"/> | DIFF. RESVR. <input type="checkbox"/>                     | Other <input type="checkbox"/> |                                                         |  |                                                |  |                                                            |  |                 |  |
| 2. NAME OF OPERATOR<br><b>General American Oil Company of Texas</b>                                                                                                                                                            |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| 3. ADDRESS OF OPERATOR<br><b>P. O. Box 416, Loco Hills, New Mexico 88255</b>                                                                                                                                                   |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)<br>At surface <b>1980' FNL and 1980' FEL Sec. 13, Twp. 17S, Rge. 29E</b><br>At top prod. interval reported below<br>At total depth |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| 14. PERMIT NO.                                                                                                                                                                                                                 |  |                                                                                        | DATE ISSUED<br><b>1971</b>         |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| 15. DATE SPUDDED<br><b>12/31/70</b>                                                                                                                                                                                            |  | 16. DATE T.D. REACHED<br><b>1/11/71</b>                                                |                                    | 17. DATE COMPL. (Ready to prod.)<br><b>1/21/71</b> |                                    | 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*<br><b>3634 GL</b> |                                | 19. ELEV. CASINGHEAD<br><b>3633'</b>                    |  |                                                |  |                                                            |  |                 |  |
| 20. TOTAL DEPTH, MD & TVD<br><b>2572'</b>                                                                                                                                                                                      |  | 21. PLUG, BACK T.D., MD & TVD                                                          |                                    | 22. IF MULTIPLE COMPL., HOW MANY*                  |                                    | 23. INTERVALS<br>DRILLER'S<br><b>0-2572'</b>              |                                | ROTARY TOOLS<br>CABLE TOOLS                             |  |                                                |  |                                                            |  |                 |  |
| 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*<br><b>2516'-2564'</b>                                                                                                                            |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                | 25. WAS DIRECTIONAL SURVEY MADE<br><b>No</b>            |  |                                                |  |                                                            |  |                 |  |
| 26. TYPE ELECTRIC AND OTHER LOGS RUN<br><b>Gamma Ray Caliper, Sidewall Neutron</b>                                                                                                                                             |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                | 27. WAS WELL CORED<br><b>Yes</b>                        |  |                                                |  |                                                            |  |                 |  |
| 28. CASING RECORD (Report all strings used in well)                                                                                                                                                                            |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| CASING SIZE                                                                                                                                                                                                                    |  | WEIGHT, LB./FT.                                                                        |                                    | DEPTH SET (MD)                                     |                                    | HOLE SIZE                                                 |                                | CEMENTING RECORD                                        |  | AMOUNT PULLED                                  |  |                                                            |  |                 |  |
| <b>8-5/8"</b>                                                                                                                                                                                                                  |  | <b>32#</b>                                                                             |                                    | <b>449 KB</b>                                      |                                    | <b>12 1/4"</b>                                            |                                | <b>100 Sacks</b>                                        |  | <b>None</b>                                    |  |                                                            |  |                 |  |
| <b>4-1/2"</b>                                                                                                                                                                                                                  |  | <b>9.5#</b>                                                                            |                                    | <b>2572 KB</b>                                     |                                    | <b>7-7/8"</b>                                             |                                | <b>190 Sacks</b>                                        |  | <b>None</b>                                    |  |                                                            |  |                 |  |
| 29. LINER RECORD                                                                                                                                                                                                               |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  | 30. TUBING RECORD                              |  |                                                            |  |                 |  |
| SIZE                                                                                                                                                                                                                           |  | TOP (MD)                                                                               |                                    | BOTTOM (MD)                                        |                                    | SACKS CEMENT*                                             |                                | SCREEN (MD)                                             |  | SIZE                                           |  | DEPTH SET (MD)                                             |  | PACKER SET (MD) |  |
|                                                                                                                                                                                                                                |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  | <b>2"</b>                                      |  | <b>2550'</b>                                               |  |                 |  |
| 31. PERFORATION RECORD (Interval, size and number)<br><b>3 holes (2516-17) 6 holes (2545-48)<br/>6 holes (2550-54) 2 holes (2563-64)</b>                                                                                       |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  | 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. |  |                                                            |  |                 |  |
|                                                                                                                                                                                                                                |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  | DEPTH INTERVAL (MD)                            |  | AMOUNT AND KIND OF MATERIAL USED                           |  |                 |  |
|                                                                                                                                                                                                                                |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  | <b>2516-2564</b>                               |  | <b>40,000 gallons galled water<br/>40,000# 20/40 sand.</b> |  |                 |  |
| 33.* PRODUCTION                                                                                                                                                                                                                |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| DATE FIRST PRODUCTION<br><b>1/22/71</b>                                                                                                                                                                                        |  | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)<br><b>Pumping</b> |                                    |                                                    |                                    |                                                           |                                | WELL STATUS (Producing or shut-in)<br><b>Production</b> |  |                                                |  |                                                            |  |                 |  |
| DATE OF TEST<br><b>1/26/71</b>                                                                                                                                                                                                 |  | HOURS TESTED<br><b>24</b>                                                              |                                    | CHOKE SIZE                                         |                                    | PROD'N. FOR TEST PERIOD                                   |                                | OIL—BBL.                                                |  | GAS—MCF.                                       |  | WATER—BBL.                                                 |  | GAS-OIL RATIO   |  |
| FLOW, TUBING PRESS.                                                                                                                                                                                                            |  | CASING PRESSURE                                                                        |                                    | CALCULATED 24-HOUR RATE                            |                                    | OIL—BBL.                                                  |                                | GAS—MCF.                                                |  | WATER—BBL.                                     |  | OIL GRAVITY-API (CORR.)                                    |  |                 |  |
| 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)<br><b>40</b>                                                                                                                                                        |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  | TEST WITNESSED BY                              |  |                                                            |  |                 |  |
| 35. LIST OF ATTACHMENTS<br><b>Log and Deviation Survey</b>                                                                                                                                                                     |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| 36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records                                                                                              |  |                                                                                        |                                    |                                                    |                                    |                                                           |                                |                                                         |  |                                                |  |                                                            |  |                 |  |
| SIGNED <b>[Signature]</b>                                                                                                                                                                                                      |  | TITLE <b>District Superintendent</b>                                                   |                                    |                                                    |                                    | DATE <b>Feb. 1, 1971</b>                                  |                                |                                                         |  |                                                |  |                                                            |  |                 |  |

\*(See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 88, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 36.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

| 37. SUMMARY OF POROUS ZONES:<br>SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES. |       |        |                                                               | 38. GEOLOGIC MARKERS |             |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|---------------------------------------------------------------|----------------------|-------------|------------------|
| FORMATION                                                                                                                                                                                                                                           | TOP   | BOTTOM | DESCRIPTION, CONTENTS, ETC.                                   | NAME                 | MEAS. DEPTH | TRUE VERT. DEPTH |
| Cored<br>Netex                                                                                                                                                                                                                                      | 2499' | 2536'  | Dolomite and sand some staining                               | Queen                | 1946'       | +1488            |
|                                                                                                                                                                                                                                                     | 2536' | 2569'  | Dolomite and sand tight dolomite<br>Bleeding oil sand stained |                      |             |                  |

DEVIATION SURVEYS  
Keely C #47

| <u>Depth</u> | <u>Degrees</u> |
|--------------|----------------|
| 449'         | 1-1/4°         |
| 955'         | 1°             |
| 1277'        | 1-1/4°         |
| 1757'        | 1°             |
| 2254'        | 1°             |

RECEIVED  
FEB 2 1971  
U. S. GEOLOGICAL SURVEY  
ARTERIA, NEW MEXICO

This is a true and correct report to the best  
of my knowledge.

2 1/4

Signed before me this \_\_\_\_ day of February, 1971.

Handwritten Signature

My Commission Expires 4-2-71