GEOLOGICAL SURVEY	Form 9-381a		Budget Bureau No. 42-R858.4. Approval expires 12-31-60.
UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY NOV 2 3 136 SUNDRY NOTICES AND REPORTS ON WELLS F. ARTECIA, DOTA NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO REPAIR WELL NOTICE OF INTENTION TO ALIDIZE. NOTICE OF INTENTION TO PLOUD ON ALIER CASING. SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO ALIDIZE. NOTICE OF INTENTION TO PLOUD ON ALIER CASING. SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO ALIDIZE. NOTICE OF INTENTION TO PULLO ALIDIZE. NOTICE OF INTENTION TO ALIDIZE.	(Feb. 1951)	(SUBMIT IN TRIPLICATE)	Land Office New Mex 100
Independent of the intervious of th	DOVED	UNITED STATES	Loase No. NM-01523
NOV 2.3 196 SUNDRY NOTICES AND REPORTS ON WELLS. ARTELIA, DITAL NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR NOTICE OF INTENTION TO SHOUT OR ALTER CASING NOTICE OF INTENTION TO SHOUT OF ALTER CASING NOTICE OF INTENTION TO ADANDON WATER SHUT-OFF NOTICE OF INTENTION TO ADANDON WATER SHUT-OFF NOTICE OF INTENTION TO ADANDON WATER CASING NOTICE OF INTENTION TO ADAN	DEI		
NOTICE OF INTENTION TO DRILL SUBSEQUENT REPORT OF WATER SHUT-OFF. NOTICE OF INTENTION TO CHANGE PLANS. SUBSEQUENT REPORT OF ALTER SHUT-OFF. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO BEDRILL OR REPAIR WELL SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO ABANDON WELL SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO ABANDON WELL SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO ABANDON WELL SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO ABANDON WELL SUBSEQUENT REPORT OF ADATA (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SUPLEMENTARY WELL HISTORY. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SUBSEQUENT REPORT OF ALTERNAL MARGRAVE Well No. 1 is located 660. ft. from [K] (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) SUBSEQUENT REPORT OF ALTERNAL MARGRAVE Well No. 1 is located 660. ft. f		GEOLOGICAL SURVEY	NOV 23196
NOTICE OF INTENTION TO DRILL SUBSEQUENT REPORT OF WATER SHUT-OFF. NOTICE OF INTENTION TO CHANGE PLANS. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO RE-ORILL OR REPAIR WELL SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO BABANDON WELL SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO ABANDON WELL SUBSEQUENT REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) IMAGE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)	SUNDRY NO	TICES AND REPORTS O	N WELLS D. C. C.
Notice of intention to change plans. subsequent report of shooting or acidizing. Notice of intention to test water shut-off. subsequent report of altering casing. Notice of intention to test water shut-off. subsequent report of altering casing. Notice of intention to the control of acidize. subsequent report of altering casing. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to pull or alter casing. subsequent report of abandonment. Notice of intention to be constructed above by check mark nature of report, notice, or other bata. subsequent report of abandonment. Well No. 1 is located 660. ft. from . Well casta. 25.	NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WAT	· · · · · · · · · · · · · · · · · · ·
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WHITE NG. 1 PEDERAL HARGRAVE Well No. 1 is located .660 ft. from [N] line and .660 ft. from [E] Well No. 1 is located .660 ft. from [N] line and .660 ft. from [E] Well No. 2 (Twp) (Twp) (Range) (Meridian) WHITE NG. 1 PEDERAL HARGRAVE Well No. 1 is located .660 ft. from [N] line and .660 ft. from [E] Well No. 1 is located .660 ft. from [N] WHITE NG. 1 PEDERAL HARGRAVE Well No. 1 is located .660 ft. from [N] WELL DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points; and all other important proposed work) Top of Seven Rivers by log is 1657' Knocuntered strong flow of autophing water at 1650 which increased to TD of 1688. Fill up in			OTING OR ACIDIZING
NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WHITTE NG. 1 PSDENAL HARGRAVE Well No. 1 is located .660. ft. from N.M. 2. M. N.M. 2. M. N.M. 2. M. N.M. 2. M. N.M. 2. M. N.M. 2. M. (Meridian) Waldconted (State of Territory) The elevation of the Content of Sec. 1557' Knocuntered casings; indicate mudding jobs, cemen ing points, and all other important proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Top of Seven Rivers by log is 1657' Knocuntered strong flow of autophysic water at 1660 which increased to TD of 1688. Fill up in	NOTICE OF INTENTION TO TEST WATER SHUT-	OFF SUBSEQUENT REPORT OF ALT	ERING CASING
NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) WHITE NG. 1 PEDERIAL HARGRAVE Well No. 1. is located 660 ft. from N. H. T. The second for the sec. 35. O-NE 10, 2, 10, 2, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10	NOTICE OF INTENTION TO RE-DRILL OR REPAI	IR WELL SUBSEQUENT REPORT OF RE-I	
NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY LOG 18 1657' KABOUNTER OF STORY FLOW OF SALED THE REPORT OF THE INDICATE AND ADDITION OF THE PROPAGE AND ADDITION OF THE DATA OF			
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) DECOMBER 10, £//, 19 WHITE NG. 1 PEDERAL HARGRAVE Well No. 1 is located .660 ft. from $\begin{bmatrix} N \\ St \end{bmatrix}$ line and .660 ft. from $\begin{bmatrix} E \\ St \end{bmatrix}$ line of sec. 35 O-NE (State of Territory) The elevation of the Control of the Contr			RY
WHITE NG. 1 PEDERAL HARGRAVE Well No. 1 is located .660 ft. from . N line and .660 ft. from . If line of sec35 G-NE to	NOTICE OF INTENTION TO ABANDON WELL		
WHITE NG. 1 PEDERAL HARGRAVE Well No. 1 is located .660 ft. from	(INDICATE ABOVE	E BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTI	HER DATA)
WHITE NG. 1 PEDERAL HARGRAVE Well No. 1 is located .660 ft. from		De	comber 10. £ // 19 5
G-NE Sec. and Sec. No.) 19 The elevation of the GENERATE DOVE sea level is 3325 . ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Top of Seven Rivers by log is 1657' Encountered strong flow of evaluation water at 1650 which increased to TD of 1688. Fill up in		RGRAVE	
G-NE Sec. and Sec. No.) 19 The elevation of the GENERATE DOVE sea level is 3325 . ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Top of Seven Rivers by log is 1657' Encountered strong flow of evaluation water at 1650 which increased to TD of 1688. Fill up in	Well No is located6	60 ft. from $\left\{ \begin{matrix} N \\ S \end{matrix} \right\}$ line and 660 ft.	from $\left\{ \begin{array}{c} E \\ \mathbf{M} \end{array} \right\}$ line of sec. 35
Walderstein (State or Territory) The elevation of the description of the descri	- MR 13894 Par 98 30	90 R N.M.P.	() Pî _
The elevation of the Experimentation above sea level is 3325 . ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Top of Seven Rivers by log is 1657' Encountered strong flow of eminphum mater at 1650 which increased to TD of 1688. Fill up in	Gentle Alice And Sec. No.)	(Twp.) (Range) (Meridian)	
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comen ing points, and all other important proposed work) Top of Seven Rivers by log is 1657' Knocuntered strong flow of subput water at 1650 which increased to TD of 1688. Fill up in	Walecata)	Editoria Subdivision)	(State of Territory)
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemen ing points, and all other important proposed work) Top of Seven Rivers by log is 1657' Knoountered strong flow of subbut water at 1660 which increased to TD of 1688. Fill up in		average level is 33\$5 ft.	
Top of Seven Rivers by log is 1657' Knoountered strong flow of subbur water at 1660 which increased to TD of 1688. Fill up in	I he elevation of the distribution		
Top of Seven Rivers by log is 1657' Knoountered strong flow of subbur water at 1650 which increased to TD of 1688. Fill up in	The elevation of the contraction		
with bailer.	(State names of and expected depths to objectiv ing	DETAILS OF WORK re sands; show sizes, weights, and lengths of proposed g points, and all other important proposed work)	
	(State names of and expected depths to objectiv ing Top of Seven Rivers by sulphur water at 1650 8" hole was 1100' in f with bailer. Well plugged and aband Mudded 1220' to 1636'; to 1170': Cement plug	DETAILS OF WORK re sands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) log is 1657' Encountered which increased to TD of ive hours. Could not low comed 12-10-59. Cement pl Coment plug 1170' to 13 400' to 450'; Mudded 220	i strong flow of 1688. Fill up in Mor water level ug 1638' to 1688'; 120'; Nudded 450' of to 400', Gement
2289 plug 125' to 220', Mudded to surface and 5' marker cemented.	(State names of and expected depths to objectiv ing Top of Seven Rivers by sulphur water at 1650 8" hole was 1100' in f with bailer. Well plugged and aband Mudded 1220' to 1636'; to 1170': Cement plug	DETAILS OF WORK re sands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) log is 1657' Encountered which increased to TD of ive hours. Could not low comed 12-10-59. Cement pl Coment plug 1170' to 13 400' to 450'; Mudded 220	i strong flow of 1688. Fill up in Mor water level ug 1638' to 1688'; 120'; Nudded 450' of to 400', Gement
2288 plug 125' to 220', Mudded to surface and 5' marker cemented. December 11, 1959 - Noving out rig.	(State names of and expected depths to objectiving Top of Seven Rivers by sulphur water at 1650 f 8" hole was 1100' in f with bailer. Well plugged and aband Mudded 1220' to 1636'; to 1170'; Cement plug 2200 plug 125' to 220'	DETAILS OF WORK re aands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) 1 og 1s 1657' Knoountered which increased to TD of ive hours. Could not low loned 12-10-59. Cement pl Coment plug 1170' to 12 400' to 450'; Mudded 220 , Mudded to surface and 5	i strong flow of 1688. Fill up in Mor water level ug 1638' to 1688'; 120'; Nudded 450' of to 400', Gement
2224 plug 125' to 220', Mudded to surface and 5' marker cemented.	(State names of and expected depths to objectiving Top of Seven Rivers by sulphur water at 1650 f 8" hole was 1100' in f with beiler. Well plugged and aband Mudded 1220' to 1636'; to 1170'; Cement plug 220% plug 125' to 220' December 11, 1959 - No	DETAILS OF WORK re sands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) log is 1657' Encountered which increased to TD of ive hours. Could not low loned 12-10-59. Cement pl Cement plug 1170' to 13 400' to 450'; Nudded 220 , Nudded to surface and 5	i strong flow of 1688. Fill up in for water level ug 1638' to 1688'; 20'; Nuddod 450' of to 400', Gement 5' marker cemented.
2228 plug 125' to 220', Mudded to surface and 5' marker cemented. December 11, 1959 - Newing out rig.	(State names of and expected depths to objectiving Top of Seven Rivers by sulphur water at 1650 f 8" hole was 1180' in f with beiler. Well plugged and aband Mudded 1220' to 1636'; to 1170'; Cement plug 220% plug 125' to 220' December 11, 1959 - No I understand that this plan of work must re	DETAILS OF WORK re aands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) 10g 1s 1557' Knocuntered which increased to TD of ive hours. Could not low loned 12-10-59. Cement pl Coment plug 1170' to 13 400' to 450'; Mudded 220 Mudded to surface and 5 wing out rig.	strong flow of 1688. Fill up in wer water level ug 1638' to 1688'; 20'; Mudded 450' to 400', Gement 5' marker cemented.
226 plug 125' to 220', Mudded to surface and 5' marker comparison. December 11, 1959 - Noving out rig. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company	(State names of and expected depths to objectiving Top of Seven Rivers by sulphur water at 1650 8" hole was 1100' in f with beiler. Well plugged and aband Mudded 1220' to 1636'; to 1170'; Cement plug 220' to 220' December 11, 1959 - No I understand that this plan of work must re Company	DETAILS OF WORK re sands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) 1 log is 1657' Encountered which increased to TD of ive hours. Could not low loned 12-10-59. Cement pl Cement plug 1170' to 13 400' to 450'; Nudded 220 Mudded to surface and 5 wing out rig. secsive approval in writing by the Geological Survey be Mudded.	strong flow of 1688. Fill up in wer water level ug 1638' to 1688'; 20'; Mudded 450' ' to 400', Gement ' marker cemented.
226 plug 125' to 220', Mudded to surface and 5' marker comparison. December 11, 1959 - Noving out rig. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Address Box 146	(State names of and expected depths to objectiving Top of Seven Rivers by sulphur water at 1650 8" hole was 1100' in f with beiler. Well plugged and aband Mudded 1220' to 1636'; to 1170'; Cement plug 220% plug 125' to 220' December 11, 1959 - No I understand that this plan of work must re Company Address	DETAILS OF WORK re sands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) log is 1657' Encountered which increased to TD of ive hours. Could not low loned 12-10-59. Cement pl Cement plug 1170' to 12 400' to 450'; Nudded 220 , Nudded to surface and 5 wing out rig.	strong flow of 1688. Fill up in ver water level ug 1638' to 1688'; 20'; Nudded 450' ' to 400', Gement ' marker composited.
2269 plug 125' to 220', Mudded to surface and 5' marker censited. December 11, 1959 - Noving out rig. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Address Address Mudded to surface and 5' marker censited.	(State names of and expected depths to objectiving Top of Seven Rivers by sulphur water at 1650 8" hole was 1100' in f with beiler. Well plugged and aband Mudded 1220' to 1636'; to 1170'; Cement plug 220% plug 125' to 220' December 11, 1959 - No I understand that this plan of work must re Company Address	DETAILS OF WORK re sands; show sizes, weights, and lengths of proposed g points, and all other important proposed work) log is 1657' Encountered which increased to TD of ive hours. Could not low loned 12-10-59. Cement pl Cement plug 1170' to 12 400' to 450'; Nudded 220 , Nudded to surface and 5 wing out rig.	strong flow of 1688. Fill up in ver water level ug 1638' to 1688'; 20'; Nudded 450' ' to 400', Gement ' marker composited.