DEPARTME , OF THE INTER	IOR werse side)	Budget Bureau No. 1004-0135 Expires August 31, 1985 5. LEASE DESIGNATION AND BEEIAL NO LC-062052
The for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT" for such p	back to a different reservoir 89	C-062052 6. IF INDIAN, ALLOTTRE OR TRIBE NAME. 7. UNIT AGREEMENT NAME
		8. FARAL OR LEASE NAME
A. & Edward R. Hudson	NOV 13'89	Shugart B 9. WELL NO.
.)	ARTESIA, OFFIC	2 10. FIELD AND POOL, OF WILDCAT Shugart Y-SP-R-G- 11. SEC., T., E., M., OF BLK. AND SURVEY OF AREA
15 ELEVATIONS (Show whether D	F RT (R etc.)	Sec. 15-18S-31E 12. COUNTY OF PARISH 13. ETATE
i		Eddy N.M.
Check Appropriate Box To Indicaie N	Nature of Notice, Report, or O	
TICE OF INTENTION TO :	306340U	
]
PULL OR ALTER CASING	NATES SHUT-OFF	SEPAIRING WELL
PULL OR ALTER CASING	WATER SHUT-OF#	ALTEBING CASING
PULL OR ALTER CASING	WATER SHUT-OFF	SEPAIRING WELL
	DEPARTME . OF THE INTER BUREAU OF LAND MANAGEMEN RY NOTICES AND REPORTS (The for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT-" for such r othics Water Injection A. & Edward R. Hudson 9, Maljamar, New Mexic fort location clearly and in accordance with any .) 660' from North and Ea Sec. 15-18S-31E	DEPARTME . OF THE INTERIOR Other Interneting BUREAU OF LAND MANAGEMENT ^{SIA} , LAF WEELS RY NOTICES AND REPORTS ON WELLS rm for proposals to drill or to deepen or plug back to a different reservoir 99 Use "APPLICATION FOR PERMIT-" for such proposals.) OTHER WATER IN JECTION A. & Edward R. Hudson CLN A. & Edward R. Hudson OTHER MALL SALE OTHER OF ICAL AND MERICAL SALE OTHER OF ICAL AND THE AND STATE REQUIREMENTS. A. & Edward R. Hudson CLN A. & Edward R. Hudson A. & & A & A & A & A & A & A & A & A & A

October 11, 1989, set "cast iron" bridge plug in 5-1/2" casing at 3250', spotted 50' cement on top of the plug, used 5 sks. class "C" cement, loaded hole to the surface w/salt gel mud, spotted cement from 2030' to 1930', used 10 sks. class "C" cement, perforated 5-1/2" casing at 850' w/4 shots, pressured up to 500 psi., pressure held, no fluid movement, perforated 5-1/2" casing at 661' w/4 shots pumped into perforations w/300 psi., set a cement retainer in 5-1/2" casing at 620', loaded hole to the surface w/fresh water, circulated cement to the surface through perforations at 661', used 110 sks. class "C" cement, spotted 150' cement on top of cement retainer, used 15 sks. class "C" cement, spotted 60' cement at the surface, used 6 sks. class "C" cement. Installed a 4" x 8' dry hole marker with well data. October 12,

1989, the location was cleaned of all debris.

October 13, 1989, the location and road was ripped to a depth of 12" and a barricade was installed to discourage vehicular travel. October 19, 1989, the area was re-seeded w/5# alkali sacation

and 20# four wing saltbrush.

The area is ready for final inspection and the surface restoration work has been completed.

18. I hereby certify that the foregoing is true and correct SIGNED	TITLE Prod. Supt.	DATE 10/20/89	
(This space for Federal or State office use) Orig. Signed by Simpnon J Show	*PETROLEUM ER. 10120	DATE 11-7-89	
surface restoration is completed.	ee Instructions on Reverse Side	11-24-89 P+A	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

nent to this work.) •

This well was plugged and abandoned as follows;