
Form 9-331 a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.										
Land Office	Las	Cruces								
Lease No	0690	033								
Unit	K									
	. .	14 #	L.							

Featherstone-Federal Il No. 2 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 2 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 2 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 2 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 2 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 2 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 4 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 5 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 6 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 6 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 6 is located 2310 ft. from S line and 1650 ft. from W line of sec. 1 Il No. 6 is located 2310 ft. from S line and 1650 ft	MES A. WNAUF		RELIE
THE OF INTENTION TO DRILL THE OF INTENTION TO CHANGE PLANS. THE OF INTENTION TO THE PLANS. THE OF INTENTION TO SEADUL OR REPAIR WELL THE OF INTENTION TO SHOULD OR ACIDIZE THE OF INTENTION TO SHOULD OR ACIDIZE THE OF INTENTION TO PULL OR ALTER CASING. THE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Featherstone—Federal INO. 2 is located 2310 ft. from S line and 1650 ft. from Well line of sec. 4 IN ME/SW Section L 198 31E N. M. F. H. (Kiese, and Sec. No.) The Country of Subdivision) (State or Territory) The DETAILS OF WORK The DETAILS OF WORK The points, and all other important proposed work) The section of the derick floor above sea level is 3572 Clft. DETAILS OF WORK The section of and expected depths to objective sands; show wites, weights, and lengths of proposed casings; indicate mudding jobs, committee and 3375 line and 3375 line and 2725 will be set at total depth, and all other important proposed work) The section of production, 1 1/21, 9.5%, J-55 will be set at total depth, approximately 3800 The production string will be committed to the extent to have event of production, 1 1/21, 9.5%, J-55 will be committed to the extent to have event in the annular space between open hole & production string to have event in the annular space between open hole & production string to have event in the annular space between open hole & production string to have event before operations may be commenced ompany. Cherry Brothers. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the co	SUNDRY NOTICES	AN	D REPORTS ON WELLS
THE OF INTENTION TO DRILL THE OF INTENTION TO CHANGE PLANS. THE OF INTENTION TO THE PLANS. THE OF INTENTION TO SEADUL OR REPAIR WELL THE OF INTENTION TO SHOULD OR ACIDIZE THE OF INTENTION TO SHOULD OR ACIDIZE THE OF INTENTION TO PULL OR ALTER CASING. THE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Featherstone—Federal INO. 2 is located 2310 ft. from S line and 1650 ft. from Well line of sec. 4 IN ME/SW Section L 198 31E N. M. F. H. (Kiese, and Sec. No.) The Country of Subdivision) (State or Territory) The DETAILS OF WORK The DETAILS OF WORK The points, and all other important proposed work) The section of the derick floor above sea level is 3572 Clft. DETAILS OF WORK The section of and expected depths to objective sands; show wites, weights, and lengths of proposed casings; indicate mudding jobs, committee and 3375 line and 3375 line and 2725 will be set at total depth, and all other important proposed work) The section of production, 1 1/21, 9.5%, J-55 will be set at total depth, approximately 3800 The production string will be committed to the extent to have event of production, 1 1/21, 9.5%, J-55 will be committed to the extent to have event in the annular space between open hole & production string to have event in the annular space between open hole & production string to have event in the annular space between open hole & production string to have event before operations may be commenced ompany. Cherry Brothers. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the co	SONDRI NOTICES		D IN UP THE
SUBSCUENT REPORT OF CHANGE PLANS. THEE OF INTENTION TO BEADER SHUT-OFF. THEE OF INTENTION TO REPORT OF R	TICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF MATERIAL STATES
Subsequent report of Alternot Cosinon. Subsequent report of Alternot Cosinon. Subsequent report of Alternot Cosinon. Subsequent report of Report of Alternot. Subsequent report of Report of Report. Subsequent report. Subs	TICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
Subsequent report of Reduction of Repair Well Subsequent report of Reduction of Report of Repo	TICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
Supplementary well distory. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Featherstone—Federal INO. 2 is located 2310 ft. from Siline and 1650 ft. from Willine of sec. 4 (Killing Section 1 193 31E N. M. F. M. (Killing County of Subdivision) February: 12 19 (Killing County of Subdivision) February: 12 19 INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) February: 12 19 February: 12 19 In M. F. M. (Killing County of Subdivision) February: 12 19 (Killing County of Subdivision) (State or Territory) (State or Territory) (State or Territory) February: 12 19 (Killing County of Subdivision) (State or Territory) (State or Territory) (State or Territory) February: 12 19 (Meddian) (State or Territory) February: 12 19 (Meddian) (State or Territory) (State or Territor	TICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
Supplementary well history (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Featherstone-Federal INO. 2 is located 2310ft. from Siline and 1650ft. from Willine of sec. 14 (K Sec. and Sec. No.) Shugar (Field) County of Subdivision) Eddy (County of Subdivision) Eddy Shugar (Field) (County of Subdivision) ETAILS OF WORK The names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comming points, and all other important proposed work) at es Sand 2725 useen Sand 3375 of 8 5/8", H-40, 28 surface casing, using enougherent to circulate (around 250 sacks). In the event of production, 1 1/2", 9.5%, J-55 will be set at total depth, proproximately 38001. The production string will be cemented to the extent so have cerent in the annular space between open hole & production string to a depth of 25001. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced dompany. Charry Brothers.	OTICE OF INTENTION TO SHOOT OR ACIDIZE		
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Featherstone—Federal Featherstone—Federal INO. 2 is located 2310ft. from S line and 1650ft. from W line of sec. 4 INO. 2 is located 2310ft. from Range) (Kange) (Kange) (County of Subdivision) Featherstone—Federal INO. 2 is located 2310ft. from S line and 1650ft. from W line of sec. 4 INO. 5 M. 7 M. (Range)	OTICE OF INTENTION TO PULL OR ALTER CASING		
Featherstone-Federal No. 2 is located 2310ft. from S line and 1650ft. from W line of sec. 10. 195 31E N. M. F. M. (Meridian) Shugar (Fight) (County of Subdivision) e elevation of the derrick floor above sea level is 3572 Glft. DETAILS OF WORK Its names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, came ing points, and all other important proposed work) a es 3 and 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-10, 28/ surface casing, using enough erent to circulate (around 250 sacks). In the event of production, 1/2", 9.5%, J-55 will be set at total depth, reproximately 3800'. The production string will be cemented to the extent so have cerent in the annular space between open hole & production string by the Geological Survey before operations may be commenced company. Charry Brothers.	OTICE OF INTENTION TO ABANDON WELL		
Featherstone-Federal No. 2 is located 2310ft. from			OR OTHER DATA)
Featherstone-Federal No. 2	(INDICATE ABOVE BY CHECK I	MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)
Il No. 2 is located 2310ft. from \$\begin{align*}{c}\$ line and 150ft. from \$\be			February 12 , 19 6
Il No. 2 is located 2310ft. from \$\begin{align*}{c}\$ line and 150ft. from \$\be	T -th-matono-Federal		
Shugar (Field)	Il No. 2 is located 2310ft. f	rom	line and $\frac{1650}{5}$ line and $\frac{1}{4}$ line of sec. $\frac{1}{4}$
DETAILS OF WORK Its names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, come ing points, and all other important proposed work) a 'es Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28# surface casing, using enougherent to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800'. The production string will be comented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the company. Cherry Brothers.		27	r nmp.M.
DETAILS OF WORK Its names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, come ing points, and all other important proposed work) a 'es Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28# surface casing, using enougherent to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800'. The production string will be comented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the company. Cherry Brothers.	ME/SW Section 4 195	(R	ange) (Meridian)
DETAILS OF WORK Its names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, come ing points, and all other important proposed work) a 'es Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28# surface casing, using enougherent to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800'. The production string will be comented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the company. Cherry Brothers.	(1/2 Sec. and Sec. No.)	T-4-4	New Mexico
DETAILS OF WORK Its names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, come ing points, and all other important proposed work) a 'es Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28# surface casing, using enougherent to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800'. The production string will be comented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the company. Cherry Brothers.	Shugar (Field) (Co	unty of S	ubdivision) (State or Territory)
DETAILS OF WORK It names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, come ing points, and all other important proposed work) a es Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28# surface casing, using enough errent to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800'. The production string will be comented to the extent so have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers.			
ales Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28# surface casing, using enoughement to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800'. The production string will be cemented to the extent on have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the company. Cherry Brothers.	e elevation of the derrick floor above se	a leve	18 3212 unt.
a'es Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28% surface casing, using enough ement to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5%, J-55 will be set at total depth, approximately 3800'. The production string will be cemented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany Cherry Brothers.	DE	TAIL	S OF WORK
a'es Sand 2725' useen Sand 3375' ill set approximately 255' of 8 5/8", H-40, 28% surface casing, using enough ement to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5%, J-55 will be set at total depth, approximately 3800'. The production string will be cemented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany Cherry Brothers.	and appeared depths to objective sands; sh	ow sizes,	weights, and lengths of proposed casings; indicate mudding jobs, cemes
ill set approximately 255' of 8 5/8", H-40, 26 surface casing, using enough event to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5%, J-55 will be set at total depth, approximately 3800'. The production string will be cemented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers.	ate names or and expected doponits, an	d all oth	er important proposed work)
ill set approximately 255' of 8 5/8", H-40, 26 surface casing, using enough event to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5%, J-55 will be set at total depth, approximately 3800'. The production string will be cemented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers.			
ill set approximately 255' of 8 5/8", H-40, 28# surface casing, using enough ement to circulate (around 250 sacks). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800'. The production string will be cemented to the extent so have cerent in the annular space between open hole & production string to a depth of 2500'. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced company. Cherry Brothers.	Tales Sand 2725		
ement to circulate (around 250 Sache). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800°. The production string will be cemented to the extent approximately 3800°. The production string will be cemented to the extent approximately 3800°. The production string will be cemented to the extent approximately 3800°. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the company. Cherry Brothers.	Rueen Sand 3375"		
ement to circulate (around 250 Sache). In the event of production, 4 1/2", 9.5#, J-55 will be set at total depth, approximately 3800°. The production string will be cemented to the extent approximately 3800°. The production string will be cemented to the extent approximately 3800°. The production string will be cemented to the extent approximately 3800°. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced of the company. Cherry Brothers.	of 8	5/8"	, H-40, 28# surface casing, using enough
in the event of production, 4 1/2", 9.5%, J-55 will be set at total depth, approximately 3800°. The production string will be cemented to the extent to have cerent in the annular space between open hole & production string to a depth of 2500°. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany Cherry Brothers.	vill set approximately 200	sacks	ń.
o have cerent in the annular space between open hole & production string to have depth of 2500. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. ddress 1106 Lubbock National Bldg.	ement to circulate (410 and		· · · · · · · · · · · · · · · · · · ·
o have cerent in the annular space between open hole & production string to have depth of 2500. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. ddress 1106 Lubbock National Bldg.	In the event of production, 4 1/	′2" ,5	5.5#, J-55 will be set at total depoir,
on have cerent in the annular state between open of the plan of 2500. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. ddress 1106 Lubbock Nabional Bldg.	approximately 3800. The produc	tion	string will be cemented to the extent
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers. ddress 1106 Lubbock Nabional Bldg.	to have cerent in the annular s	ace 1	between open hole & production suring
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced ompany. Cherry Brothers.	up to a depth of 2500.		
ompany Cherry Brothers ddress 1106 Lubbock National Bldg	with the state of		
ompany Cherry Brothers ddress 1106 Lubbock National Bldg			writing by the Geological Survey before operations may be commenced.
ddress 1106 Lubbock National Bldg			
Lubbock, Texas FEB 18 199 Title Production Supt.	ompany Cherry Brothers		
Lubbock, Texas FEB 1 8 Production Supt. U. S. GEOLOGICAL SUPPLY	ddress 1106 Lubbock National Bld	<u> </u>	
Lubbock, Texas FEB 1 8 FEB 1 8 Production Supt. U. S. GEOLOGICAL SUPPLY	Address	KE	CEIVED 7/17 7/11
FEB 1 8 1080 Production Supt. U. S. GEOLOGICAL SUPPLY	Lubbock, Texas		By Unacces
U.S. GEOLOGICAL STREET		ΗE	B18 195
	<u>U</u>	SGF	OLOGICAL CHEVEY
ARTESIA, NEW MEXICO		ARTEC	OLUGIONE SURVEY GPO 8



FORM C-128 Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

	SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE										
SECTION A											
Operator			Lease	<u>` </u>			Well No.				
		1	For the	retone		2					
Unit Letter Section Township		Range		County	1 **						
I I	4	19 8		31 %		ldy					
Actual Footage Lo	cation of Well:	1			<u></u>						
2310	feet from the	g line an	d 1650	fee	et from the	¥	line				
Ground Level Elev	Producing F	-	Pool				Dedicated Acres	ige:			
3572	İ			the gart			40	Acres			
		7002			32						
1. Is the Operator	the only owner in	the dedicated acreage	outlined on th	e plat below	? YES	NO	(''Ouner'' mea	ns the person			
		l to produce from any po									
	3–29 (e) NMSA 19:		• • •								
2. If the answer to	o question one is '	'no," have the interest	s of all the o	wners been c	onsolidated b	y communi	tization agreemer	it or other-			
wise? YES	NO Is	fanswer is "yes," Typ	e of Consolid	lation			·				
3. If the answer to	question two is '	'no," list all the owner	s and their re	spective inte	erests below:						
Owner			Ті	and Descrip	tion						
	 					· · · · · · · · · · · · · · · · · · ·					
			İ								
						·					
		SECTION B					CERTIFICATIO	N			
	!										
	<u> </u>		i		• 1		certify that the is				
	1		Ì			i	ON A above is tr				
	-				•		the best of my kno	wledge and			
			ì			belief.					
	1		i		l	<u> </u>		·			
	i	İ			1	Name	7/77/				
L						F	V.T.Vas	well			
	i					Position	Dendunki m	Short.			
	İ					C	* 1 44 60 45 40				
	1				1	Company	Charges Bed	there			
	1					Date					
	1		1		1	Date	February 1	2, 1960			
					1	L		-,			
				·							
16.50			j		İ						
1 - · · · · · · · · · · · · · · · · · ·			ĺ				certify that the w				
							the plat in SECT				
	Ī						om field notes of				
	l	l				-	nade by me or und	-			
k2	l					_	on, and that the s				
c_{0}							ct to the best of i	ny knowledge			
2			Barrel Marcal March 2018	म्रह्यु हुक्क्क्रा		and belie	Ι.				
19	ļ		RECE	LIVEL)						
	j		A	 C=4000		Date Surv	reved				
	1		FEB 1	8 1960	l	2/12					
	1		. 3 . 030101	ing com	UM E		ed Professional E	ngineer			
	1		ARTESIA A		,		and Surveyor				
	1			· _ · · · · · · · · · · · · · · · · · ·	1		1	111			
L	i			<u> </u>		1 9/	CP Ske	lden			
		20. 2015 2045	2001	4040	500 0	Certificat					
0 330 660 9	90 1320 1650 19	180 Z310 Z640	000 1500	1000	500 0		963				

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.