

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SM 111, CONS. COM. 1310N
DRAFTER DD
Artesia, NM 86210

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: September 30, 1990

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

JUL - 8 1992

O. C. D.

ARREST OFFICE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Xeric Oil & Gas Company

3. Address and Telephone No.

P.O. Box 51311, Midland, TX 79710, 915-683-3171

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit "K" 1650' FSL 1490' FWL
Section 19, T-18-S, R-31-E

5. Lease Designation and Serial No.

LC-029387-D

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Kenwood No. 3

9. API Well No.

10. Field and Pool, or Exploratory Area

Shugart (Y.SR.Q.GB)

11. County or Parish, State

Eddy County, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection

P&A

(Note: Report results of multiple completion on Well Completion or
Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. We propose to P&A the subject well as soon as this procedure is approved.
2. Move in and rig up & pull 2 3/8" Tubing & Rods out of hole.
3. Set CIBP @ 3345' (top of Queen) Cap w/20sx "C" cmt.
4. Circ csg. w 65 BBLs 10# brine w/1/2 sx salt gel per BBL
5. Spot 15 sx from 30' to surface
6. Weld steel plate w/dry hole marker.

This well has 8 5/8" 28# Surface Csg. set at 765' cemented to surface and 5 1/2" 15-17# Csg set at 3447', Top of cement is estimated to be at 2647' from surface.

14. I hereby certify that the foregoing is true and correct

Signed [Signature] Title Operations Manager

Date 6/08/92

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date

7-6-92