

(SUBMIT IN TRIPLICATE)

Land Office

Lease No. **W-067896**

Unit

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<b>IX</b>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 23, 1964

Federal Keokane et al

Well No. **1** is located **660** ft. from **IX** line and **1900** ft. from **E** line of sec. **19**

SE 1/4, Sec 19

18-5

31-E

NMPN

(1/4 Sec. and Sec. No.)

(Twp.)

(Range)

(Meridian)

Sugart

(Field)

Hoby

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is **3623** ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

3805' m.

It is proposed to plug and abandon as follows:

1. Displace hole with mud.
2. Spot cement plug from 3771' to 3635'.
3. Spot cement plug inside 4-1/2" casing from 50' to surface.
4. Spot cement plug from 20' to surface inside 4-1/2" - 5-5/8" casing annulus.
5. Clean location, fill pits and install dry hole marker.

(Verbal permission obtained 1-22-64 from Mr. Krauf to Mr. Kerschner)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Gulf Oil Corporation**Address **Box 670****Hobbs, New Mexico**

By

ORIGINAL SIGNED BY  
C. D. BORLANDTitle **Area Production Manager**