


Form 9-334
(Feb. 1957)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4.
Form Approved.Land Office **New Mexico**Lease No. **0107697**Unit **L**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 22, 1963

James-Federal
Well No. **2-23** is located **1980** ft. from **XXX** line and **660** ft. from **XXX** line of sec. **23**

NW/4 SW/4
(1/4 Sec. and Sec. No.)19S
(Twp.)31E
(Range)T12N
(Meridian)and
West Lusk
(Field)**Midway**
(County or Subdivision)**New Mexico**
(State or Territory)The elevation of the derrick floor above sea level is **3550** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing; indicate mudding, cementing points, and all other important proposed work)

TD 2481'.
Set cement plug w/tubing 2481' to 2381' (35 sacks).
Mud from 2381' to 875' w/tubing.
Set cement plug 875' to 760' w/tubing (40 sacks).
Mud from 760' to 50' w/tubing.
Set cement plug 50' to surface level (25 sacks).
Erect 4" marker 4' high for abandonment.

AUG 28 1963

O. C. C.
ARTESIA, OFFICE

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **DELHI-TAYLOR OIL CORPORATION**Address **P. O. Box 1821****Midland, Texas**By *A. B. Bilton*Title **District Superintendent**