

## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

If State Land submit 6 Copies

	TE WELL COR	. Al C	ney		McGo	e-State			
<del></del>		(COMPANY OF OPER	awi /						
l No	1	, in SW		.¼, of Sec32	т	19.S R	31 E NM		
		Wildcat		Pool,	Eddy		Cou		
							West		
ection	32	If S	tate Land the Oil a	nd Gas Lease No.	is	E-/992			
lling Com	menced	March 13		19.64 Drillin	g was Completed.		5, 19.6		
ne of Dri	illing Contrac	tor	Apache Dri	[]]ing_Compa	ny				
dress		,	Artesia. N	New Mexico					
vation abo	ove sea level a t Confide	nt Top of Tubin ential	ng Head3441.' , 19		The inf	ormation given is to	be kept confidential u		
	N		-	IL SANDS OR Z					
. 1, from	None	t	O	No. 4	, irom	RECEI	VED		
						10 L L L L L L L L L L L L L L L L L L L			
. 3, from		t	o	No. 6	, irom	NOV 1° 1	1965		
clude data	on rate of w	vater inflow and	IMPO	RTANT WATEE		O. C.			
			to						
. 2, from			0;.		•••••	feet			
2 1			to						
						feet			
		HT NEW	or l						
size ~3/8"	weigi per fo	NEW NEW	or AMOUNT	CASING RECO	CUT AND PULLED FROM	PERFORATIONS	PURPOSE Surface		
size ~3/8"	WEIGI PER FO	HT NEW DOT USE	or AMOUNT	CASING RECO	RD	PERFORATIONS	PURFOSE		
size ~3/8"	weigi per fo	NEW NEW	or AMOUNT	CASING RECO	CUT AND PULLED FROM	PERFORATIONS	PURPOSE Surface		
size ~3/8"	weigi per fo	NEW NEW	OR AMOUNT 483 1 852 1	CASING RECO	CUT AND PULLED FROM	PERFORATIONS	PURPOSE Surface		
size -3/8" -5/8" size of	WEIG PER FO 48# 24#	HT NEW USED USED	OR AMOUNT 483 1 852 1  MUDDING	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT	CUT AND PULLED FROM 852 I	PERFORATIONS	PURPOSE Surface		
size -3/8" -5/8" size of	WEIGHT FOR	HT NEW USE New Used	OR AMOUNT  483 1  852 1  MUDDING  NO. SACES OF CEMENT	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD  USED	CUT AND PULLED FROM  852	PERFORATIONS  MUD	Surface Water String		
size -3/8" -5/8" size of	WEIG PER FO 48# 24#	HT NEW USED USED	OR AMOUNT  483 1  852 1  MUDDING  NO. SACES OF CEMENT	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT	CUT AND PULLED FROM  852	PERFORATIONS  MUD	Surface Water String		
size -3/8" -5/8"	WEIGHT FOR	HT NEW USE New Used	OR AMOUNT  483 1  852 1  MUDDING  NO. SACES OF CEMENT	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD  USED	CUT AND PULLED FROM  852	PERFORATIONS  MUD	Surface Water String		
size -3/8" -5/8"	WEIGHT FOR	HT NEW USE New Used	MUDDING NO. SACES OF CEMENT 400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  map and plug	CUT AND PULLED FROM 852 1	PERFORATIONS  MUD RAVITY	Surface Water String		
size -3/8" -5/8"	WEIGHT FOR	New Used Used Where SET 483 !	MUDDING  NO. SACES OF CEMENT  400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  MAD and plug  PRODUCTION	CUT AND PULLED FROM  852 1  TING RECORD	PERFORATIONS  MUD RAVITY	Surface Water String		
size -3/8" -5/8" size of	WEIGHT FOR	New Used Used Where SET 483 !	MUDDING NO. SACES OF CEMENT 400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  WAD and plug  PRODUCTION  No. of Qts. or Ga	CUT AND PULLED FROM  852 1  TING RECORD  AND STIMULATERS AND S	MUD RAVITY  FION treated or shot.)	Surface Water String		
size -3/8" -5/8" size of	WEIGHT FOR	New Used Used Where SET 483 !	MUDDING  NO. SACES OF CEMENT  400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  WAD and plug  PRODUCTION  No. of Qts. or Ga	CUT AND PULLED FROM  852 1  TING RECORD  AND STIMULATERS AND S	PERFORATIONS  MUD RAVITY	Surface Water String		
size -3/8" -5/8" size of	WEIGHT FOR	New Used Used Where SET 483 !	MUDDING  NO. SACES OF CEMENT  400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  WAD and plug  PRODUCTION  No. of Qts. or Ga	CUT AND PULLED FROM  852 1  TING RECORD  AND STIMULATERS AND S	MUD RAVITY  FION treated or shot.)	Surface Water String		
size -3/8" -5/8"	WEIGHT FOR	New Used Used Where SET 483 !	MUDDING  NO. SACES OF CEMENT  400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  WAD and plug  PRODUCTION  No. of Qts. or Ga	CUT AND PULLED FROM  852 1  TING RECORD  AND STIMULATERS AND S	MUD RAVITY  FION treated or shot.)	Surface Water String		
size -3/8" -5/8" size of	WEIGHT FOR	New Used Used Where SET 483 !	MUDDING  NO. SACES OF CEMENT  400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  WAD and plug  PRODUCTION  No. of Qts. or Ga	CUT AND PULLED FROM  852 1  TING RECORD  AND STIMULATERS AND S	MUD RAVITY  FION treated or shot.)	Surface Water String		
8IZE -3/8" -5/8"  SIZE OF HOLE	WEIGHTER FOR ASING 13-3/8"	WHERE SET  (Record	MUDDING  NO. SACES OF CEMENT  400 P	CASING RECO  KIND OF SHOE  Pattern  Pattern  AND CEMENT  METHOD USED  MAD and plug  PRODUCTION  No. of Qts. or Ga	RD  CUT AND PULLED FROM  852 '  TING RECORD  AND STIMULA'  ls. used, interval	MUD RAVITY  FION treated or shot.)	Surface Water String		

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary Cable to	tools were	used from	Surface	feet to	feet,	and from	·····	feet to	feet.	
					OUCTION	and itom.		Icet to	feet.	
Put to 1	Producing	No F	roduction	, 19						
OIL W	ELL: T	he producti	on during the first	24 hours was	•••••	ba	rrels of lic	quid of which		
								% was		
						,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-, <b>u</b>	70 was	sediment. A.P.I.	
GAS W						<b>M</b> .C.F. p	lus		barrels of	
				essurclb						
Length	of Time	Shut in		••••	•••					
PLI	CASE IN	DICATE E	BELOW FORMAT	TION TOPS (IN CO	NEORMAI	NCR WIT	u groci	RAPHICAL SECTION		
			Southeastern N	New Mexico		WII	I GEOGI	Northwestern New		
T. Anh	,		•••••	T. Devonian		••••	Т.	Ojo Alamo		
T. Salt				T. Silurian			т.			
	***************************************	101		T. Montoya						
	······································	***************************************								
				T. McKee T. Ellenburger				Menefee		
Γ. Gray	burg	***********		T. Gr. Wash				Point Lookout		
				T. Granite			т.	Dakota		
					······					
				T				Penn.		
Γ. Abo.			•••••	T						
			••••••	T						
Γ. Miss.	••••••	·····		Т.			т.		•••••••••••••••••••••••••••••••••••••••	
	<u> </u>	Thickness		FORMATIC	ON RECO	ORD	ı			
From	То	in Feet	For	rmation	From	То	Thickness in Feet	Formatio	n	
1988 2060	232 554 710 855 1988 2060 2494 2793	232 322 156 145 1133 72 434 299	Sand and si Red shale Anhydrite Shale and a Salt Anhydrite Dolomite, s Dolomite			No. Con Diskard State U.S. G. TRANGO	ATTO	RVATION COMMISS A DISTRICT OFFICE  Ved	NO!	
			ATTACH SEPA	ARATE SHEET IF	ADDITION	NAL SPAC	E IS NE	EDED		
I here	eby swear determine	or affirm t						the well and all work do	one on it so far	
		••	N 6		······································	May2	G. 195	<u> </u>	(Date)	

Company or Operator, H. N. Sweeney Address Box 15 15 16 11 N. H.