

N. M. O. C. C. COPY  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIP  
(Other instruction  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Tenneco Oil Company		8. FARM OR LEASE NAME Barton "B" Federal	
3. ADDRESS OF OPERATOR Box 1031, Midland, Texas		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface  1980' FNL & 660' FEL of Sec. 22		10. FIELD AND POOL, OR WILDCAT Undesignated Lusk	
14. PERMIT NO.		11. SEC., T., R., M., OR BLE, AND SURVEY OR AREA Sec. 22, T-19-S, R-31-E	
15. ELEVATIONS (Show whether DF, RT, CR, etc.) 3540 GL (Estimated)		12. COUNTY OR PARISH Eddy	
		13. STATE New Mexico	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input checked="" type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spudded 17 1/2" hole 8:00 P.M. 5-6-65. Set and cemented 13 3/8" 48# H-40 csg @ 670' w/ 450 sx 50-50 Pozmix, 2% Ca Cl z followed w/ 100 sx class C 2% Ca Cl z. Cmt Circ. Pressure tested csg to 1000 PSI for 30 minutes after WOC 10 hours. Held ok. Mixing temperature 70°. Formation Temperature 68°. Estimated Compressive strength after WOC 10 hours is 1200 PSI.

RECEIVED

MAY 19 1965

O. C. C.  
ARTESIA, OFFICE


RECEIVED  
MAY 17 1965  
U. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED J. F. Carnes J. F. Carnes TITLE District Production Foreman DATE 5-13-65

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_



\*See Instructions on Reverse Side