

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

(Other Instructions on Reverse Side)

Budget Project No. 62-11121

5. LEASE DESIGNATION AND SERIAL NO.

NM-0554775

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR Southwestern Natural Gas, Inc. ✓		8. FARM OR LEASE NAME Dozier-Federal "COM"
3. ADDRESS OF OPERATOR 412 First State Bank Building, Midland, Texas		9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1980' FS&WL Sec. 14, T-19-S, R-31-E, NMPM		10. FIELD AND POOL, OR WILDCAT Lusk Strawn
14. PERMIT NO.		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 14, T-19-S, R-31-E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3535.9' ground level		12. COUNTY OR PARISH 13. STATE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) setting of intermediate pipe

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Ran 127 joints 8 5/8" casing set at 4025'. Cemented with 550 sx Class C; 550 sx Diamix, 8 lbs. gel per barrel; 200 sx neat, 2% calcium chloride, 1/2 lb. flosal per sack. Work performed May 7, 1966. Cement circulated to 1800' from surface by temperature survey.

RECEIVED

MAY 20 1966

U. S. G. S.
ARTERIA, OFFICERECEIVED
MAY 17 1966
U. S. GEOLOGICAL SURVEY
ARTERIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

R. Munoz

TITLE Vice President

DATE May 12, 1966

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY

APPROVED

MAY 19 1966
Rudolph C. Bajer, Jr.
 RUDOLPH C. BAJER, JR.
 ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side