

NO. OF COPIES RECEIVED	5
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

MAY 12 1970

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator Kerr-McGee Corporation	8. Farm or Lease Name Nix
3. Address of Operator P. O. Box 250, Amarillo, Texas 79105	9. Well No. #1
4. Location of Well UNIT LETTER L , 660 FEET FROM THE West LINE AND 1980 FEET FROM THE South LINE, SECTION 11 TOWNSHIP 19S RANGE 26E NMPM.	10. Field and Pool, or Wildcat Four Mile Draw
15. Elevation (Show whether DF, RT, GR, etc.) 3309 GR	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Squeezed Morrow perforations 9440-9458 w/125 sxs Halliburton Trinity Inferno Cement, (50 sxs net out perfs), thru Baker Model D pkr @9390'. Perforated Upper Strawn zone w/2 JHPF from 8692' to 8714'. Acidized Upper Strawn perforations with 1000 gal 15% BDA acid, well tested @non-commercial gas rates. Squeezed perforations @8692-8714 w/120 sxs Class H cement (70 sxs cmt. out perfs - 25 sxs left in csg.) using tbq and Baker Model R pkr. Circulated hole full of 9.1# clay base mud, removed BOP and installed X-mas tree.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED S. E. Dobler

TITLE Production Engineer

DATE 5/11/70

APPROVED BY W. A. Gressett

TITLE OIL AND GAS INSPECTOR

DATE MAY 14 1970

CONDITIONS OF APPROVAL, IF ANY: