Fo.m. 9-331 (May 1963)	DEPARTN	UNITED STATES ^{IN. M} M IT OF THE INTERI(SEOLOGICAL SURVEY		CATE: Coffy etfin Antorent. on re- 5. LEASE DESIGNATION AND SERIAL NO. 1361
SU (Do not use th	NDRY NOT	ICES AND REPORTS C sals to drill or to deepen or plug by ATION FOR PERMIT-" for such pro-	N WELLS ack to a different reservoir. apposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1. OIL GAS WELL A OTHER RE-Entry 2. NAME OF OPERATOR Yates Petroleum Corporation 3. ADDRESS OF OPERATOR				7. UNIT AGREEMENT NAME 8. FARM OR LEASE NAME
				CC Tank Unit Federa 9. WELL NO.
207 South	Ath Stre	et - Artesia, NM learly and in accordance with any	State requirements.	E D 10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface 1830' FSL & 1980' FEL of Sec. 8-205-24EAUG 16 1976				Sec. 8-20S-24E
14 - 550 - 10		15. ELEVATIONS (Show whether DF,		Unit J NMPM 12. COUNTY OF PARISH; 13. STATE
14. PERMIT NO.		3840' GR		Eddy NM
16.	Check A	ppropriate Box To Indicate N	ature of Notice, Report	t, or Other Data
	NOTICE OF INTEN	SUBSEQUENT REPORT OF :		
TEST WATER SHU Fracture treat Shoot of Acidze		PULL OR ALTER CASING	WATER SHUT-OFF Fracture treatment Shooting or acidizi	N'N'
REPAIR WELL (Other)	لـــــا	CHANGE PLANS	Completion or I	results of multiple completion on Well Recompletion Report and Log form.) t dates, including estimated date of starting an e vertical depths for all markers and zones pert
9081-9085 gallons of of gas ar TD 9275'; 2 bailers Gun and p Dropped h MS acid a RIH w/2-3 8937-8956 sealers. 320 MCFPD	6' (16 sho of 7½% MS ad salt wa PBTD 899 s of cemen perforated par, GTS i and nitrog 8/8" tubin 5' w/15000 Recovere	ots), 9117-9121' (acid and nitrogen eter. 6' - WIH w/Cast I at to 8996'. RIH as follows: 893 n 2". 25# on 1/2" gen. ng and Uni-VI pack gallons of treat ed load water and	<pre>16 shots). GT w/ball sealer ron Bridge Plu w/2-3/8" tubir 7-41 (16 shots choke. Treat er set at 8887 ed water and 1</pre>	: 9023-9027' (16 shots) ISTM. Acidized w/2000 rs. Flowed small volume ug on wireline. Dumped ng and Tubing Conveyed s) and 8950-8956' (24 sh ted w/1000 gallons of 7 ¹ 7' and treated perforation 18000# 20-40 sand w/ball 40# on 1/2" choke = RECENED AUGL: 17 AUGL: 1
18. I hereby certify SIGNED	istine of	mlucen TITLE G	eol. Secty	DATE8-11-76
APPROVED BY	Federal or State off			DATE
ADDR		ì		