

COPIES RECEIVED	3
REDUCTION	
FILE	1
DATE	1
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

MAY 2 1974

O.C.G. ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS		Type of Lease	
DO NOT USE THIS FORM FOR PROPOSALS TO LEASE OR TO OIL OR TO GAS. IT IS TO BE USED FOR NOTICES AND REPORTS ON WELLS.		Lease No. X - 4094	
1. Name of Operator		2. Well Name	
Coquina Oil Corporation		Flag State	
3. Address		4. Location of Well	
200 Building of the Southwest, Midland, Texas 79701		UNIT LETTER J 1980 S 1980	
5. Location of Well		6. Well Name	
THE E 19 1980 29E		Wildcat	
7. Well Number (Show whether RT, GR, etc.)		8. Well Name	
3342		Eddy	

18. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	RELOC AND ABANDON	REMEDIAL WORK	ALTER CASKING
TEMPORARILY ABANDON	CHANGE PLANT	COMMENCE DRILLING OPER.	RELOC AND ABANDONMENT
PULL OR ALTER CASKING		CASKING TEST AND CEMENT JOBS	
OTHER		OTHER	


17. Describe in detail the proposed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103.

Spudded 17 1/2" hole at 10:30 p.m., 4-15-74. Drilled to 363'. Ran 9 jts 12 3/4" 29.31#/ft Schedule 20 STC total length 366'. Landed at 363'. Cemented with 225 sacks lite water followed by 100 sacks Class C, 2% CaCl in all cement. Circulated 20 sacks to surface. WOC 12 hrs. Nippled up. Tested casing to 600 psi for 30 minutes with no pressure drop. Drilled out with 11" hole. Drilled to 3014'. Ran 9 5/8" casing total length 3016.53' - (35 jts 40#/ft LTC 1091.83', 1 jt 47#/ft LTC 2j.08', 8 jts 47#/ft STC 303.80', 3 jts 40#/ft STC 105.96', 20 jts 36#/ft STC 508.38', 30 jts 32.3#/ft STC 953.54'.) Landed at 3014'. Cemented with 1200 sacks lite water with 1/4# flocele and 5# gilsonite per sack followed by 250 sacks Class C, 2% CaCl with 1/4# flocele per sack. Cement did not circulate. Ran temp survey. Top cement behind 9 5/8" casing 680'. (Copy of temp survey to be delivered to NMOCC, Artesia, via Bennett Wire Line Company). NMOCC advised not necessary to bring top cement to surface. Drilled out 7 7/8" hole.

4-30-74, drilling at 4632' with no problems.

19. I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNED	(J.T. Berry)	TITLE	Superintendent
APPROVED BY		DATE	
For Record Only		5-1-74	
OIL AND GAS INSPECTOR		MAY 3 1974	

CONDITIONS OF APPROVAL, IF ANY:



LTR



Job separation sheet

BENNETT WIRE LINE SERVICE

305 McALISTER
ARTESIA, NEW MEXICO 88210
Phone 746-3281

RECEIVED

TEMPERATURE SURVEY APR 30 1974

OPERATOR COQUINA OIL CORPORATION O. C. C.
ARTESIA, OFFICE
LEASE Flag St.
WELL NO. 1-5-19-19-29
FIELD _____
DATE & TIME CEMENT JOB COMPLETED _____
DATE & TIME SURVEY MADE 4/25/74 9:00 AM.
SURVEY RUN BY Bennett
DATUM _____
WELL DATA Cement top 580 Ft.

12 3/4" - 363-

