

CISF  
BP

State of New Mexico  
Energy, Minerals and Natural Resources Department

Submit 3 Copies  
to Appropriate  
District Office

**OIL CONSERVATION DIVISION**  
2040 Pacheco St.  
Santa Fe, NM 87505

**DISTRICT I**  
P.O. Box 1980, Hobbs, NM 88240

**DISTRICT II**  
P.O. Drawer DD, Artesia, NM 88210

**DISTRICT III**  
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.	30 - 015 - 22730
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	LG- 2353
7. Lease Name or Unit Agreement Name	New Mexico State
8. Well No.	1
9. Pool name or Wildcat	Shugart Yates, 7R, Queen, Grayburg

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  OIL WELL  GAS WELL  OTHER

2. Name of Operator  
Nadel and Gussman Permian, L.L.C.

3. Address of Operator  
601 N. Marienfeld, Suite 508, Midland, TX 79701

4. Well Location  
Unit Letter K : 1980 Feet From The South Line and 1980 Feet From The West Line  
Section 2 Township 19-S Range 31-E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)  
3614' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

<b>NOTICE OF INTENTION TO:</b>		<b>SUBSEQUENT REPORT OF:</b>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <u>add Queen, Grayburg pay</u> <input checked="" type="checkbox"/>		OTHER: _____ <input type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- MIRU. Set 4-1/2" BOP on casing. Pull rods and pump. Unseat tubing anchor and pull 2-3/8" tubing. Pickup work string and casing scraper and TIH. Tag bottom at 4190' and check for fill. Run bailer if necessary. POH.
- Rig up wireline. Perforate the following intervals @ 2 SPF, 120° phasing, 3-1/8" gun, 0.4" & extended reach charges:
  - 3498'-3502', 3534'-40', 3624'-30', 72'-76', 89'-91', 3696'-3698',
  - 3725'-28', 3759-61', 3835'-37', & 3866'-70'. (45', 90 holes)
- GIH with 4-1/2" treating packer and set at 3350'. Acidize w/ 4000 gals 15% NEFE.
- Unseat packer, knock balls loose and POH w/ work string.
- Run 2-3/8" production tubing, rods and pump.
- Rig down service unit and test production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Operations Engineer DATE 8-27-99

TYPE OR PRINT NAME Robert McNaughton TELEPHONE NO 915-682-4429

(This space for State Use)

APPROVED BY [Signature] TITLE District Supervisor DATE 9-9-99

CONDITIONS OF APPROVAL, IF ANY:

# NADEL and GUSSMAN PERMIAN

**New Mexico State #1**  
Unit K, Sec 2, 19S, 31E, Eddy County, NM  
API # 30 - 015 - 22730

**Current Completion**

elev: 3614' , KB =3623'

Current Status - Pumping

8-5/8", 24#, K-55 @ 854'  
475 sx, cement circulated  
11" hole

Tops:

Anhy-	740'
T/ Salt	868'
B/ Salt	2348'
Yates	2560'
7-R	2814'
Queen	3372'
Penrose	3835'
Grayburg	4040'

4-1/2", 10.5#, K-55 @ 4257'  
875 sx, TOC @ 500' by calc, 67%  
7-7/8" hole

PBTD @ 4190'

