ENERGY AND MINER							
		MENT JIL	CONSERVA	JON-DIVISH		Form C-101	0-015-25036 -78
				208 RECEIVED B			
DISTRIBUT	ION	= SA	NTA FE, NEWM	1EXICO 87501	1	SA. Indicute 1	
SANTA FE FILE		-1	1	OCT 1 0 1984		BTATE KX	
U.S.G.S.		-			1	.5. State Off &	Gas Loaso No.
LAND OFFICE		=		Q . C. D.	I	LG-23	51
OPERATOR		=		ARTESIA, OFFICI	. .	MIIIII	THIMMIN .
	PLICATION	FOR PERMIT TO	D DRILL, DEEPEN			8///////	AHHHHHH
u. Type of Work				, 0111200 01.011		7. Unit Agreer	nout Name
	••••						,
b. Type of Well	DRILL		DEEPEN	PLU		8. Farm or Lea	se Name
	GAS ₩7			SINGLE [-
well L	GAS XX	OTHER		SINGLE	AULTIPLE	the second s	ojo "AAT" State
Name of Operator	DETDOLEUN	M CORPORATION				9. Well No.	
		1 CORPORATION	<u> </u>			1.	
Address of Operato		- .			,	11/1/1	Pool, or Wildcat
207 Sc	outh 4th S	Street, Artes	ia, New Mexico	88210	<u>/</u>	Undesig	nated Morrow
. Location of Well	UNIX LETTER	Iu	DCATED 1980	FEET FROM THE SC	outh LINE	MUUU	
	Juin Carling	((·····		L	VIIIIII	MIMMIN
ND 660	FEET FROM TH	East u	INE OF SEC. 11	TWP. 195 RGE.	23E NMPM	<u> </u>	MIMMM
mmmm	(((())))	inniinn.	TITTITITI (TITITITITITI	inninn in the second	12. County	THIMMY .
HHHHH	HHHH.					Eddy	
+++++++++++	++++++++	+++++++++++	<i>HHHHHHH</i>	+++++++++++++++++++++++++++++++++++++++	+++++++++	tim	Sitter
illillilli	HHHH	HHHHHH	HHHHHH	///////////////////////////////////////	/////////	////////	ÚHHHHHH
4444444	HHHH	4444444	+++++++++++	19. Froposed Depth	19A. Formatio	1111111	D. Retury or C.T.
AHHHHH	1111111						
T. Elevations (Show	7777777	11111111	mmmm	Appr. 8350'	Morroy		Rotary
			d & Status Plug. Bond	21B. Drilling Contracto			Date Work will start
3905' GI	ے۔ 		Blanket	Exeter ('	<u> </u>	ASAP 1	ease expiring!
:3.			PROPOSED CASING AN	D CENENT PROCRAM			
			TROI USED CASING A	O CEMENT PROORAM			
SIZE OF HO	DLE S	SIZE OF CASING	WEIGHT PER FOO	T SETTING DEPT	TH SACKS OF	- CEMENT	EST. TOP
17 1/2"		13 3/8"	48#	Approx. 200	0' 200 s	ĸ	circulated
12 1/4"		8 5/8"	24∦	Approx. 1680		x	circulated
7 7/8"		5 ¹ / ₂ " or 4 ¹ / ₂ "	15.5 -17#	TD	400 sz		<u> </u>
	ł		10.5 - 11.6#		1	1	
200' surf		ll and test t	ha				
	the Glorie	ng to shut of: eta Sand, bot	f gravel and f f gravel and ca h strings to be 00 feet of cove	ving, and will circulated.	set intern	nediate ca	sing
	the Glorie cement wit <u>RAM</u> : FW g	ng to shut of eta Sand, bot th at least 6	f gravel and ca h strings to be 00 feet of cove o 1680', water	ving, and will circulated. T r.	set intern If commerc:	nediate ca ial will r	sing un 5½" or
$4\frac{1}{2}$ " and c	the Glorie cement wit <u>RAM</u> : FW g star <u>RAM:</u> BOP ¹	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril	f gravel and ca h strings to be 00 feet of cove o 1680', water	ving, and will circulated. T r. to 5700', stard ng and tested,	set intern If commerc: ch-drispak pipe rams	nediate ca ial will r to 7900', tested da	sing un 5½" or SW gel ily, blind
4 ¹ ₂ " and o MUD PROGE BOP PROGE GAS NOT 1	the Glorie cement wit <u>RAM</u> : FW g star <u>RAM:</u> BOP ¹ rams <u>DEDICATED</u>	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro	set intern If commerc: ch-drispak pipe rams ol and flow APPROVAL PERMIT E	nediate ca ial will r to 7900', tested da w sensor o VALID FOR J XPIRES d	sing un 5½" or SW gel ily, blind n at 5200'.
4 ¹ ₂ " and o <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u>	AM: FW g star RAM: FW g star RAM: BOP rams DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro	set intern If commerc: ch-drispak pipe rams ol and flow APPROVAL PERMIT E	nediate ca ial will r to 7900', tested da w sensor o VALID FOR J XPIRES d	sing un 5½" or SW gel ily, blind n at 5200'.
4 ¹ ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u>	CAM: FW g star RAM: FW g star RAM: BOP rams DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. r. to 5700', stard ng and tested, it level contro	set intern If commerc: ch-drispak pipe rams ol and flow APPROVAL PERMIT E	nediate ca ial will r to 7900', tested da w sensor o VALID FOR J XPIRES d	sing un 5½" or SW gel ily, blind n at 5200'.
4 ¹ ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>ABOVE SPACE DE</u> VC 10ME. CIVE BLOWC	CAM: FW g star RAM: FW g star RAM: BOP rams DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams ol and flow APPROVAL PERMIT E	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY
4 ¹ ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>ABOVE SPACE DE</u> VC 10ME. CIVE BLOWC	CAM: FW g star RAM: FW g star RAM: BOP rams DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. r. to 5700', stard ng and tested, it level contro	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'.
4 ¹ / ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u> <u>ABOVE SPACE DE</u> <u>vc Ione. cive blowe</u> <u>reeby confity that the</u> <u>ened</u>	AM: FW g star RAM: FW g star RAM: BOP rams DEDICATED SCRIBE PROP DUT PROVENTER The Information	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY
4 ¹ / ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u> <u>ABOVE SPACE DE</u> <u>vc Ione. cive blowe</u> <u>reeby confity that the</u> <u>ened</u>	CAM: FW g star RAM: FW g star RAM: BOP rams DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY
4 ¹ / ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u> <u>ABOVE SPACE DE</u> <u>vc PONE. GIVE BLOWC</u> <u>sereby confity that the</u> <u>ened</u>	AM: FW g star RAM: FW g star RAM: BOP rams DEDICATED SCRIBE PROP DUT PROVENTER The Information	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY
4 ¹ / ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u> <u>ABOVE SPACE DE</u> <u>vc PONE. GIVE BLOWC</u> <u>sereby confity that the</u> <u>ened</u>	AM: FW g star RAM: FW g star RAM: BOP rams DEDICATED SCRIBE PROP DUT PROVENTER The Information	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY
4 ¹ / ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u> <u>ABOVE SPACE DE</u> <u>vc 20NE. GIVE BLOWC</u> <u>bereby confity that the</u> <u>ened</u>	AM: FW g star RAM: FW g star RAM: BOP rams DEDICATED SCRIBE PROP DUT PACVENTER DEDICATED SCRIBE PROP DUT PACVENTER DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y posed program if racenam, if ANY. bove le true and cor ie Uiej	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY
4 ¹ / ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u> <u>CABOVE SPACE DE</u> <u>VE 20ME. GIVE BLOWE</u> <u>Sereby confity that the</u> <u>ened</u> <u>Confity that the</u> <u>Confity that the</u> <u>Confit the</u> <u>Confit that the <u>Confit that the</u> <u>Confit that the <u>Confit that the</u> <u>Confit that the <u>Confit the <u>Confit the <u>Confit the <u>Confit the <u>Confit the</u></u> <u>Confit that the <u>Confit the</u></u> <u>Confit the <u>Confit the <u>Conf</u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u>	AM: FW g star RAM: FW g star RAM: BOP rams DEDICATED SCRIBE PROP DUT PACVENTER DEDICATED SCRIBE PROP DUT PACVENTER DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y posed program if racenam, if ANY. bove le true and cor ie Uiej	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY
4 ¹ / ₂ " and c <u>MUD PROGE</u> <u>BOP PROGE</u> <u>GAS NOT 1</u> <u>GAS NOT 1</u> <u>CABOVE SPACE DE</u> <u>VE 20ME. GIVE BLOWE</u> <u>SPROVED BY</u>	AM: FW g star RAM: FW g star RAM: BOP rams DEDICATED SCRIBE PROP DUT PACVENTER DEDICATED SCRIBE PROP DUT PACVENTER DEDICATED	ng to shut of eta Sand, bot th at least 6 gel and LCM to rch drispak to 's and hydril s on trips; y posed program if racenam, if ANY. bove le true and cor ie Uiej	f gravel and ca h strings to be 00 feet of cove o 1680', water o TD. on 8 5/8" casi ellow jacket, p	ving, and will circulated. T r. to 5700', stard ng and tested, it level contro on PLUS BACK. GIVE DATA knowledge and bellef.	set intern If commerc: ch-drispak pipe rams of and flow APPROVAL PERMIT E UNLESS	nediate ca ial will r to 7900', tested da w sensor o VALID FOR XPIRES DRILLING U	sing un 5½" or SW gel ily, blind n at 5200'. DAYS NDERWAY

W MEXICO OIL CONSERVATION COMMITION WLLL LOCATION AND ACREAGE DEDICAT. 4 PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

VATES PETROLEUM CORPORATION Tangue Rojo AAT State 1 11 19 South 23 East Count 1380 Count 23 East Eddy 1380 Count 1380 Count 1380 1380 Count 1380 Count 1380 1380 Count Decide the first South Intermed 660 1380 Count S20 Arres 10 Count S20 Arres 11 Toros then one lease of different ownership is dedicated to the well, not the interests of all owners been consolidated by communitization, unitization, force-pooling, etc? 10 Yes No If answer is "yes," type of consolidation To BE Count (Low reverse side of this form if necessary). 11 No allowable will be assigned to the well until all interests have been consolidated (Up communitization, mitization force-pooling, or otherwise) or until a non-standard unit, etiminating such interests, has been approved by the Counties sint. 10 Yares If any or otherwise) or until a non-standard unit, etiminating such interests, has been approved by the Counties state. <t< th=""><th></th><th>All dista</th><th>nces must be from</th><th>n the outer b</th><th>oundaries</th><th>of the Section</th><th></th><th>•</th></t<>		All dista	nces must be from	n the outer b	oundaries	of the Section		•
I Letter Sectors Township Program County Image 11 19 South 23 East Eddy 1280 feet can be Solith large and feet into Eddoy 1301 feet can be Solith large and feet into S2 Arms 10 Outline the accessed dedicated to the subject well by colored pencil or hachure marks on the plat below. S2 Arms 11 Outline the accessed dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by community tion, unity ation, force-pooling, etc? If answer is "no?" list the owners and tract descriptions which have actually been consolidated. (Use reverse side o this form increases) No allowable will be assigned to the well until all interests have been consolidated fly communitization, unity ation force-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. I answer is "no?" is the owners and tract descriptions which have actually been consolidated. (Use reverse side o this form increases) No allowable will be assigned to the well until all interests have been consolidated for containing the more able as being periods of the more able as black. YATES LG 2 351	Derator עזידים סדייים						Ctoto	_
I 11 19 South 23 East Eddy Image Postinger Location of Wolf Image Postinger Locat					que no		<u>State</u>	<u> </u>
1380 Inter them the Gaitth Interest Anterest 3305 MDP Gais Interest MDP Gais Interest MDP Gais Interest Anterest 3305 MDP Gais Interest MDP Gais Interest Anterest Anterest 3305 MDP Gais Interest MDP Gais Interests Anterest Anterest 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. Interests Anterest 2. If more than one lease of different ownership is dedicated to the well, natifie cach and identify the ownership thereof (both as to working interests and royalty). If answer is "no?" list the owners and tract descriptions which have actually been consolidated. (Use reverse side o this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated thy communitization, unitization forcedpoling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. VArte3 Interest of my incolegie and balat. VArte3 Interest of my incolegie and balat. VArte3 Interest of my incolegie and balat. V	I 11	19 Sc	outh	23 E	ast	-	У	
Prod Prod Productored Accesses 300.5 MDR Q_A w Ukness. MDR Q_A w 32.0 Accesses 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 3.1 If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by community.tino, unitization, force-pooling, etc? If answer is "yes," type of consolidation To BE Commutum.TIZED If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side othis form increases, or introduction, unitization, force-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. VATES Issue of accessary. VATES Issue of accessary. VATES Issue of microage abeliet. Vates Issue of microage abeliet. <td>Actual Footage Location of W</td> <td>ell:</td> <td></td> <td></td> <td></td> <td>····· •</td> <td></td> <td></td>	Actual Footage Location of W	ell:				····· •		
3305 More than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated for ownership is dedicated to the well, have the interests of all owners been consolidated for ownership is "yes," type of consolidation To BE Communitization, intization, force-pooling, etc? M Yes No If answer is "yes," type of consolidation To BE Communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. Fee Ves YATES LG 2 351 YATES LG 2 351 One long and composition content in the information co						leet from the	East	
 Outline the acreage dedicated to the subject well by colored pencil of hachere marks on the plat below. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, intractions which have actually been consolidated. (Use reverse side of this form if necessary). No If answer is "yes," type of consolidation To BE Community TI2ED. If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. Fee VATES LG 2 35 1 GGO NR R E D Maller Detromation for the state of the state o							1220	
 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by community. tion, unitization, force-pooling, etc? A Yes □ No If answer is "yes," type of consolidation <u>To BE Community II JEED</u> If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side o this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. Fee If answer is "no," howledge and belief. Wartes UGENTIFICATION I hereby certify that the information constands the interest is and there in the net owner and belief. Wartes UGENTIFICATION I hereby certify that the information constands and thereby a strice and complete to the best of my howledge and belief. Wartes UGENTIFICATION I hereby certify that the information constands and thereby a strice and complete to the best of my howledge and belief. Wartes UGENTIFICATION I hereby certify that the information constands and thereby a strice and complete to the best of my howledge and belief. Wartes UGENTIFICATION I hereby certify that the information constands and thereby the constant and thereby the constant and the owner was an advected to the certify that the information constant and the interest of the best of my howledge and belief. Wartes UGENTIFICATION I hereby certify that the information constant and the owner was advected to the certification of the best of my howledge and belief. Wartes UGEN							marks on th	
dated by communitization, initization, force-pooling, etc? If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side o this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. If answer is "no," list the owners and tract descriptions which have actually been consolidated (by communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. If answer is "no," list the owners and tract descriptions which have actually been consolidated (by communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. If answer is "no," list the owners and tract descriptions which have actually been consolidated (by communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. If an owner is a list of a value of the been consolidated (by communitization comments) is non-standard unit, eliminating such interests, build and belief. If an owner is a list owner owner was a standard unit, eliminating such interests, and belief. If an owner is a list owner owner owner was a standard unit, eliminating such interests. If a condition owner owner owner was a standard unit, eliminating such interests. If a condition owner owner owner owner owner ow	interest and royal	ty).						-
this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis sion. FEE VATES LG 2 351 Other Surveyed Oct. 5, 1984 Registered Professional Engineer md/PfESSION	dated by communit	tiz .tion, unitization	, force-pooling	s. etc?		_		
forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis- sion. FEF CERTIFICATION I hereby certify that the information con- tained herein is true and complete to the best of my knowledge and belief. Name Clister io Rodriguez Position Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 N R'RE Do I hereby along the some is the adjuster of my interview and the first the information con- trained herein is true and complete to the best of my knowledge and belief. Name Clister io Rodriguez Position Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 N R'RE Do I hereby along the some is the adjuster of my interview along the some is the adjuster of the some is	this form if necess	ary.)		· · · · · · · · · · · · · · · · · · ·				
FEE I hereby certify that the information contained herein is true and complete to the best of my knowledge and beief. Name Cliserio Rodriguez VATES Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 I hereby certify that the information contained herein is true and complete to the best of my knowledge and beief. Name Cliserio Rodriguez Position Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 I hereby solution in the play was plotted in the information contained to the play was plotted in the contained to the solution in the play was plotted in the contained to the play was plotted in the contained to the solution in the play was plotted in the contained to the solution in the play was plotted in the contained to the solution in the play was plotted in the contained to the solution in the play was plotted in the contained to the solution in the play was plotted in the contained to the solution in the play was plotted in the contained to the solution in the play was plotted in the contained to the play was plotted in the contained to the solution in the contained to the solutis the contain the contained to the solution in the con	forced-pooling, or o	be assigned to the v otherwise) or until a	vell until all in non-standard i	nterests h unit, elimi	ave been inating s	i consolida uch interes	ted (by com ts, has been	munitization, unitization, approved by the Commis-
I hereby certify that the information con trained herein is true and complete to the best of my knowledge and beliet. What we Clisterio Rodriguez Position Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 N. R. R. E. D With Middley well occitient arown on the play wereloared them field the sub-vision and here is and the sub-vision and here is a sub-vision and here the sub-vision and here is a sub-visio	!				Err			CERTIFICATION
VATES VATES LG 2351 Company VATES LG 2351 Company Vates Petroleum Corporatio Date 10/9/84 N R ⁷ RED Company Vates Petroleum Corporatio Date 10/9/84 N R ⁷ RED Company N R ⁷ RED	1			1	164			
YATES VATES LG 2351 Company Yates Petroleum Corporatio Date 10/9/84 Image: State of a				4				
YATES LG 2351 Gliserio Rodriguez Position Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 Image: State	1			1				
YATES LG 2351 Gliserio Rodriguez Position Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 Image: State							41-	- 11
YATES LG 2351 660' Position Regulatory Agent Company Yates Petroleum Corporatio Date 10/9/84 NR.'RED O NN.'RED NN.'RE				Ł.			Name	w journe
YATES Regulatory Agent LG 2351 Company G60' N R. RED 0 Image: State of a st			↓					lo Rodriguez
VATES LG 2351 Company Yates Petroleum Corporatio Date 10/9/84 N.R.RED I errors Still ME I of usbilized from field rown for this play wood plotted from field rown for the play wood plotted from field	l l			1				ory Agent
Image: State of the state			V.	1				
660' 10/9/84 1 ieroby Still MERCy well location shownon this play was plothed from field at the subscription of the same is why and back of any know of any subscription of my know of any subscription Oct. 5, 1984 Registered Professional Engineer and/of Land Surveyor Certificate No. Certificate No.	1		TATES	1			Yates Pe	etroleum Corporation
660' N.R. R.E.D.D. I hereby start workplotted from field stown on this plat workplotted from field new of a fundation me of under any subarvision and has the same is work of agric store of my known on this plat workplotted from field means if a fundation me of under any subarvision and has the same is work of agric store of my known on this plat workplotted from field means if a fundation me of under any subarvision and has the same is work of agric store of my known of a field store of my known	1		LG 23	351			Date	10/9/84
660' I rends Serie With Corre weinlocation shownon this play wapploted from field more by automation me of under a subarytic of my know are gno barrer. NUL Date Surveyed Oct. 5, 1984 Registered Professional Engineer and/of Land Surveyor Multicate No. Certificate No.				1				
660' shown on this plat was planded from field of 660' shown on this plat was planded from field shown on the plat was plat was planded from field shown on the plat was plat was planded from field shown on the plat was plat was plat was plat was plat was shown on the plat was plat was plat was plat was plat was shown on the plat was pla	L.			1				A MEY
0 0 <td>1</td> <td></td> <td></td> <td>Ì</td> <td></td> <td></td> <td></td> <td></td>	1			Ì				
O O O O O O O O D D d te Surveyed O O C C C C C C C C C C C C C	•				Q	660'		atus 5412 years modeling me or
Certificate No.				1			JEAN	supervision and he the same
Date Surveyed Oct. 5, 1984 Registered Professional Engineer and/of Land Surveyor	4		ł	1			is trops	SNO SURVEYS here's of my
Date Surveyed Oct. 5, 1984 Registered Professional Engineer and/of Land Surveyor	ا ــــــــــــــــــــــــــــــــــــ						knowledg	ROFESSIONAL
Op Date Surveyed Oct. 5, 1984 Registered Professional Engineer and/of Land Surveyor Other Surveyed Oct. 5, 1984 Certificate No.				1				
Oct. 5, 1984 Registered Professional Engineer and/of Land Surveyor MM N. Certificate No.	I				80		Date Survey	red
and/of_Land Surveyor	1			ł	6			
Certificate No.	l t			l				
				 			dan 1	R. Porter
330 660 '90 1320 1650 1980 2310 2640 2000 1500 1000 500 0 NMPE&LS #5412								

