


STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	<input checked="" type="checkbox"/>
FILE	<input checked="" type="checkbox"/>
U.S.G.S.	
LAND OFFICE	
OPERATOR	<input checked="" type="checkbox"/>



Form C-103  
Revised 10-1-78

3a. Indicate Type of Lease  
State ☒ Fee ☐  
5. State Oil & Gas Lease No.  
LG 2351

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- 2. Name of Operator Yates Petroleum Corporation ✓ 3. Address of Operator 207 South 4th St., Artesia, NM 88210 4. Location of Well UNIT LETTER <u>I</u> <u>1980</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>11</u> TOWNSHIP <u>19S</u> RANGE <u>23E</u> NMPM. 15. Elevation (Show whether DF, RT, GR, etc.) 3905' GR	7. Unit Agreement Name 8. Farm or Lease Name Tanque Rojo AAT State 9. Well No. 1 10. Field and Pool, or WHdcat Undesignated Morrow 12. County Eddy
---	--

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <u>Perforate &amp; Treat</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1503.

WIH and perforated 8131-41' w/20 .40" holes (2 SPF). Acidized perforations 8131-41' w/1500 gals 7-1/2% Morflo acid, N2 and 18 ball sealers. Sand frac'd perforations 8131-41' w/1000 gals 7-1/2% Morflo acid, CO2, 20000 gals gelled fluid plus 23500# 20/40 sand. Flowing well back recovering load.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Guasita Goodlett TITLE Production Supervisor DATE 1-4-85

Original Signed By  
Mike Williams  
Oil & Gas Inspector

**JAN 9 1985**

APPROVED BY  
CONDITIONS OF APPROVAL, IF ANY: