Form 9-331 C (May 1963)

CONDITIONS OF APPROVAL, IF ANY:

NM OIL COMS. TISSION

SUBMIT IP PLICATE*
(Other in tions on reverse side)

E Form Budge

orm approved. idget Bureau No. 42-R1425.

Artesia, My 88 UNITED STATES
DEPARTMENT OF THE INTERIOR

30-015-26438

	DELARTMEN				3. LEASE DESIGNATION	AND SERIAL NO.	
	GEOLO	GICAL SURVEY			LC 029388-D	4	
APPLICATION	N FOR PERMIT	TO DRILL, DEE	PEN, OR PLUG	BACK_	6. IF INDIAN, ALLOTTI	E OR TRIBE NAME	
1a. TYPE OF WORK	ILL 🛈 -	DEEPEN 🗌	PLUG BA	CK 🗆	7. UNIT AGREEMENT	NAMB	
b. Tipe of well	ILL LA	DLLI'LIY 🗀	1100 07		Voluntary		
OIL C	AS OTHER		SINGLE X MULT	IPLE _	8. FARM OR LEASE NA	ME	
2. NAME OF OPERATOR	VIII				Stetco "10"		
Marathon 0il	Company		RECEIVED		9. WELL NO.		
3. ADDRESS OF OPERATOR					2		
P. O. Box 55	2, Midland, TX	79702			10. PIELD AND POOL,	OR WILDCAT	
4. LOCATION OF WELL (R At surface	eport location clearly and	d in accordance with an	y State requirements.2) '9	0 X	Tamano (Bone		
2310' FNL &	660' FEL	iit, t	+		11. SEC., T., R., M., OR AND SURVEY OR A	BLK. Rea	
At proposed prod. zon	1 e	\mathcal{U}^{\prime}	0, C, D,				
2310' FNL &	660' FEL	THE SOUND OF THE OWN	ARTESIA OFFICE Sec. 10, 7			8-S, R-31-1	
			ICE*	•	12. COUNTY OR PARISI		
10 miles ESE	E of Loco Hills		NO. OF ACRES IN LEASE	1 17 NO 0	Eddy P ACRES ASSIGNED	NM NM	
LOCATION TO NEAREST PROPERTY OR LEASE I	T	į į		TOTI	THIS WELL		
(Also to nearest drl;	g. dait ine, it any)	60'	160 PROPOSED DEPTH	_	40 O. ROTARY OR CABLE TOOLS		
	RILLING, COMPLETED,	13.		_		•	
OR APPLIED FOR, ON TH		i	9000'	KUL	Rotary 22. APPROX. DATE WORK WILL START		
21. ELEVATIONS (Show wh							
3733' GF					August 1	5, 1990	
20.		PROPOSED CASING A	ND CEMENTING PROGE	CAM.			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	_	QUANTITY OF CEME	NT	
17-1/2"	13-3/8"	48	750'		<u>sx - circulate</u>		
11"	8-5/8"	24 & 32	2450'		sx - <u>circulate</u>	<u> </u>	
7-7/8"	5-1/2"	15.5 & 17	9000'	1500 s	5X		
			ı	•			
Propose to dr	cill to a TD of	±9000'.		:			
		cemented in ac	cordance with r	egulatio	ons and by		
approved meth	nods.						
Blowout preve	ention equipmen	t will be appl	ied as outlined	in Addi	itional Inform	ation.	
			and Additional				
	=	race use rrain				775.	
drilling operations.			Post JOI				
			0 4 04	:		. 20	
ADDDOVAL OU	01507		8-10-90 Mus 200 2 A1		\$17 c	- <u> </u>	
APPROVAL SUE	RIFCI 10		Thur Loc & A1	\mathcal{F} .	ယ	i m	
GENERAL REQUIREMENTS AND					&	₹ ₹	
SPECIAL STIPULATIONS						: m	
ATTACHED							
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if an	drill or deepen direction	proposal is to deepen o ally, give pertinent data	r plug back, give data on a on subsurface locations	present produ and measured	uctive sone and proposed and true vertical cost	ed new productive hs. Give blowout	
24.							
SIGNED	ilage	TITLE	Drilling Superi	ntendent	t DATE 7/11	1/90	
(This space for Fede	eral or State office use)						
PERMIT NO.			APPROVAL DATE		<u> </u>		
-	1 -1	10 te	AREA MANAGER	<i>r</i> .		1.61	

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-89

DISTRICT | P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Azzec, NM 87410

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

Operator MAR	ATHON OI	L COMPANY		Lease	ETCO 10			Well No.	
	tion	Township		Range			County	<u> </u>	
Н	10		18 South	3	l East	NMP	M Ed	idy	
Actual Footage Location	of Well:							-	
	from the	North	tine and	660 Pool	······	feet from	mthe East	line Dedicated Ac	maga:
Ground level Elev.	1	•	whomata	1	(Bone Spr	·4na)		40	Acres
3733.0	Bone	Spring Ca	well by colored per	cil or hechuse to	DOTE SPE	below.		1 40	Acres
	_								
2. If more than	one lease is d	edicated to the w	oll, outline each and	identify the ow	mership shereof (b	10 th 86 1 0 WOO	King imerest and	royany).	
3. If more than	one lease of	lifferent ownershi	p is dedicated to the	e well, have the	interest of all own	ers been con	solidated by com	munitization,	
	force-pooling.		answer is "yes" ty	of econolidati	ina.				
Yearwer is "a	o" list the own	No II	riptions which have	actually been o	onsolidated. (Use	severse side	of .		
this form if no	CORRECTV								
No allowable v	vill be assigne standard unit. (d to the well until diminating such it	all interests have b sterest, has been ap	oroved by the D	ivisios.	idos, uniciai	os, iorced-poori	ig, or ouserwise,	
				·			ODED AT	OR CERTIF	TCATION
	Ī				l		,		the information
	1						contained here	in in true and	complete to the
	1				!		best of my know	dedge and beliq	<i>τ</i> .
	1		İ	•	!		Signature /		7
	ļ			4	! -		11/1	town	,
}	ļ		1	٠	2310'-	-	Printed Name	777	
			-4		L2-		S. L. A	tnipp	
	1						Position		_
	į							g Superir	tendent
	ļ						Company	. 041 0	
	l l		i			7777	Date	n Oil Con	рапу
	- 1				8726.7	3733.0		190	
	-					660	CLIDATE	YOR CERTI	FICATION
					37293	3732.2	SURVE	IOR CERTI	FICATION
	i				İ	ŀ	I hereby certi	fy that the we	ll location show
	i				<u>L</u>				om field notes o ne or under n
	i			OFF	SIDE				ome is true at
	i						1	e best of my	inowledge at
	İ			AND AND	104/5/5/		belief.		
	1		-1 H	A NO N	1 ~101	1	Date Surveyed	To Jan 1	1000
				G = - 6	6				5, 1990
	- 1		<i>\\\\</i>		(3)	į	Signature & S Professional S	en ol	
	ļ		'	KEW !	1. XXX //			•	
	ļ		1	//OHA	TREE			,	
	ļ		1	N. N.	I was	l	10%	111	LIA
	Į.		ł			F	1/1/	2///	
	ŀ		1	••		<i>\</i>	Considerate No	JOHN W.	WEST, 67
								RONALD 1 E	OSON, 323
		2 1990 2310	2600 26	1500	1000 5	200			

MULTIPOINT SURFACE USE AND OPERATIONS PLAN

Marathon Oil Company

STETCO "10" #2
2310' FNL & 660' FEL
Section 10, T-18-S, R-31-E
Eddy County, New Mexico
Lease: LC-029388

This plan is submitted with the Application for Permit to Drill the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of necessary surface disturbance involved, and the procedure to be followed in rehabilitating the surface after the completion of all operations so that a complete appraisal can be made of the environmental effects associated with the proposed operations.

1. Existing Roads

Exhibit "A" is a portion of a topographic map showing the location of the proposed well as staked. Proceed west from Hobbs, NM, on U.S. Highway 180. Turn west on NM Highway 529. After 31 miles, turn west on U.S. Highway 82 for 1/2 mile to Highway 222. Turn south on Highway 222 for 2 miles to caliche road, NM 249. Go east 1.3 miles. Turn N.E. on dirt road for 1.3 miles; turn west on dirt road for .5 mi., then north .4 mile, then east into location. All existing roads used to access the proposed location shall be maintained in the same or better condition than presently found.

2. Planned Access Roads

A. Length and Width

An access road of approximately 150' in length and 14' in width will be constructed.

B. Surfacing Material

6" of caliche compacted and rolled

C. Maximum Grade

Three Percent (3%)

D. Turnouts

None Required

E. Drainage Design

Natural drainage.

Multipoint Surface Use and Operations Plan Page 2

F. Culverts

None required.

G. Cuts and Fills

None required.

H. Gates, Cattlegaurds and Fences

None Required.

3. Location of Existing Wells

Exhibit "B" is a map showing the location of all the wells within a one mile radius of the proposed well.

4. Location of Existing and Proposed Facilities

- A. Exhibit "C" is a map of the existing roads with the proposed well location.
- B. In the event of a producible oil well, oil will be stored at the battery location on the Stetco "10" #2 pad with production metered at the location. The gas will be piped to existing flow lines in a manner to be determined at a later date.

5. Location and Type of Water Supply

Water will be furnished and trucked by a Contractor.

6. Source of Construction Materials

Caliche for surfacing the drilling pad and access road will be obtained from a pit in the NW/4, SW/4 and NE/4 of the NW quarter section of Section 15, T-18-S, R-31-E. This area has been cleared for construction by the following archaeological clearance numbers, #85-195, #85-345.

7. Methods of Handling Waste Disposal

- A. Drill cuttings will be disposed of in the drilling pits.
- B. Drilling fluids will be vacuumed from the reserve pit and hauled to an approved disposal well. Reserve pit contents will be allowed to dry and pitwalls backfilled. All areas of the pad and reserve pit not necessary to production will be re-contoured. Top soil will be redistributed and reseeded with the recommended seed mixture.

Multipoint Surface Use and Operations Plan Page 3

- C. Water produced during tests will be disposed of in the drilling pits and hauled to an approved salt water disposal well.
- D. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- E. Trash, waste paper, garbage, and junk will be stored in a trailer on location and hauled to an approved disposal site.
- F. All trash and debris will be removed from the wellsite within 30 days after finishing drilling and completion operations.

8. Ancillary Facilities

None required.

9. Wellsite Layout

Exhibit "D" shows the relative location of the rig components and reserve pits.

10. Plans for Restoration of Surface

- A. After finishing drilling and completion operations all equipment and other materials not necessary for operations will be removed. Pits will be filled and leveled and the location cleaned of all trash and junk to leave the wellsite in an aesthetically pleasing condition as is possible.
- B. Any unguarded pits containing fluids or trash will be fenced until they are filled or leveled.
- C. After abandonment of well, equipment will be removed, the location will be cleaned, and the pad and access road will be ripped and returned to as near the original appearance as is possible.
- D. In the event of a producer, the land not necessary for production operations will be re-contoured and seeded with the recommended mixture submitted by the BLM.

11. Other Information:

A. Topography

The location is situated on a duned landform.

B. Soil

Typic Torripsamment subgroup.

Multipoint Surface Use and Operations Plan Page 4

C. Flora and Fauna

The vegetation cover consists of native range grasses with yucca plants, cactus and mesquite. Wild life in the area includes rabbits, dove, quail, and other inhabitants typical of semi-arid climate.

D. Ponds and Streams

Local drainage in this area is internal.

E. Residence and Structures

None nearby.

F. Archaeological, Historical and Cultural Sites

None observed in the area. The Archaeological Inspection Report is being forwarded by Archaeological Consultants, Inc.

G. Land Use

Grazing with hunting in season.

H. Surface Ownership

The proposed wellsite is on land owned by the Federal Government.

12. Operators Representative

Stanley L. Atnipp P. O. Box 552 Midland, TX 79702 (915) 682-1626

13. Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist, that the statements made in this place are, to the best of my knowledge true and correct; and, that the work associated with the operations proposed herein will be performed by Marathon Oil Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

S. L. Atnipp

Drilling Superintendent

MARATHON OIL COMPANY

STETCO "10" #2 ADDITIONAL INFORMATION Comply with Order 1

In conjunction with Form 9-331C, Application to drill subject well, Marathon Oil Company submits the following items of information in accordance with BLM requirements:

1. Geological Name of Surface Formation

Quaternary Alluvium

2. Estimated Tops of Important Geological Markers

Rustler	810′	Delaware	4850′
Base of Salt	1990'	Bone Spring	5630′
Yates	2095′	1st Sand	7610 <i>'</i>
Seven Rivers	2465′	2nd Carb	7850 <i>°</i>
Queen	3310 <i>′</i>	2nd Sand	8140′
Grayburg	3825′	3rd Carb	8820′
San Andres	4275 <i>'</i>		

3. Estimated Depths of Anticipated Water, Oil or Gas Bearing Formations

Yates (water)	2095′	Bone Spring	5630′
Seven Rivers (water)	2465'	1st Sand (water & oil)	7610′
Queen (water & oil)	3310′	2nd Carb (water & oil)	7850 <i>′</i>
Grayburg (water & oil)	3825′	2nd Sand (water & oil)	8140′
San Andres (water & oil)	4275′	3rd Carb (water & oil)	8820 <i>'</i>
Delaware (water & oil)	4850 <i>'</i>		

4. Casing and Cementing Program

13-3/8" Surface to 750': Cement to surface with 835 sxs Class "C" with 2% CaCl_2

8-5/8" Intermediate to 2450': Cement to surface with 1100 sxs
Modified Lite followed by 250 sxs

Class "C" with 2% CaCl

5-1/2" Production to 9000': Cement to 2200' with 1500 sxs Class "H" PozMix. Stage tool @ ± 7400'

5. Pressure Control Equipment (Exhibit E)

13-3/8" Surface: 13-5/8" 3000 psi working pressure annular preventer tested to 2000 psi

13-5/8" 3000 psi working pressure pipe and blind rams tested to 3000 psi

Additional Information Page 2

8-5/8" Intermediate:

11" 3000 psi working pressure annular preventer tested to 2000 psi

11" 3000 psi working pressure pipe rams and blind rams tested to 3000 psi Choke manifold tested to 3000 psi

6. Proposed Mud Program

0 - 750 Native; Mud Wt: 8.3 - 9.2, Viscosity 28-34 Sec

750 - 2,700 Brine Water; Mud Wt: 9.0 - 10.0, Viscosity 28-32 Sec

2,700 - 7,000 Fresh Water; Mud Wt: 8.6 - 8.8, Viscosity 28-32 Sec

7,000 - 9,000 Fresh Water; Mud Wt: 8.8 - 9.2, Viscosity 32-44 Sec

7. Auxiliary Equipment

A safety valve and subs to fit all strings will be kept on the floor at all times. An upper kelly cock valve will be utilized with the handle available on the rig floor.

8. Testing, Logging, and Coring Programs

A. Coring Program:

None anticipated.

B. Testing Program:

None anticipated.

C. Logging Program:

TD-Surface - GR-DIL, GR-LDT-CNL, TD-TOP of Bone Spring, GR-LSS, NGT, DLL-MSFL.

9. Abnormal Pressures, Temperatures or Potential Hazards

None anticipated

10. Anticipated Starting Date

As soon as possible









