

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

clsr
ep

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL APPLIC. NO. 30-015-27780

5. Indicate Type of Lease STATE ☒ FEE ☐

6. State ☒ Oil ☒ Gas Lease No.

7. Lease Name or Unit Agreement Name

AR 22 State

8. Well No.

9. Pool name or Wildcat
E. Millman-Q-GR-SA

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator
SDX RESOURCES, INC.

3. Address of Operator
P. O. BOX 5061, MIDLAND, TX 79704

4. Well Location
Unit Letter I : 967 Feet From The East Line and 2310 Feet From The South Line
Section 22 Township 19-S Range 28-E NMPM EDDY County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ X PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work)

1-06-94 Spud well. Drill 390' of 12 1/4" hole. Run 8 5/8", 24#, J-55 csg to 388'. Cement with 350 sx Class "C" cement. Circulate 135 sx. WOC 18 hours. Test csg and BOP: 1,000# for 30 minutes and held okay. Drilled 7 7/8" hole to 2750' TD.
1-15-94 Ran LDT-CNL-GR & DLL-GR open hole logs. Run 75 jts 5 1/2", J-55, 15.5# csg to 2746'. Cement with 300 sx 50/50 POZ and 475 sx "Lite". Circulated cement.
1-21-94 Tag PBTD at 2713'. Ran GR-CCL log and perforate 1 spf 31 holes: 2636-66. Acidize with 3500 gal 15% NEFE and swab test zone to tank. Set CIBP at 2615' Perforate 1 spf 27 holes: 2163, 64, 80, 2226, 48, 57, 80, 2303, 15, 25, 38, 2345, 55, 66, 78, 83, 90, 2403, 20, 30, 47, 67, 2487, 2508, 32, 36, 58. Acidize with 3000 gal 15% NEFE. Frac with 56,070 gal gelled H2O and 168,820# of 12/20 sand. Clean well out to 2615'. Land tbhg off at 2516', run rods and pump. Begin pumping back load.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Barbara E. Wickham TITLE Prod. Analyst DATE 02-24-94

TYPE OR PRINT NAME Barbara E. Wickham TELEPHONE NO. 685-1761

(This space for State Use)

SUPERVISOR, DISTRICT II

APPROVED BY _____ TITLE _____ DATE JUL 29 1994

CONDITIONS OF APPROVAL, IF ANY: