

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-015-28542
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	IG-864
7. Lease Name or Unit Agreement Name	Amole AMM State Com
8. Well No.	4
9. Pool name or Wildcat	Dagger Draw Upper Penn, North
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	3476' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. Name of Operator
YATES PETROLEUM CORPORATION

3. Address of Operator
105 South 4th St., Artesia, NM 88210

4. Well Location
Unit Letter I : 1980 Feet From The South Line and 660 Feet From The East Line

Section 16 Township 19S Range 25E NMPM Eddy County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: Perforate & acidize <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4-11-13-98 - Cleaned location, set and tested anchors. Moved in and rigged up pulling unit. Installed BOP and tested casing to 1800 psi.

4-14-98 - TIH with bit, scraper and 2-7/8" tubing to 8161'. Pickled tubing with 500 gallons 20% NEFE acid. TOOH. Rigged up wireline. TIH with logging tools and ran CBL/CCL/GR log. TOOH with logging tools. TIH with 4" casing guns and perforated 7684-7727' w/25 .42" holes as follows: 7684-7688' and 7708-7727' (1 SPF - Canyon). TOOH with casing guns and rigged down wireline. TIH with packer and 2-7/8" tubing to 7733'.

4-15-98 - Spot 2 bbls 20% iron control HCL acid at 7733'. Pulled up and set packer at 7623'. Acidized perforations 7684-7727' with 1500 gallons 20% iron control HCL acid and ball sealers. Released packer and ran down thru perforations to knock balls off. Reset packer at 7623'. Re-acidized perforations 7684-7727' with 15000 gallons 20% gelled iron control HCL acid and ball sealers. Swabbed. Shut well in.

4-16-98 - Rigged up wireline. TIH with Static BHP. Loaded tubing with 2% KCL water. Unset packer. TOOH with tubing and packer. Released well to production department.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rusty Klein TITLE Operations Technician DATE April 16, 1998

TYPE OR PRINT NAME Rusty Klein TELEPHONE NO. 505/748-1471

(This space for State Use)
ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

APPROVED BY _____ TITLE _____ DATE 4-22-98

CONDITIONS OF APPROVAL, IF ANY: