

County Eddy Depth 600 Pool Wildcat ✓

SCOUT REPORT

NEW MEXICO OIL CONSERVATION COMMISSION

Company R. S. Magruder Well No. 1 Farm Name State

660 Feet from S Line 660 Feet from E Line Sec. 15 Twp. 21S Range 27E

C 101 Approved:

Land State

Contractor A. M. Bruninstool

			o

Elevation 3263 Spudded 2-19-52 Completed 2-19-52
TA 550 Total Depth 562 1/2 P. B. 558
TX 550 Top Pay 550 District 8
BX 550 I. P. P 10 BOPD + C 200 E W
TY 550 Base BO 24 Hrs.
TSR 550 Choke Open Inch
TQ 550 Tubing 2 3/8 @ 556 Feet
TGB 550 Pressures: Tubing 0 Casing 0
TSA 550 GOR 75 + 11 Gravity 16
TGlo 550 Effective Perfs. 16
TDr 550
T. Tubbs 550
TAbo 550
TPenn 550
T. Miss. 550 Acid & Shooting Record 550
T. Dev. 550 gal. From 550 To 562 1/2
T. Sil. 550 From 550 To 562 1/2
T. Mont. 550 From 550 To 562 1/2
T. Simp. 550 From 550 To 562 1/2
T. Mck. 550 From 550 To 562 1/2
TELL 550
TGr W 550
TGr 550 SHOWS
T. 550 S/ 180
T. 550 S/ 0 550-52
T. 550 S/
T. 550 S/
T. 550 S/

AMOUNT

Casing & Cementing Record

Size	Feet	Sax Cement
<u>8 5/8</u>	<u>38</u>	<u>10</u>

Jul 23	Location	AUG 1	
AUG 2		AUG 20	
		AUG 27	
		SEP 3	
		SEP 10	
		SEP 17	

SEP 24

OCT 1

OCT 8

OCT 15

TD 552 Si. br casing. Shewail - Hole pulled
300 in 12 hrs.

OCT 22

TD 552 Si. br casing. Shewail - Hole pulled

✓

1000 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12

✓

✓

Oct. 25 TD 562 li

Tr 500 gal acid 550-562

Tr 500 gal acid 550-562

Tr 500 gal acid 550-562

DEC 10

TD 562 li

Tr 500 gal acid 550-562

DEC 17

TD 562 li

DEC 22

TD 562 li

Tr 500 gal acid 550-562

JAN 6

TD 562 li

Tr 500 gal acid 550-562

Tr 500 gal acid 550-562

JAN 12

✓

JAN 21

TV 562 day 6

H. E 559

Testing on pumps.

Pump test 30 B0+

100 L.W

JAN 28

✓