(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease No. NA-()6778

Lease No. Padexal "7"

Unit D

MAP P C 1960

TICE OF INTENTIO	ON TO DRILL ON TO CHANGE PLANS ON TO TEST WATER SH		SUBSEC	QUENT REPORT OF WATE QUENT REPORT OF SHOO QUENT REPORT OF ALTE	TING OR ACIDIZING	
TICE OF INTENTI	ON TO RE-DRILL OR R	REPAIR WELL	SUBSEC	QUENT REPORT OF RE-DI	RILLING OR REPAIR	
TICE OF INTENTI	ON TO SHOOT OR ACII	DIZE	SUBSEC	QUENT REPORT OF ABAN EMENTARY WELL HISTOF	RY	
TICE OF INTENTI	ON TO PULL OR ALTER	R CASING	SUPPLI	MENIANI WELL MOTO		
TICE OF INTENTI	on to abandon well Change Loc	cation	7.3			
	(INDICATE A	BOVE BY CHECK MA	RK NATURE OF	REPORT, NOTICE, OR OTH	HER DATA)	
				Maro	h 24,	19 60
				Palc	441	, 1/_ _
/4, SW/4	, Sec. 7	20S (Twp.)	30E (Range)	ne and 1650 ft. N.M.P. (Meridian)	Ma	_
ldcat	500. 2101,		LOGY		(State or Territory)	Q
(Field	1)	(Cour	nty or Subdivision	11;	,	
propose	expected depths to ob to drill 5/8" casing	DET pjective sands; shoving points, and this well will be	set at	WORK and lengths of proposed work) cotal depth approximate ad volume no	ly 400' and	i comente
propose ols, 8- th not ment to using will otal depo	expected depths to obtain to drill it is casing less than I surface. If he set a th. If pro-	perior sands; showing points, and this well will be 150% of common water approximative, and the sand sand sand sand sand sand sand sand	CAILS OF wizes, weights, all other import to a t set at alculate ar shut- imately 7" cas:	WORK and lengths of proposed work) cotal depth approximate d volume not test by 1200 and to ing will be set at total	cessary to bailing he the hole dr pulled and al depth an	circulate ole. 7" illed to 4-1/2" d cements
propose ools, 8-1 th not sment to using will otal depi	expected depths to obtain the set of the set	pjective sands; shoring points, and this well be 50% of comments where the same of the sam	CAILS OF waizes, weights, all other import to a talculate alculate ar shut- imately 7" cas: will be	WORK and lengths of proposed tent proposed work) cotal depth approximate ed volume no off test by 1200 and to ling will be set at total	cessary to bailing he che hole dr pulled and al depth and ce back of	circulate ole. 7" illed to 4-1/2" d camente 4-1/2"
propose ols, 8-1 th not ment to using will otal deproductive ith suffi	expected depths to obtain to drill i/8" casing less than I surface. It be set at the life projection to compare the string of icient comments.	perior sands; showing points, and this well, will be 150% of control water at approximations, and the same of casing on to fine of hotel	AILS OF waizes, weights, all other import to a t set at alculate ar shut- imately 7" cas: will be 11 the	WORK and lengths of proposed tent proposed work) cotal depth approximate of volume ne off test by 1200 and to ling will be set at total menular space	cessary to bailing he hole dripulled and al depth and event well	circulate ole. 7" illed to 4-1/2" desented
proposed the notal depired to sufficient to the	expected depths to obtain the set of the surface.	perive sands; showing points, and this well will be 150% of common water approximative, feasing the of bot	AILS OF waizes, weights, all other impor- to a t set at alculate r shut- imately 7" casi will be tom of	WORK and lengths of proposed tent proposed work) cotal depth approximate ad volume not off test by 1200' and to ling will be set at total annular spacellar. In	cly 400 and scessary to bailing he hole dripulled and al depth and event well sing will be	circulated to 4-1/2" does not e pulled
proposed the notal depter to the sufficient to t	expected depths to obtain the set of the surface of the	perive sands; showing points, and this well will be 150% of comments with the second continuation of casing the of bot 2" casing plug will	AILS OF waizes, weights, all other impor- to a t set at alculate r shut- imately 7" casi will be tom of	WORK and lengths of proposed tent proposed work) cotal depth approximate ad volume not off test by 1200' and to ling will be set at total annular spacellar. In	cly 400 and scessary to bailing he hole dripulled and al depth and event well sing will be	circulated to 4-1/2" does not e pulled
propose ools, 8-1 th not lement to using will otal depl roductive ith suffi asing to roduce and a sol	expected depths to obtain the surface. It is set as the surface of the surface and no 4-1/2 id coment;	perive sands; shoring points, and this well this well to solve the solve that approximate the solve the solve that approximate the solve the solve that approximate the solve that approximate the solve	CAILS OF waizes, weights, all other impor- l. to a t set at alculate ar shut- imately 7" cas will be it the is run be place	work and lengths of proposet tent proposed work) total depth approximate of volume ne off test by 1200 and te ing will be set at total mular space cellar. In the 7" can ced through	cessary to bailing he hale drawn and depth and event well sing will be the salt series.	circulate circul
propose ols, 8-1 th not smeat to using will otal depl roductive ith suffi asing to roduce and a soliny water	expected depths to obtain to drill 5/8" casing less than I surface. It be set at the If property of the surface at the surface	pietive sands; showing points, and this well; will be 150% of control of casing plug will origon.	AILS OF w sizes, weights, all other import to a t set at alculate ar shut- imately 7" cas: will be ll the tom of is run be place	WORK and lengths of proposed work) cotal depth approximate of volume new coff test by 1200° and to the set at total menular space celler. In the 7" canced through the Geological Survey	cessary to bailing he hale drawn and depth and event well sing will be the salt series.	circulate circul
propose of and propose of a sering will be the sufficient to the sufficient to roduct a sering to roduce and a soling water I understand the sufficient to roduce and	expected depths to obtain the surface. It is set as the surface of the surface and no 4-1/2 id coment;	pietive sands; showing points, and this well; will be 150% of control of casing plug will origon.	AILS OF w sizes, weights, all other import to a t set at alculate ar shut- imately 7" cas: will be ll the tom of is run be place	WORK and lengths of proposed work) cotal depth approximate of volume new coff test by 1200° and to the set at total menular space celler. In the 7" canced through the Geological Survey	cessary to bailing he hale drawn and depth and event well sing will be the salt series.	circulate circul
proposed of and a solution of	expected depths to ob- to drill i/8" casing less than lawrface. Il be set a th. If pro- e string of lcient ceme the surface id cement bearing he satthis plan of works nderson-Pr	pietive sands; showing points, and this well; will be 150% of control of casing plug will origon.	AILS OF w sizes, weights, all other import to a t set at alculate ar shut- imately 7" cas: will be ll the tom of is run be place	WORK and lengths of proposed work) cotal depth approximate of volume new coff test by 1200° and to the set at total menular space celler. In the 7" canced through the Geological Survey	cessary to bailing he hale drawn and depth and event well sing will be the salt series.	circulate circul
ate names of and a propose ools, 8-3 ith not be asing will otal depired to asing to roduce as not a solution of a	expected depths to obtain to drill 5/8" casing less than I surface. It be set at the If property of the surface at the surface	pietive sands; showing points, and this well; will be 150% of control of casing plug will origon.	AILS OF w sizes, weights, all other import to a t set at alculate ar shut- imately 7" cas: will be ll the tom of is run be place	WORK and lengths of proposed work) cotal depth approximate of volume new coff test by 1200° and to the set at total menular space celler. In the 7" canced through the Geological Survey	cessary to bailing he hale drawn and depth and event well sing will be the salt series.	circulate circul
e propose ools, 8-1 ith not ith not ement to asing will otal depirate asing to roductive ith sufficient to asing to roduce as and a sol my water I understand th Company Address	expected depths to ob- to drill i/8" casing less than lawrface. Il be set a th. If pro- e string of lcient ceme the surface id cement bearing he satthis plan of works nderson-Pr	perive sands; showing points, and this well; will be 150% of continued the same of the sam	AILS OF w sizes, weights, all other import to a t set at alculate ar shut- imately 7" cas: will be ll the tom of is run be place	WORK and lengths of proposed work) cotal depth approximate of volume new coff test by 1200° and to the set at total menular space celler. In the 7" canced through the Geological Survey	cessary to bailing he hale drawn and depth and event well sing will be the salt series.	circulate circul

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

	SEE INS	TRUCTIONS FOR COM	PLETI	NG THIS FORM O	N THE RE	VERSE SIDE	
	················		SECT	TON A			
Operator Assessment Company Company			Leas				Well No.
	-PRICHARD OI		L	FEDERAT 7			1
Unit Letter	Section	Township	Į.R	lange	County	•	
K Actual Footage Lo	7	20 South		30 EAST	<u> </u>	EDDY	
1650		ero r e		1000		Source	
Ground Level Elev		EST line and		1980 fee	t from the	SOUTH	line
Oloma Level Elev	. Producing Fo		Pool	WILLDOAT		De	dicated Acreage:
	TATES)	<u>L</u>	WILDCAT			40 Acres
1. Is the Operator	the only owner in	the dedicated actors o	أحمداوه	an the slat server	. LEC X	N. i.	"Ouner" means the person
who has the me	ht to drill into and	to produce from any poo	dineed.	ou the plat below	r res <u>r.</u>	NO	Owner means the person
another (65-	3-29 (e) NMSA 193	15 Comb.)	or and t	o appropriate the p	production :	either for himse:	for for himself and
			of ail t	he connect has no	on collegata i	he communication	tion agreement or other-
wise? YES	NO . If	answer is "yes," Type	of Con	aslidation	on somumen	by Communitiza	tion agreement of other-
		ao," list all the owners					· · · · · · · · · · · · · · · · · · ·
Owner	1000000	ao, maran me oracia				· · · · · · · · · · · · · · · · · · ·	
				Land Descripe	100		
	· · · · · · · · · · · · · · · · · · ·						
						· · · · · · · · · · · · · · · · · · ·	
		SECTION B				CE	RTIFICATION
	!			[[I hereby cerr	÷(y that the information
	!			l I			Troope is true and com-
	!			1	·	1 . / ./ ./	pat of my knowledge and
	1		× .	ļ L		belfet. /	
	; ;	Ì			` <i>}</i>	1/-//	- Matre
				ĺ	4	Name	
				_ <u>i</u>		PRODUCT	ON SUPERINTENDENT
						Position	
	i			l I	Ì	ANDERSON	-PRICHARD OIL CORP
1	i			1	l	Company	
	İ				ł	3-24-60	
1	1			j	į	Date	
	1			İ	İ	<u> </u>	
	!			ì	1		
1	i			l I			
1					Í	I hereby certi	fy that the well location
					ł	shown on the	plat in SECTION B was
165	50 •			i	l	plotted from f	ield notes of actual
					1	surveys made	by mae or under my
					- 1	supervision,	and that the same is true
					l	and correct to	the best of my knowledge
	+					and belief.	
1	80				-		
}	80			ļ.	l		
	<u> </u>				1	Date Surveyed	
	,			1		3-24-	
	•			}	ļ		rofessional Engineer
]				. •	1	and/or Land	Surveyor, JOHN W. WEST
L						101	allot
						Certificate No	WWW
O 330 660 99	00 /320 1660 /94	10 2310 2640 200	ט /.	500 <i>1000</i> 5	00 0	M M - DE	

P. O. Box 6721 Roswell, New Mexico RECEIVED

March 25, 1960 2 8 1980

ARTE LA CETA

Anderson-Prichard Oil Corporation P. O. Box 196 Midland, Texas

Gentlemen:

Reference is made to your Notice of Intention to Drill well No. 1 (copy attached) located 1,980 feet from the south line and 1,650 feet from the west line of sec. 7, T. 20 S., R. 30 K., N.M.P.M., Eddy County, New Mexico on Federal lease NM 06778. This location is within the potash area designated by order of the Secretary of Interior, dated October 16, 1951.

Pursuant to authority delegated by the Acting Director of the U. S. Geological Survey on March 22, 1960, I hereby approve the Notice of Intention to Brill the above described well to a depth of approximately 1,600 feet. Please notify the District Engineer, U. S. Geological Survey, P. O. Box 187, Artesia, New Mexico, in sufficient time for a representative to witness all cementing operations.

Very truly yours,

(Orig Sad.) LOHN A ANDERSON

JOHN A. ANBERSON
Regional Oil and Gas Supervisor

Copy to: Washington

NMOCC (2) (w/2 cys notice)

Artesia (2) (w/cy notice)
Mining Supervisor, Carlsbad

and meaning that the applications of

and the second of the second

The Market Community of the Community of under <mark>komul</mark> sud stead ein set anne stadte sur en trop**e e**t sus dans s The production of the section of a section of the s The same of the following the last straight of the first of the last of the

orthodoxy of the transfer

188 Fred Wall Co Link The state of the s

> 10 1761 SER 10 17 V t 34 (sp. 100 aga) (1) 000 kg (spidom yours) (" sizerzd claise the contract stated