

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT (Other in-verse side) TRIPPLICATE (Other in-verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0468129

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Willow Draw Unit

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Seven Rivers Hills W/C

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 30, T-20-S, R-26-E

1. OIL WELL  GAS WELL  OTHER

2. NAME OF OPERATOR

Humble Oil & Refining Company

3. ADDRESS OF OPERATOR

Box 2100, Hobbs, N.M. 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)

At surface

2106 FNL, 1830 FEL, Sec 30, T-20-S, R-26-E, Eddy County, N.M.

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

To be furnished later

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

Plug & Abandon

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled to total depth of 10,250'.

Cement plugs to be set as follows:

10,125 - 9975'	50 sacks.
9,650 - 9550'	35 sacks.
8,500 - 8350'	50 sacks.
7,625 - 7525'	35 sacks.
7,425 - 7,250'	55 sacks.
5,700 - 5500'	65 sacks.
3,850 - 3650'	65 sacks.
2,440 - 2340'	35 sacks (8-5/8" csg set at 2388')
48 - 0'	15 sacks.

Install dry hole marker.

Above plugging procedure approved verbally by Mr. Knauf 12-3-65.

18. I hereby certify that the foregoing is true and correct

SIGNED

*[Signature]*

TITLE District Admin. Supervisor

DATE Dec 7, 1965

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

**APPROVED**  
DEC 10 1965  
H. L. BELLINGER  
ACTING DISTRICT ENGINEER

\*See Instructions on Reverse Side

RECEIVED  
DEC 9 1965  
J. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO