

### INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

#### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

##### Southeastern New Mexico

##### Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn <u>10150</u>	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka <u>10524</u>	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>573</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand <u>2809</u>	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs <u>4990</u>	T. Wingate _____	T. _____
T. Wolfcamp <u>8708</u>	T. Morrow <u>10918</u>	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

#### FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	600	600	Surface sand, red bed				
600	883	283	Anhy, shale	11392	11575	183	Shale
883	915	32	Anhy, shale and lm				
915	1041	126	Shale & lime	Note:	61		Correction on TD = 11514"
1041	1217	176	Lime				
1217	2905	1688	Lime and anhy				
2905	3073	168	Lime and sand				
3073	3390	317	Sand & lime				
3390	3526	136	Lime & anhy				
3526	3927	401	Lime				
3927	5810	1883	Sand & Shale				
5810	6175	365	Shale & lime				
6175	6569	394	Limestone & shale				
6569	7450	881	Lime & sand				
7450	8104	654	Lime & sand & shale				
8104	8388	284	Lime and shale				
8388	8665	277	Shale and sand				
8665	8869	204	Lime and sand				
8869	9656	787	Lime and shale				
9656	9677	21	Shale				
9677	9722	45	Soft sh and lime				
9722	10916	1194	Lime & shale				
10916	11185	269	Lime & chert				
11185	11266	81	Sand & shale				
11266	11392	126	Lime & chert				