

## FIELD REPORT FOR CEMENTING OF WELLS

OIL CONSERVATION DIVISION

Operator <u>Bernard Lankford</u>		Lease <u>St. 28</u>		Well # <u>1</u>	
Location of Well	Unit <u>C</u>	Section <u>28</u>	Township <u>20</u>	Range <u>28</u>	County <u>Eddy</u>
Drilling Contractor			Type of Equipment		

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
	<u>8 5/8</u>	<u>24</u>		<u>350</u>	<u>220</u>

## Casing Data:

Surface 23 joints of 8 5/8 inch 24 # Grade J55Approved (Approved) (Rejected)Inspected by G. Williams date \_\_\_\_\_

## Cementing Program

Size of hole 12 Size of Casing 8 5/8 Sacks cement required 220Type of Shoe used Tx Float collar used yes Btm 3 jts welded yesTD of hole 369 Set 346 Feet of 8 5/8 Inch 24 # Grade J55New-used csg. @ 346 with 220 sacks neat cement around shoe 2% calcl  
+ \_\_\_\_\_ sax \_\_\_\_\_ additives \_\_\_\_\_Plug down @ 12:45 (AM) (PM) Date 8-5-93Cement circulated yes No. of Sacks 27Cemented by B. J. Hughes Witnessed by J. Robinson

Temp. Survey ran @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_ top cement @ \_\_\_\_\_

Casing test @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_

Method Used \_\_\_\_\_ Witnessed by \_\_\_\_\_

Checked for shut off @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_

Method used \_\_\_\_\_ Witnessed by \_\_\_\_\_

Remarks: \_\_\_\_\_