## **UNITED STATES**

N.M. Oil ns. Division

C1515

(November 1994)		SUNDR	BUREA Y NOT	RTMENT OF THE RAU OF LAND MANA FICES AND REPORT FOR PROPERTY TO THE PROPERTY OF THE PROPERTY O	AGE ORT <i>drii</i>	MENT S ON WELLS Il or to re-enter i	iÀf! •n	esia, NM 8	882/10-2884  NW 15003  6. If Indian, Allottee or Tribe Name					
SUBMIT IN TRIPLICATE - Other instructions on reverse side											7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well  Oil Well  Gas Well XX Other Injection								u.	8. Well Name and No.					
2. Name of Operator OXY USA INC.								4	Government AB #9					
3-	Address				1 21	Phone No. (includ		10090	9. API We					
3a. Address P.O. B MIDLAN			OX 50250   3b. Phone No. (include area code)  D, TX 79710-0250   915-685-5717						30-015-27964  10. Field and Pool, or Exploratory Area					
4.	Location of We	<del></del> .		M., or Survey Description		. <u> </u>	7.4.7		1		n Ranch Bone Sprin			
		FNL 230			ec 10 T20S R28E				11. County or Parish, State					
E		FNL 660		11 11	11			· · ·	EDDY		NM			
	12.	CHECK AP	PROPE	RIATE BOX(ES) T	O IN	IDICATE NATU	RE C	OF NOTICE, RE	EPORT, OF	R 07	THER DATA			
	TYPE OF SUE	BMISSION				TY	PE C	F ACTION						
XI XI	Nouce of Inte			Acidize Alter Casing Casing Repair	0000	Deepen Fracture Treat New Construction	000	Reclamation Recomplete		000	Water Shut-Off Well Integrity Other			
	Final Abando	nment Nouce	_	Change Plans Convert to Injection	מנ	Plug and Abandon Plug Back	00		andon					
	If the proposal Attach the Bon following comptesting has been determined that	is to deepen dire d under which the eletion of the invia n completed. Find the site is ready	ctionally ne work volved openal Aban for final	or recomplete horizonta will be performed or pro- erations. If the operation donment Notices shall	illy, govide n resi be fil	tive subsurface location the Bond No. on file to the Bond No. on file to the bold of the Bond No. on file to the Bond No. on file to the Bond No. on the Bond	ons and with pletion remen	d measured and true BLM/BIA. Require n or recompletion in nts, including reclar	e vertical dept ed subsequent n a new interv mation, have	hs of t reportal, a been	nd approximate duration thereof, all pertinent markers and zones, orts shall be filed within 30 days. Form 3160-4 shall be filed once completed, and the operator has CHEM CUT			
				NG POOH PIH										

TOOLS QUIT WORKING, POOH. RIH & TBG FREE @ 5526', CHEM CUT @ 5511', POOH W/ TBG. RIH W/ OVERSHOT, LATCHE INTO FISH, WORK TAC LOOSE AND POOH. RIH W. BIT, CO TO 6658', POOH. RIH W/ RBP & SET @ 6328' & PKR @ 6311', TEST RBP TO 650#, OK. TEST CSG TO SURFACE TO 650# FOR 15min, OK (chart attached). REL RBP & POOH. RIH W/ BAKER A-3 PC PKR AND 2-7/8" IPC TBG, TESTING TBG ABOVE SLIPS TO 5000#, NO LEAKS, SET PKR @ 6334'. CIRC W/ PKR FLUID, LOAD CSG, NDBOP, NUWH, RUN 30min MIT, TEST TO 500#, OK (chart was misplaced and lost). RDPU 1/16/01, CLEAN LOC.

1/30/01 - START INJECTION.

2/27/01 - RUN 1hr MIT, TEST TO 520#, OK (chart attached).

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)  DAVID STEWART	ACCEPTED		1 Inc	REGULATORY ANA	ALYST -					
Signature Our Hill	MAK L (3	6 200	Date	3/2/01						
THIS SPACE FOR FEDERAL OR STATE OFFICE USE										
Approved by		Title		Date						
Conditions of approval, if any, are attached. Approval certify that the applicant holds legal or equitable title t which would entitle the applicant to conduct operations the	o those rights in		Office							

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any faise, fictuous or fraudulent statements or representations as to any matter within its jurisdiction.



## OXY USA INC. GOVERNMENT AB 9 SEC 10 T20S R28E EDDY NM

0.0 - 400.0' 17 1/2" OD HOLE 0.0 - 400.0' CEMENT 614sx-CIRC 0.0 - 400.0' 13 3/8" OD SURF CSG

400.0 - 3005.0' 11" OD HOLE 0.0 - 3005.0' CEMENT 1400sx-CIRC 0.0 - 3005.0' 8 5/8" OD INT CSG

3005.0 - 6725.0' 7 7/8" OD HOLE 0.0 - 6718.0' CEMENT 910sx-CIRC 0.0 - 6718.0' 5 1/2" OD PROD CSG

0.0 - 6334.0' 2 7/8" OD TBG IPC 6330.0 - 6334.0' RETRY. PACKER BAKER A-3 PC

> PBTD: 6672' TD: 6725'

6378.0 - 6619.0' PERFS